







# Company Profile Who are we?

Lanark Trading, established in 1972, has built its reputation as a key distributor of architectural, industrial and commercial lighting and electrical product solutions.


Lanark have since built solid foundations with extensive networks in national electrical wholesale supply channels as well as architectural and construction industry partners. Lanark source high quality, cost-effective products whilst offering an informed and professional service to their clientele.

#### **Portfolio**

Our portfolio of installation is sophisticated and representative of the high calibre projects Lanark have undertaken, including Audi Centre, Caversham House, Kalgoorlie Health Campus and various multiresidential apartments. Our client relationships have been built through our efficient operations, high-level lighting education and cost-effective, high quality solutions enjoyed by our end user.

### **Lighting Solutions**

We understand your lighting needs and project requirements and have a wide range of lighting solutions for any budget. Whether your project requires industrial high out-put luminaires for a tunnel or a detailed LED design solution for jewellery store, Lanark are able to offer the latest technology and lighting design solutions at the most competitive price in the industry. From LED, Metal Halide, Fluorescent and Halogen, Lanark can offer a diverse range of lighting technology tailored to suit your project needs. Lanark invests in knowledge; our personnel have thorough industry experience and attain a high-level of lighting education from key industry bodies. Our tailored product solutions comply with all the latest regulatory codes with readily available technical data and warranties as required. Should you require lighting advice, lighting design or specification for any projects you may have on the horizon please don't hesitate to contact us.



### Down Lights

| Part No. / Product  | Pg. |
|---|-----|
| 21280, 21281, 21282, 21283 <b>LED ASTRA CABINET LIGHT</b>                                   | 22  |
| BARRIERLEDWH13W3K, BARRIERLEDBC13W3K LED BARRIER DOWN LIGHT                                 | 18  |
| DL108SIL163, DL108WHT163, DL108SIL164, DL108WHT164 <b>LED ROUND DOWN LIGHT</b>              | 31  |
| EXCD4010WD EXCALIBUR  | 19  |
| FLUXMA15W3K, FLUXWH15W3K <b>FLUX FIXED LED DOWN LIGHT</b>                                   | 19  |
| HALO10W3K LED HALO 10W DOWN LIGHT   | 20  |
| HALO13W3K LED HALO 13W DOWN LIGHT   | 20  |
| LAN70C RECTANGULAR METAL HALIDE SHOP LIGHT  | 39  |
| LAN70 ROUND METAL HALIDE SHOP LIGHT   | 39  |
| LAN150C RECTANGULAR METAL HALIDE SHOP LIGHT   | 40  |
| LAN150 ROUND METAL HALIDE SHOP LIGHT  | 40  |
| LAN332SC, LAN332WH QUICK RELEASE DOWN LIGHT   | 34  |
| LAN336SC, LAN336WH <b>SQUARE QUICK RELEASE DOWN LIGHT</b>                                   | 35  |
| LAN338 SQUARE ADJUSTABLE DOWN LIGHT   | 34  |
| LAN340SC ROUND ADJUSTABLE DOWN LIGHT  | 34  |
| LAN343SC, LAN343WH ROUND 2-WAY TILT DOWN LIGHT  | 35  |
| LAN344SC, LAN344WH <b>SQUARE 2-WAY TILT DOWN LIGHT</b>                                      | 34  |
| LAN348 ROUND ADJUSTABLE GOOSENECK GIMBLE  | 35  |
| LAN494SS, LAN494WH <b>IP54 SEALED DOWN LIGHT</b>  | 35  |
| LAN883SC ROUND STARLIGHT  | 40  |
| LAN884-20W-SCH <b>SQUARE STARLIGHT</b>  | 41  |
| LAN1113-SIL, LAN1113-WH <b>E27 RECESSED DOWN LIGHT</b>                                      | 38  |
| LAN3115A, LAN3115SS <b>SQUARE TILT DOWN LIGHT</b>   | 32  |
| LAN3116A, LAN3116SS <b>ROUND TILT DOWN LIGHT</b>  | 33  |
| LAN3117A, LAN3117SS <b>SQUARE LOW GLARE DOWN LIGHT</b>                                      | 32  |
| LAN3118A, LAN3118SS <b>ROUND LOW GLARE DOWN LIGHT</b>                                       | 33  |
| LAN4116SS, LAN4116A <b>ROUND CENTRE TILT DOWN LIGHT</b>                                     | 33  |
| LAN4117A, LAN4117SS <b>SQUARE CENTRE TILT DOWN LIGHT</b>                                    | 33  |
| LAN8014-3K, LAN8014-4K <b>ROUND PLC DOWN LIGHT RECESSED</b>                                 | 38  |
| LAN8020 ROUND PLC DOWN LIGHT RECESSED   | 38  |
| LAN8021 SQUARE PLC DOWN LIGHT RECESSED  | 38  |
| LAN8031 SQUARE PLC DOWN LIGHT RECESSED  | 39  |
| LAN8876-70W-3K-WHT, LAN8876-70W-4K-WHT <b>SQUARE METAL HALIDE RECESSED DOWN LIGHT</b>       | 40  |
| LAN10029-118, LAN10029-218, LAN10029-126, LAN10029-226 <b>ROUND PLC DOWN LIGHT RECESSED</b> | 39  |
| LAN10041 METAL HALIDE G12 DOWN LIGHT  | 32  |
| LAN10057 METAL HALIDE G12 DOWN LIGHT  | 32  |
| LANA5W MOUNTING RING TO SUIT EVOLVE 50 IP20   | 30  |
| LANCAB3WDC-CW, LANCAB3WDC-WW <b>LED MINI DOWN LIGHT</b>                                     | 21  |
| LANCFL4S, LANCFL4W <b>SMALL ROUND SIDE ENTRY DOWN LIGHT</b>                                 | 37  |
| LANCFL6S, LANCFL6W LARGE ROUND SIDE ENTRY DOWN LIGHT  | 37  |

## Down Lights cont.

| Part No. / Product  | Pg. |
|---|-----|
| 21280, 21281, 21282, 21283 <b>LED ASTRA CABINET LIGHT</b>                                   | 22  |
| BARRIERLEDWH13W3K, BARRIERLEDBC13W3K LED BARRIER DOWN LIGHT                                 | 18  |
| DL108SIL163, DL108WHT163, DL108SIL164, DL108WHT164 LED ROUND DOWN LIGHT                     | 31  |
| EXCD4010WD EXCALIBUR  | 19  |
| FLUXMA15W3K, FLUXWH15W3K <b>FLUX FIXED LED DOWN LIGHT</b>                                   | 19  |
| HALO10W3K LED HALO 10W DOWN LIGHT   | 20  |
| HALO13W3K LED HALO 13W DOWN LIGHT   | 20  |
| LAN70C RECTANGULAR METAL HALIDE SHOP LIGHT  | 39  |
| LAN70 ROUND METAL HALIDE SHOP LIGHT   | 39  |
| LAN150C RECTANGULAR METAL HALIDE SHOP LIGHT   | 40  |
| LAN150 ROUND METAL HALIDE SHOP LIGHT  | 40  |
| LAN332SC, LAN332WH QUICK RELEASE DOWN LIGHT   | 34  |
| LAN336SC, LAN336WH <b>SQUARE QUICK RELEASE DOWN LIGHT</b>                                   | 35  |
| LAN338 SQUARE ADJUSTABLE DOWN LIGHT   | 34  |
| LAN340SC ROUND ADJUSTABLE DOWN LIGHT  | 34  |
| LAN343SC, LAN343WH ROUND 2-WAY TILT DOWN LIGHT  | 35  |
| LAN344SC, LAN344WH <b>SQUARE 2-WAY TILT DOWN LIGHT</b>                                      | 34  |
| LAN348 ROUND ADJUSTABLE GOOSENECK GIMBLE  | 35  |
| LAN494SS, LAN494WH <b>IP54 SEALED DOWN LIGHT</b>  | 35  |
| LAN883SC ROUND STARLIGHT  | 40  |
| LAN884-20W-SCH <b>SQUARE STARLIGHT</b>  | 41  |
| LAN1113-SIL, LAN1113-WH <b>E27 RECESSED DOWN LIGHT</b>                                      | 38  |
| LAN3115A, LAN3115SS <b>SQUARE TILT DOWN LIGHT</b>   | 32  |
| LAN3116A, LAN3116SS <b>ROUND TILT DOWN LIGHT</b>  | 33  |
| LAN3117A, LAN3117SS <b>SQUARE LOW GLARE DOWN LIGHT</b>                                      | 32  |
| LAN3118A, LAN3118SS <b>ROUND LOW GLARE DOWN LIGHT</b>                                       | 33  |
| LAN4116SS, LAN4116A <b>ROUND CENTRE TILT DOWN LIGHT</b>                                     | 33  |
| LAN4117A, LAN4117SS <b>SQUARE CENTRE TILT DOWN LIGHT</b>                                    | 33  |
| LAN8014-3K, LAN8014-4K <b>ROUND PLC DOWN LIGHT RECESSED</b>                                 | 38  |
| LAN8020 ROUND PLC DOWN LIGHT RECESSED   | 38  |
| LAN8021 SQUARE PLC DOWN LIGHT RECESSED  | 38  |
| LAN8031 SQUARE PLC DOWN LIGHT RECESSED  | 39  |
| LAN8876-70W-3K-WHT, LAN8876-70W-4K-WHT <b>SQUARE METAL HALIDE RECESSED DOWN LIGHT</b>       | 40  |
| LAN10029-118, LAN10029-218, LAN10029-126, LAN10029-226 <b>ROUND PLC DOWN LIGHT RECESSED</b> | 39  |
| LAN10041 METAL HALIDE G12 DOWN LIGHT  | 32  |
| LAN10057 METAL HALIDE G12 DOWN LIGHT  | 32  |
| LANA5W MOUNTING RING TO SUIT EVOLVE 50 IP20   | 30  |
| LANCAB3WDC-CW, LANCAB3WDC-WW <b>LED MINI DOWN LIGHT</b>                                     | 21  |
| LANCFL4S, LANCFL4W <b>SMALL ROUND SIDE ENTRY DOWN LIGHT</b>                                 | 37  |

## Down lights cont.

| Part No. / Product  | Pg.    |
|---|--------|
| 21280, 21281, 21282, 21283 <b>LED ASTRA CABINET LIGHT</b>                       | 22     |
| BARRIERLEDWH13W3K, BARRIERLEDBC13W3K LED BARRIER DOWN LIGHT                     | 18     |
| DL108SIL163, DL108WHT163, DL108SIL164, DL108WHT164 <b>LED ROUND DOWN LIGHT</b>  | 31     |
| EXCD4010WD EXCALIBUR  | 19     |
| FLUXMA15W3K, FLUXWH15W3K <b>FLUX FIXED LED DOWN LIGHT</b>                       | 19     |
| HALO10W3K LED HALO 10W DOWN LIGHT   | 20     |
| HALO13W3K LED HALO 13W DOWN LIGHT   | 20     |
| LAN70C RECTANGULAR METAL HALIDE SHOP LIGHT                                      | 39     |
| LAN70 ROUND METAL HALIDE SHOP LIGHT   | 39     |
| LAN150C RECTANGULAR METAL HALIDE SHOP LIGHT                                     | 40     |
| LAN150 ROUND METAL HALIDE SHOP LIGHT  | 40     |
| LAN332SC, LAN332WH QUICK RELEASE DOWN LIGHT                                     | 34     |
| Oyster and Ceiling I  | _ights |
| 19410, 19411 ELITE SURFACE MOUNTED CEILING LIGHT                                | 50     |
| 19413, 19414 ALPHA SURFACE MOUNTED CEILING LIGHT                                | 50     |
| FA150HSJ S <b>URFACE MOUNTED CANOPY LIGHT</b>                                   | 51     |
| GE241022, GE241040 SQUARE FLUORESCENT   | 49     |
| LAN2151, LAN2152, LAN2153 <b>ALABASTER OYSTER</b>                               | 43     |
| LAN2400-22, LAN2400-32, LAN2400-40 <b>SLIMLINE OPAL FLUORESCENT OYSTER</b>      | 43     |
| LAN2400-350LED-20W-3K LED CEILING MOUNTED OYSTER                                | 43     |
| LAN2500-350 <b>SQUARE LED OYSTER 20W 3000K</b>                                  | 44     |
| LAN4300, LAN4400, LAN4500 <b>SPIKE CLIP OYSTER</b>                              | 44     |
| LAN4300LED, LAN4400LED <b>SPIKE CLIP OYSTER</b>                                 | 44     |
| LAN4380 ROUND SURFACE MOUNTED OYSTER  | 47     |
| LAN6930-12WLED <b>PRISAYA LED OYSTER</b>  | 48     |
| LAN6930-E27, LAN6940-E27 <b>PRISAYA OYSTER</b>                                  | 48     |
| LAN6940-2XE27 PRISAYA OYSTER  | 48     |
| LAN6940-20WLED <b>PRISAYA LED OYSTER</b>  | 48     |
| LAN7471, LAN7472 <b>SQUARE SURFACE MOUNT SPIKE CLIP WALL LIGHT</b>              | 44     |
| LANALYSIA330LED <b>LED ALYSIA OYSTER 15W</b>                                    | 42     |
| LANASTRA300-LED24W LED ASTRA OYSTER   | 42     |
| LANCG8WLED4K, LANCG12WLED4K,  |        |
| LANCG18WLED4K, LANCG25WLED4K <b>SLIMLINE LED DIFFUSED INTERLINKABLE</b>         | 52     |
| LANCOBSMWH15W3K, LANCOBSMWH15W4K <b>LED SURFACE MOUNTED 15W IP54 DOWN LIGHT</b> | 49     |
| LAN-ECLIPSE12W-3K-D, LAN-ECLIPSE12W-4K-D <b>ECLIPSE LED 12W OYSTER</b>          | 45     |
| LAN-ECLIPSE18W-3K-D, LAN-ECLIPSE18W-4K-D <b>ECLIPSE LED 18W OYSTER</b>          | 45     |
| LAN-ECLIPSE18WCC ECLIPSE LED 18W COLOUR CHANGEABLE OYSTER                       | 45     |
| LAN-ECLIPSE25W-3K-D, LAN-ECLIPSE25W-4K-D <b>ECLIPSE LED 25W OYSTER</b>          | 45     |

## Oyster & Ceiling Lights cont.

| Part No. / Product  | Pg. |
|---|-----|
| LAN-ECLIPSE25WCC ECLIPSE LED 25W COLOUR CHANGEABLE OYSTER         | 46  |
| LANMC2000BLK ROUND CEILING LIGHT                                  | 50  |
| LANPLASTH40WLED4K SURFACE MOUNT LED BATTEN                        | 52  |
| LAN-SLICE150, LAN-SLICE170 SURFACE MOUNTED LED LOW PROFILE OYSTER | 49  |
| LANTUBUSPR02-18, LANTUBUSPR02-26 SURFACE MOUNT PLC DOWN LIGHT     | 49  |
| MLBF BLADE SLIMLINE LED SURFACE MOUNT                             | 52  |
| MLL03018BD, MLL03018WD <b>LUNAR LED 18W 3000K</b>                 | 46  |
| MLL03028BD, MLL03028WD <b>LUNAR LED 28W 3000K</b>                 | 46  |
| MLL03038BD, MLL03038WD <b>LUNAR LED 38W 3000K</b>                 | 47  |
| MLL05018BD, MLL05018WD <b>LUNAR LED 18W 5000K</b>                 | 46  |
| MLL05028BD, MLL05028WD <b>LUNAR LED 28W 5000K</b>                 | 47  |
| MLL05038BD, MLL05038WD <b>LUNAR LED 38W 5000K</b>                 | 47  |
| SBN961LED SURFACE MOUNTED CANOPY LIGHT                            | 50  |
| SBN961150REC RECESSED LED CANOPY LIGHT                            | 51  |
| SBN961150SM SURFACE MOUNTED LED CANOPY LIGHT                      | 51  |
| SBN961250, SBN961400 SURFACE MOUNTED CANOPY LIGHT                 | 51  |
| Step Lights   |     |
| 19978, 19979 ROUND SURFACE MOUNTED STEP LIGHT                     | 56  |
| 19980, 19981 SQUARE SURFACE MOUNTED STEP LIGHT                    | 56  |
| GL034ANW, GL034AWW LED WALL LIGHT                                 | 54  |
| LAN2013B, LAN2013SS, LAN2013S ROUND RECESSED STEP LIGHT           | 57  |
| LAN2015B, LAN2015SS, LAN2015S <b>EYELID STEP LIGHT</b>            | 57  |
| LAN-DOMERND ROUND STEP LIGHT                                      | 57  |
| LAN-DOMESQ SQUARE STEP LIGHT                                      | 57  |
| LANGS-031 SQUARE STEP LIGHT                                       | 58  |
| LANGS-032 <b>SQUARE STEP LIGHT</b>                                | 58  |
| LANGS-033 <b>SQUARE WALL LIGHT</b>                                | 54  |
| LANLADDER100S LED EXTERNAL WALL LIGHT                             | 54  |
| LANLADDER150S LED EXTERNAL WALL LIGHT                             | 54  |
| LAN-SLIM3K-ROUND <b>SLIM ROUND LED STEP LIGHT</b>                 | 56  |
| LAN-SLIM3K-SQUARE <b>SLIM SQUARE LED STEP LIGHT</b>               | 56  |
| LANSTEPRD3W3K ROUND STEP LIGHT                                    | 55  |
| LANSTEPSQ3W3K <b>SQUARE STEP LIGHT</b>                            | 55  |
| WL050WB <b>WALL BOX</b>   | 55  |
| WL050WW, WL050NW LED STEP LIGHT                                   | 55  |

### Wall Lights

| Part No. / Product  | Pg. |
|---|-----|
| 19400, 19401 <b>ALPHA 1 WALL MOUNTED LIGHT</b>                                  | 71  |
| 19402, 19403 <b>ALPHA 2 WALL MOUNTED LIGHT</b>                                  | 71  |
| 19404, 19405 ELITE 1 WALL MOUNTED LIGHT   | 72  |
| 19406, 19407 ELITE 2 WALL MOUNTED LIGHT   | 72  |
| 19462, 19463 <b>X-WAVE WALL LIGHT</b>   | 61  |
| 19464, 19465 <b>I-BOOK WALL LIGHT</b>   | 62  |
| CL3324 RECESSED BRICKLIGHT  | 80  |
| CL3325 SURFACE MOUNTED BRICKLIGHT   | 80  |
| CL542141 SURFACE MOUNTED GRILL BULKHEAD   | 76  |
| CL542142 SURFACE MOUNTED EYELID BULKHEAD  | 76  |
| CL542144 SURFACE MOUNTED OPEN FACE BULKHEAD                                     | 76  |
| CLBD601 SURFACE MOUNTED BRICKLIGHT  | 80  |
| CLBD602 SURFACE MOUNTED BRICKLIGHT  | 80  |
| CLWL21STSES, CLWL21STS118 SURFACE MOUNTED EXTERIOR WALL LIGHT                   | 71  |
| CLWL22STSES, CLWL22STS118 SURFACE MOUNTED EXTERIOR WALL LIGHT                   | 71  |
| ECHOSIL9W3K, ECHOBLK9W3K ECHO SM UP AND DOWN LED WALL LIGHT                     | 74  |
| LAN2010/BLK, LAN2010/SS, LAN2010/SL <b>UP &amp; DOWN UNI-LIGHT SPOTLIGHT</b>    | 64  |
| LAN2010T/BLK, LAN2010T/SS, LAN2010T/SL <b>UP &amp; DOWN UNI-LIGHT SPOTLIGHT</b> | 64  |
| LAN2030BK, LAN2030SS, LAN2030SIL <b>ADJUSTABLE WALL SPOTLIGHT</b>               | 63  |
| LAN2030T/BLK, LAN2030T/SS, LAN2030T/SIL <b>ADJUSTABLE WALL SPOTLIGHT</b>        | 64  |
| LAN2040BK, LAN2040SS, LAN2040SIL <b>FIXED WALL DOWN LIGHT</b>                   | 65  |
| LAN2040T/BLK, LAN2040T/SS, LAN2040T/SIL <b>FIXED WALL DOWN LIGHT</b>            | 64  |
| LAN2122B, LAN2122S <b>265MM GRILL GUARD BUNKER</b>                              | 78  |
| LAN2124B, LAN2124S <b>265MM PLAIN BUNKER</b>                                    | 78  |
| LAN2124BLK23WLED4K, LAN2124SIL23WLED4K <b>265MM LED PLAIN BUNKER</b>            | 77  |
| LAN2132B, LAN2132S <b>365MM GRILL GUARD BUNKER</b>                              | 78  |
| LAN2134B, LAN2134S <b>365MM PLAIN BUNKER</b>                                    | 78  |
| LAN2134BLK23WLED4K, LAN2134SIL23WLED4K <b>365MM LED PLAIN BUNKER</b>            | 77  |
| LAN2154 ALABASTER WALL LIGHT  | 62  |
| LAN4305 SURFACE MOUNTED SPIKE CLIP WALL LIGHT                                   | 62  |
| LAN7473 SURFACE MOUNT SPIKE CLIP WALL LIGHT                                     | 62  |
| LAN8028B, LAN8028S SURFACE MOUNTED DIE CAST                                     | 63  |
| LAN20101BLK, LAN20101TI <b>UP &amp; DOWN GU10 WALL LIGHT</b>                    | 65  |
| LAN20301BLK, LAN20301TI <b>ADJUSTABLE WALL SPOTLIGHT</b>                        | 65  |
| LAN20401BLK, LAN20401TI <b>FIXED DOWN ONLY WALL LIGHT</b>                       | 65  |
| LAN101104GRY <b>UP AND DOWN LED WALL LIGHT</b>                                  | 75  |
| LAN101105GRY <b>UP AND DOWN LED WALL LIGHT</b>                                  | 75  |
| LAN102102GRY ADJUSTABLE SPOT LIGHT  | 63  |
| LAN201102STS MINI RECTANGLE WALL LIGHT  | 75  |

### Wall Lights cont.

| Part No. / Product   | Pg. |
|--|-----|
| LAN201103STS RECTANGLE WALL LIGHT                                | 75  |
| LAN304102GRY, LAN304102SIL ROUND EXTERIOR BUNKER                 | 77  |
| LANDRIFTBK6W3K, LANDRIFTSIL6W3K <b>DRIFT WALL LIGHT</b>          | 61  |
| LAN-FADE3K <b>FADE WALL LIGHT LED</b>                            | 60  |
| LAN-FOCUSIP, LAN-FOCUSIPBLK SURFACE MOUNTED UP & DOWN WALL LIGHT | 60  |
| LAN-FOCUS SURFACE MOUNTED UP & DOWN WALL LIGHT                   | 60  |
| LANHORIZONOV12W3K, LANHORIZONOV12W4K HORIZON OVAL PLAIN BUNKER   | 76  |
| LANHORIZONRD12W3K, LANHORIZONRD12W4K HORIZON ROUND PLAIN BUNKER  | 77  |
| LANMR3010BLK ROUND UP & DOWN WALL LIGHT                          | 72  |
| LANMR3010STS ROUND UP & DOWN WALL LIGHT                          | 72  |
| LANMR4010BLK ROUND UP & DOWN WALL LIGHT                          | 73  |
| LANMR6010STS ROUND UP & DOWN WALL LIGHT                          | 73  |
| LANMS3010BLK <b>SQUARE UP &amp; DOWN WALL LIGHT</b>              | 73  |
| LANMS3010STS <b>SQUARE UP &amp; DOWN WALL LIGHT</b>              | 74  |
| LANMS6010BLK <b>SQUARE UP &amp; DOWN WALL LIGHT</b>              | 74  |
| LANUDR15302 ROUND UP & DOWN WALL LIGHT                           | 73  |
| LANWAVEBB3K <b>WAVE LED</b>                                      | 61  |
| LAN-WEDGE5K WEDGE UP & DOWN WALL LIGHT                           | 61  |
| MC010S LED MINI CUBE WALL LIGHT                                  | 69  |
| MC015SNW, MC015SWW, MC015SBL <b>LED MINI CUBE WALL LIGHT</b>     | 69  |
| MC020SWW, MC020SNW <b>LED MINI CUBE WALL LIGHT</b>               | 69  |
| MC025SNW, MC025SBL <b>LED MINI CUBE WALL LIGHT</b>               | 69  |
| MC040WW, MC040NW LED WALL LIGHT                                  | 68  |
| MC050WW, MC050NW LED DECORATIVE WALL LIGHT                       | 68  |
| MF02IP, MS02IP LED ADJUSTABLE MINI WALL LIGHT                    | 68  |
| MFV108, MFV114, MFV121 <b>VISION</b>                             | 63  |
| ML02WW, ML02NW <b>LED DECORATIVE MINI LIGHT</b>                  | 70  |
| ML03WW, ML03NW <b>LED MINI HALO WALL LIGHT</b>                   | 70  |
| OCTOLEDWW, OCTOLEDNW LED ROTATABLE OCTAGONAL WALL LIGHT          | 70  |
| WL041IP LED FAN EFFECT WALL LIGHT                                | 70  |
| WL060WW, WL060NW, WL160WW, W160NW LED WALL LIGHT                 | 67  |
| WL070A, WL170A, WL370A <b>UP AND DOWN LED WALL LIGHT</b>         | 66  |
| WL070RGB <b>UP AND DOWN LED WALL LIGHT RGB</b>                   | 66  |
| WL075AWW, WL075ANW, WL175ANW <b>LED WALL LIGHT</b>               | 66  |
| WL075CARGB LED WALL LIGHT RGB                                    | 66  |
| WL140AFWW, WL140AFNW, WL240AFWW, WL240AFNW LED WALL LIGHT        | 67  |
| WL220AMAINS LED WALL LIGHT                                       | 67  |
| WL220A, WL020ABLK, WL320A <b>LED WALL LIGHT</b>                  | 67  |
| WL220CARGB, WL021CARGB LED WALL LIGHT RGB                        | 68  |

### LED Strip & Extrusion

| Part No. / Product  | Pg.  |
|---|--|
| LANEXT002 ALUMINIUM EXTRUSION   | 84   |
| LANEXT003R ALUMINIUM EXTRUSION  | 84   |
| LANEXT011 ALUMINIUM EXTRUSION   | 84   |
| LANEXT017R ALUMINIUM EXTRUSION  | 84   |
| LANEXT1616C ALUMINIUM CORNER EXTRUSION  | 85   |
| LANEXT1616SQ ALUMINIUM CORNER EXTRUSION   | 85   |
| LANLEDROPE <b>LED ROPE</b>  | 82   |
| LANS5050RGB-N, LANS5050RGB-IP65 <b>RGB LED STRIP LIGHTING</b>   | 82   |
| LANS5050W-N, LANS5050WW-N <b>LED STRIP LIGHTING</b>   | 82   |
| LANS5050W-PP, LANS5050WW-P <b>LED STRIP LIGHTING</b>  | 82   |
| LANS5151W-IP65, LANS5151WW-IP65 <b>LED STRIP LIGHTING</b>   | 83   |
| LANS5151W-N, LANS5151WW-N <b>LED STRIP LIGHTING</b>   | 83   |
|   |  |
|   | Trapeze & Pendants   |
| 19599, 19605, 19603, 19598, 19604, 19602 <b>PANDORA LED PENDANT</b>   | Trapeze & Pendants   |
| 19599, 19605, 19603, 19598, 19604, 19602 <b>PANDORA LED PENDANT</b> 35002 <b>JUPITER LED PENDANT</b>  | •  |
|   | . 87   |
| 35002 JUPITER LED PENDANT   | 87<br>87   |
| 35002 JUPITER LED PENDANT 35020 BOOMERANG 40 LED PENDANT  | 87<br>87<br>88   |
| 35002 JUPITER LED PENDANT 35020 BOOMERANG 40 LED PENDANT 35021 BOOMERANG 50 LED PENDANT   | 87<br>87<br>88<br>88   |
| 35002 JUPITER LED PENDANT 35020 BOOMERANG 40 LED PENDANT 35021 BOOMERANG 50 LED PENDANT 35040, 35041 VENUS 40 LED PENDANT   | 87<br>87<br>88<br>88<br>88                                     |
| 35002 JUPITER LED PENDANT 35020 BOOMERANG 40 LED PENDANT 35021 BOOMERANG 50 LED PENDANT 35040, 35041 VENUS 40 LED PENDANT LANCOBPD10WWH3K, LANCOBPD10WBK3K LED PENDANT  | 87<br>88<br>88<br>88<br>88                                     |
| 35002 JUPITER LED PENDANT 35020 BOOMERANG 40 LED PENDANT 35021 BOOMERANG 50 LED PENDANT 35040, 35041 VENUS 40 LED PENDANT LANCOBPD10WWH3K, LANCOBPD10WBK3K LED PENDANT LAN-CYL3K LED PENDANT  | 87<br>88<br>88<br>88<br>88<br>87                               |
| 35002 JUPITER LED PENDANT 35020 BOOMERANG 40 LED PENDANT 35021 BOOMERANG 50 LED PENDANT 35040, 35041 VENUS 40 LED PENDANT LANCOBPD10WWH3K, LANCOBPD10WBK3K LED PENDANT LAN-CYL3K LED PENDANT LANHB200W4K HIGH BAY LED 200W 4K   | 87<br>88<br>88<br>88<br>88<br>87<br>87                         |
| 35002 JUPITER LED PENDANT 35020 BOOMERANG 40 LED PENDANT 35021 BOOMERANG 50 LED PENDANT 35040, 35041 VENUS 40 LED PENDANT LANCOBPD10WWH3K, LANCOBPD10WBK3K LED PENDANT LAN-CYL3K LED PENDANT LANHB200W4K HIGH BAY LED 200W 4K LANHBPCREF HIGH BAY LED 200W 4K   | 87<br>87<br>88<br>88<br>88<br>88<br>87<br>87<br>87             |
| 35002 JUPITER LED PENDANT 35020 BOOMERANG 40 LED PENDANT 35021 BOOMERANG 50 LED PENDANT 35040, 35041 VENUS 40 LED PENDANT LANCOBPD10WWH3K, LANCOBPD10WBK3K LED PENDANT LAN-CYL3K LED PENDANT LANHB200W4K HIGH BAY LED 200W 4K LANHBPCREF HIGH BAY LED 200W 4K LANTJH6-42W, LANTJH6-70W SUSPENDED DECORATIVE HIGH BAY                          | 87<br>88<br>88<br>88<br>88<br>87<br>87<br>87<br>89             |
| 35002 JUPITER LED PENDANT 35020 BOOMERANG 40 LED PENDANT 35021 BOOMERANG 50 LED PENDANT 35040, 35041 VENUS 40 LED PENDANT LANCOBPD10WWH3K, LANCOBPD10WBK3K LED PENDANT LAN-CYL3K LED PENDANT LANHB200W4K HIGH BAY LED 200W 4K LANHBPCREF HIGH BAY LED 200W 4K LANTJH6-42W, LANTJH6-70W SUSPENDED DECORATIVE HIGH BAY LANWL-1/4C TRAPEZE CABLE | 87<br>87<br>88<br>88<br>88<br>88<br>87<br>87<br>87<br>89<br>89 |

## Track Lights

| Part No. / Product   | Pg |
|--|----|
| LAN8414-01LEB, LAN8414-01LEWH CIRCUIT TRACK                  | 91 |
| LAN8414-02LEB, LAN8414-02LEWH CIRCUIT TRACK                  | 91 |
| LAN8416-02B, LAN8416-02WH CONNECTOR                          | 91 |
| LAN8416-03B, LAN8416-03WH L-TYPE CONNECTOR                   | 91 |
| LAN8611-311-3K-B, LAN8611-311-3K-WH <b>LED TRACK LIGHT</b>   | 90 |
| LAN8611-311-4K-B, LAN8611-311-4K-WH <b>LED TRACK LIGHT</b>   | 90 |
| LANTRACK-1M, LANTRACK-1MBLK CIRCUIT TRACK                    | 90 |
| LANTRACK10W3KWHT, LANTRACK10W3KBLK LED TRACK LIGHT           | 90 |
| LED Panel Lights   |    |
| LANPL20X20-3K, LANPL20X20-4K <b>SMALL SQUARE PANEL LIGHT</b> | 93 |
| LANPL30X30-18W SQUARE PANEL LIGHT                            | 93 |
| LANPL30X30-36W <b>SQUARE PANEL LIGHT</b>                     | 93 |
| LANPL30X60-36W <b>RECTANGULAR PANEL LIGHT</b>                | 93 |
| LANPL60X60-36W <b>SQUARE PANEL LIGHT</b>                     | 94 |
| LANPL60X60-45W <b>SQUARE PANEL LIGHT</b>                     | 94 |
| LANPL60X60-56W <b>SQUARE PANEL LIGHT</b>                     | 94 |
| LANPL120X30-36W <b>RECTANGULAR PANEL LIGHT 36W</b>           | 94 |
| LANPL120X30-45W <b>RECTANGULAR PANEL LIGHT 45W</b>           | 95 |
| LANPL120X30-56W <b>RECTANGULAR PANEL LIGHT 56W</b>           | 95 |
| LANPL120X30-72W <b>RECTANGULAR PANEL LIGHT 72W</b>           | 95 |
| LANPL120X60-72W <b>RECTANGULAR PANEL LIGHT 72W</b>           | 95 |
| LANPL180-10W ROUND PANEL LIGHT                               | 92 |
| LANPL300-20W ROUND PANEL LIGHT                               | 92 |
| Slotter Lights   |    |
| LAN001CT SQUARE TWO-WAY SINGLE SLOTTER DOWN LIGHT            | 98 |
| LAN001K-135, LAN001K-170 METAL HALIDE SINGLE SLOTTER         | 96 |
| LAN001LED-16W, LAN001LED-26W <b>LED SINGLE SLOTTER</b>       | 96 |
| LAN002CT RECTANGULAR TWO-WAY TWIN SLOTTER DOWN LIGHT         | 98 |
| LAN002K-235, LAN002K-270 METAL HALIDE DOUBLE SLOTTER         | 97 |
| LAN002LED-16W, LAN002LED-26W <b>LED DOUBLE SLOTTER</b>       | 97 |
| LAN003CT RECTANGULAR TWO-WAY TRIPLE SLOTTER DOWN LIGHT       | 98 |
| LAN003K-335, LAN003K-370 METAL HALIDE TRIPLE SLOTTER         | 97 |
| LAN003LED-16W, LAN003LED-26W <b>LED TRIPLE SLOTTER</b>       | 97 |
| LANE3111 SLOTTER DOWN LIGHT GU10                             | 98 |

## Ceiling Fans

| Part No. / Product   | Pg.                             |
|--|---------------------------------|
| DLS134B, DLS134M, DLS134W <b>LIFESTYLE</b>                 | 100                             |
| DLS1344B, DLS1344M, DLS1344W <b>LIFESTYLE E27</b>          | 100                             |
| MPF3042SS, MPF3043SS, MPF3044SS <b>PRECISION 304</b>       | 101                             |
| MPF3162SS, MPF3163SS, MPF3164SS <b>PRECISION 316</b>       | 101                             |
| MPREM PREMIER REMOTE KIT                                   | 101                             |
| MRF1343W, MRF1343B <b>RAZOR 28W LED 3000K</b>              | 100                             |
| MRF1345B, MRF1345W <b>RAZOR 28W LED 5000K</b>              | 101                             |
|  | Exhaust Fans & Bathroom Heaters |
| MBHC1LS, MBHC1LW CONTOUR 1                                 | 102                             |
| MBHC2LS, MBHC2LW CONTOUR 2                                 | 103                             |
| MBHC4LS, MBHC4LW CONTOUR 4                                 | 103                             |
| MBHL1000S, MBHL1000W LINEAR                                | 102                             |
| MBHP2LS, MBHP2LW <b>PROFILE PLUS 2</b>                     | 102                             |
| MBHP4LS, MBHP4LW <b>PR0FILE PLUS 4</b>                     | 102                             |
| MBHREM LCD REMOTE  | 103                             |
| MXFG25S, MXFG25W <b>GYRO</b>                               | 104                             |
| MXFLG25S, MXFLG25W <b>GYRO LIGHT</b>                       | 104                             |
| MXFLT25S, MXFLT25W <b>TETRA LIGHT</b>                      | 104                             |
| MXFT25S, MXFT25W <b>TETRA</b>                              | 104                             |
|  | Exterior Lights                 |
| CLFA80LDBLK4 <b>LED AREA LIGHT 80W</b>                     | 109                             |
| CLFA160LDBLK4 <b>LED AREA LIGHT 160W</b>                   | 110                             |
| CLSB60W, CLSB100W LED AREA LIGHT 60W/100W                  | 110                             |
| CLSB150W, CLSB200W LED AREA LIGHT 150W/200W                | 110                             |
| CLSB300W LED AREA LIGHT 300W                               | 110                             |
| LAN1010-200, LAN1010-250, LAN1010-300, LAN1010-400 PO      | ST TOP SPHERE 107               |
| LAN2060BLK, LAN2060STS, LAN2060TI <b>SPIKE SPOT LIGHT</b>  | 108                             |
| LANSPIKEAA12V ADJUSTABLE SPIKE LIGHT                       | 107                             |
| LEDLINE40045, LEDLINE400110, LEDLINE40025X6 <b>LED WAL</b> | WASHING LIGHT BAR 109           |
| SL030FWW, SL030FNW <b>LED SPIKE LIGHT 1W</b>               | 108                             |
| SL040AFWW, SL040AFNW <b>LED SPIKE LIGHT 7W</b>             | 109                             |
| SPIKELEDBLK6W4K, SPIKELEDSIL6W4K <b>SPIKE GARDEN LIG</b>   | HT 6W 108                       |
| UL010RGBW COLOUR CHANGE LED LIGHT                          | 106                             |
| UL010WW, UL010NW UNIVERSAL LED LIGHT                       | 106                             |
| UL030RGBW COLOUR CHANGE LED LIGHT                          | 106                             |
| UL030WW, UL030NW UNIVERSAL LED LIGHT                       | 106                             |
| UL345CARGB, UL346CARGB, UL347CARGB LED WALL WASH           | ING LIGHT BAR RGB 109           |

### Bollards

| Part No. / Product  | Pg  |
|---|-----|
| CL1099BBLK204, CL1099BSIL204 <b>FLAT TOP LED BOLLARD</b>      | 113 |
| CL3338 SURFACE MOUNT DOME TOP BOLLARD                         | 113 |
| LAN3333B, LAN3333G <b>POST TOP BOLLARD</b>                    | 113 |
| LANMBL1580 FLAT TOP BOLLARD                                   | 112 |
| LANMBL1582 <b>DOME TOP BOLLARD</b>                            | 112 |
| LAN-SLANT3K <b>LED BOLLARD</b>                                | 112 |
| Inground Up-Lights  |     |
| GL007A-NW, GL007A-WW <b>LED GROUND LIGHT 10W</b>              | 115 |
| GL007FROSTEDWW, GL007FROSTEDNW <b>LED GROUND LIGHT 8W</b>     | 115 |
| GL007RGBW <b>RGBW LED GROUND LIGHT</b>                        | 116 |
| GL008AWW, GL008ANW <b>LED GROUND LIGHT 16W</b>                | 116 |
| GL008RGBW <b>RGB LED GROUND LIGHT</b>                         | 116 |
| GL009AWW, GL009ANW <b>LED GROUND LIGHT 22W</b>                | 116 |
| GL016RGBW MINI LED GROUND LIGHT                               | 117 |
| GL016WW, GL016NW MINI LED GROUND LIGHT                        | 117 |
| GL018CWW, GL018CNW MINI LED GROUND LIGHT                      | 117 |
| GL019FWW, GL019FNW MINI LED GROUND LIGHT                      | 117 |
| GL019SQNW, GL019SQWW <b>SQUARE MINI LED GROUND LIGHT 1W</b>   | 118 |
| GL019SWW, GL019SNW <b>LED SPOT GROUND LIGHT</b>               | 118 |
| GL021WW, GL021NW LED SLOTTED GROUND LIGHT                     | 118 |
| GL022WW, GL022NW LED SQUARE SLOTTED GROUND LIGHT              | 118 |
| GL040CARGB INGROUND UPLIGHT RGB                               | 119 |
| GL040WW, GL040NW LED GROUND LIGHT 3W                          | 119 |
| GL041WW, GL041NW <b>LED SQUARE GROUND LIGHT 3W</b>            | 119 |
| GL050RGBW LED GROUND LIGHT 3W                                 | 120 |
| GL050WW, GL050NW LED GROUND LIGHT 3W                          | 119 |
| GL051WW, GL051NW LED SQUARE GROUND LIGHT 3W                   | 120 |
| GL090RGBW LED GROUND LIGHT 12W                                | 120 |
| GL090WW, GL090NW LED GROUND LIGHT 7W                          | 120 |
| LANMICRO-CV3015, LANMICRO-CV5515 MICRO INGROUND UPLIGHT 15°   | 114 |
| LANMICRO-CV3040, LANMICRO-CV5540 MICRO INGROUND UPLIGHT 40°   | 114 |
| LAN-MINI-3015, LAN-MINI-5015 <b>MINI INGROUND UPLIGHT 158</b> | 115 |
| LANMINI-3040, LANMINI-5540 MINI INGROUND UPLIGHT 408          | 115 |
| LANTUBE-33, LANTUBE-50, LANTUBE-68 <b>TUBE</b>                | 121 |
| ML01 <b>LED MINI DECORATIVE LIGHT 1W</b>                      | 121 |

### Flood Lights

| Part No. / Product   | Pg.        |
|--|------------|
| 19584, 19585, 19586, 19587 <b>20W LED FLOOD LIGHT</b>  | 122        |
| FL200FWW, FL200FNW <b>21W LED DIMMABLE FL00D LIGHT</b>   | 123        |
| LAN175TG-30W3K, LAN175TG-30W4K <b>30W LED FLOOD LIGHT</b>  | 123        |
| LAN175TG-50W3K, LAN175TG-50W4K <b>50W LED FLOOD LIGHT</b>  | 123        |
| LAN175TG-100W3K, LAN175TG-100W4K <b>100W LED FLOOD LIGHT</b>   | 123        |
| Spotl  | _ights     |
| SENTRYBLK13W4K, SENTRYSIL13W4K SENTRY SINGLE SPOT LIGHT 4000K  | 124        |
| SENTRYBLK26W4K, SENTRYSIL26W4K <b>SENTRY TWIN SPOT LIGHT 4000K</b>   | 124        |
| SENTRYBLK26W4KS, SENTRYSIL26W4KS,  |            |
| SENTRYWHT26W4KS SENTRY TWIN SPOT LIGHT WITH SENSOR 4000K   | 124        |
| Fluorescent I  | _ights     |
| LANCG1501-8, LANCG1501-14,   | 126        |
| LANCG1501-21, LANCG1501-28, LANCG1501-35 SLIMLINE INTER-CONNECTABLE FLUORESCENT                                  | 126        |
| LANCG1611A-8, LANCG1611A-14, LANCG1611A-21,  |            |
| LANCG1611A-28, LANCG1611A-35 <b>SLIMLINE INTER-CONNECTABLE FLUORESCENT</b>                                       | 126        |
| LANCLASSIC228 TROFFER  | 128        |
| LANINDIRECT-236 INDIRECT T-BAR   | 127        |
| LANMOD128, LANMOD228 <b>ULB LOUVRED</b>  | 127        |
| LANPLASTH40WLED4K SURFACE MOUNT LED BATTEN   | 126        |
| LANRELAX-128, LANRELAX-228 <b>T-BAR TROFFER</b>  | 128        |
| LANKELAX-214 T-BAR TROFFER  LANT 129 LANT 229 K12 DIEFLISED T PAR TROFFER  | 127<br>128 |
| LANT-128, LANT-228 <b>K12 DIFFUSED T-BAR TROFFER</b> LANTORNADO-114, LANTORNADO-128 <b>TORNADO SURFACE MOUNT</b> | 128        |
| LANTORNADO-214, LANTORNADO-228 <b>TORNADO SURFACE MOUNT</b>  | 120        |
| TORNLED20WIP654K, TORNLED40WIP654K <b>LED WEATHERPROOF BATTEN</b>  | 128        |
| ·· · · · · · · · · · · · · · · · · ·   | 0          |

### LED Drivers & Accessories

| Part No. / Product                                       | Pg. |
|--|-----|
| 20199 <b>LED DRIVER 200W</b>                             | 135 |
| 20200 LED DRIVER 15W                                     | 134 |
| 20201 <b>LED DRIVER 30W</b>                              | 134 |
| 20202 <b>LED DRIVER 60W</b>                              | 134 |
| 20203 LED DRIVER 100W                                    | 135 |
| 20204 LED DRIVER 150W                                    | 135 |
| LAN0007-WH REDUCER RING TO SUIT DOWN LIGHT               | 136 |
| LAN350MA8W HOUSED LED DRIVER 8W                          | 130 |
| LAN350MA18W HOUSED LED DRIVER 18W                        | 130 |
| LANDC12V-9W <b>LED DRIVER 9W</b>                         | 130 |
| LANFP1.2 FLAT EARTH FLEX & PLUG                          | 136 |
| LANFPREM1 ROUND EARTH FLEX & PLUG                        | 136 |
| LANLEDTUBE20W5K <b>LED TUBE</b>                          | 135 |
| LANLEX18W12VIP67, LANLEX40W12VIP67 LED DRIVER 18W / 40W  | 131 |
| LCBI014-0700, LCBI015-0350-IP20 <b>LED DRIVER</b>        | 130 |
| LCI015-0350-IP20, LCI015-0700-IP20 <b>LED DRIVER 15W</b> | 131 |
| LCI015-0350-IP67, LCI015-0700-IP67 <b>LED DRIVER 15W</b> | 132 |
| LCI030-0700-IP20 <b>LED DRIVER 30W</b>                   | 131 |
| LCI030-0700-IP67 <b>LED DRIVER 30W</b>                   | 133 |
| LCU015-12-IP67, LCU015-24-IP67 <b>LED DRIVER 15W</b>     | 133 |
| LCU035-12-IP20, LCU035-24-IP20 <b>LED DRIVER 35W</b>     | 131 |
| LCU035-12-IP67, LCU035-24-IP67 <b>LED DRIVER 35W</b>     | 133 |
| LCU060-12-IP20, LCU060-24-IP20 <b>LED DRIVER 60W</b>     | 132 |
| LCU060-12-IP67, LCU060-24-IP67 <b>LED DRIVER 60W</b>     | 133 |
| LCU0100-12-IP20, LCU0100-24-IP20 <b>LED DRIVER 100W</b>  | 132 |
| LCU0100-12-IP67, LCU0100-24-IP67 <b>LED DRIVER 100W</b>  | 134 |
| LCU0150-12-IP20, LCU0150-24-IP20 <b>LED DRIVER 150W</b>  | 132 |
| MBHREM LCD REMOTE  | 137 |
| MPREM PREMIER REMOTE KIT                                 | 136 |

### Lamps & Components

| Part No. / Product  | Pg. |
|---|-----|
| IRC35W60DEG HALOGEN LAMP  | 139 |
| IRC35W60DEG-RAD HALOGEN LAMP                                      | 139 |
| LAN0012, LAN0013, LAN0014 <b>LAMP HOLDER LEAD</b>                 | 138 |
| LAN60VAFP ELECTRONIC TRANSFORMER                                  | 138 |
| LAN5111 GU10 LAMP HOLDER ADAPTOR KIT                              | 138 |
| LANLEDGU106W-3K, LANLEDGU106W-5K <b>LED GU10 6W DIMMABLE LAMP</b> | 140 |
| LANPIN10 <b>G4 HALOGEN BI-PIN LAMP</b>                            | 138 |
| LANTP4540-13W ENERGY SAVING MINI SPIRAL                           | 139 |
| TRISTAR-MR16-3K, TRISTAR-MR16-4K <b>TRISTAR</b>                   | 140 |
| TRISTARR4S <b>TRISTAR</b>   | 139 |
| TRISTARREMOTE <b>TRISTAR REMOTE</b>                               | 140 |
| TRISTARRGB <b>TRISTAR COLOUR CHANGE</b>                           | 140 |
|   |     |



#### SHINE LED 8W IP54 DOWN LIGHT SHINEWH8W-3K

Our smaller version of the 90mm Shine with 70 to 75mm cut-out and using only 8W of electrcitiy. Achieves 6-star energy rating. 90 degree beam angle. Dimmable on most leading edge and trailing edge dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. Comes with 3 year warranty. 40,000hr lifespan. Available in White. Warm White.









39.5mm





PART NO











COLOURS

#### **LAMP TEMP LUMENS**

WHITE



#### SHINE 13W COLOUR CHANGEABLE DOWN LIGHT SHINEBLKCC13W3K, SHINEBNCC13W3K SHINEMACC13W3K, SHINEWHCC13W3K

Our fixed, colour changeable LED down light achieves 6-star energy rating. Features a slide switch to select from 3 colour options - 3000K, 4000K or 5000K with an output of 760/850/900 lumens. Wide 90 degree beam angle. Dimmable on most leading edge and trailing edge dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. Comes with 3 year warranty. Available in Black, Brushed Nickel, Machined Aluminium and White.



N/A



110mm



38mm






































#### SHINE LED 13W IP54 DOWN LIGHT SHINEBN13W-3K, SHINEWH13-3K, SHINEWH13W-4K

Fixed LED down light achieves 6-star energy rating. 90 degree beam angle. Dimmable on most leading edge and trailing edge dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. Comes with 3 year warranty. 40,000hr lifespan. Lamp temperatures of 3000K/4000K in 860/960 lumens. Available in Brushed Nickel or White.



















**COLOURS** PART NO **COLOURS** PART NO





WHITE









#### **SHINE TUNE DOWN LIGHT** SHINETUNEWH13W

Control Colour Temperature and Brightness (Dimming) from your Smart Phone (Wi-Fi) & over the Internet, or by 2.4GHZ Wireless Remote Control. This fixed LED down light achieves 6-star energy rating. Dimmable on most leading edge and trailing edge dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. Comes with 3 year warranty. 40,000hr lifespan.

























LAMP TEMP **LUMENS** 

WHITE

**COLOURS** 

PART NO



#### **SHINE TILT 13W DOWN LIGHT**

#### SHINETILT13W3K, SHINETILT13W4K, SHINETILTBN13W3K

Adjustable LED down light achieves a 6-star energy rating. 90° beam angle. Dimmable on most leading edge or trailing edge dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. Comes with 3 year warranty. 40,000hr lifespan. Includes external driver. Lamp temperatures of 3000K/4000K in 760/800 lumens. Available in White or Brushed Nickel.























BRUSHED NICKEL

WHITE











**COLOURS** PART NO









**COLOURS** 

WHITE



PART NO



### SHINE 2 LED 18W IP44 DOWN LIGHT

SHINE2-18W-3K

Fixed LED down light achieves 6-star energy rating. 90 degree beam angle. Dimmable on most leading edge and trailing edge dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. Comes with 2 year warranty. 40,000hr lifespan. Available in White.















18W













**LUMENS** 

**COLOURS** 

PART NO

WHITE



#### SHINE 3 LED 25W COLOUR CHANGEABLE DOWN LIGHT SHINE3WHCC25W

Fixed LED down light achieves 6-star energy rating. 90 degree beam angle. Features a slide switch to select from 3 colour options - 3000K, 4000K or 5000K with an output of 1850/1975/2100 lumens. Dimmable on most leading edge and trailing edge dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. Comes with 2 year warranty. 40,000hr lifespan. Available in White.





























WHITE







### SHINE 4 LED 35W IP44 DOWN LIGHT

SHINE4WH35W4K

Fixed LED down light achieves 6-star energy rating. 90 degree beam angle. Dimmable on most leading edge and trailing edge dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. Comes with 2 year warranty. 40,000hr lifespan. Available in White.





























PART NO







#### LUMA LED 13W DOWN LIGHT LUMABN13W3K. LUMAWH13W3K, LUMABN13W4K, LUMAWH13W4K

Fixed LED down light achieves 6-star energy rating. 90 degree beam angle. Dimmable on most leading edge and trailing edge dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. Comes with 3 year warranty. 40,000hr lifespan. Lamp temperatures of 3000K/4000K in 849/889 lumens. Available in Brushed Nickel or White.





















### **COLOURS**

#### PART NO

**COLOURS** 

PART NO

WHITE

BRUSHED NICKEL

WHITE



#### **LUMA TUNE DOWN LIGHT**

#### LUMATUNEWH13W

Control Colour Temperature and Brightness (Dimming) from your Smart Phone (Wi-Fi) & over the Internet, or by 2.4GHZ Wireless Remote Control. This fixed LED down light achieves 6-star energy rating. Dimmable on most leading edge and trailing edge dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. Comes with 3 year warranty. 40,000hr lifespan.

























### **LAMP TEMP**

### **LUMENS**





WHITE



#### **LUMA LED 13W COLOUR CHANGEABLE DOWN LIGHT** LUMABNCC13W, LUMAWHCC13W

Fixed, colour changeable LED down light achieves 6-star energy rating. Features a slide switch to select from 3 colour options- 3000K, 4000K or 6000K with an output of 760/850/900 lumens. With 90 degree beam angle. Dimmable on most leading edge and trailing edge dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. Comes with 3 year warranty. 40,000hr lifespan. Available in Brushed Nickel or White.



















#### LAMP TEMP LUMENS

**COLOURS** 

PART NO

WHITE



#### **LED BARRIER DOWN LIGHT**

#### BARRIERLEDWH13W3K, BARRIERLEDBC13W3K

Our BARRIER LED downlight has an insulation barrier than runs 10% cooler than a standard IC-F downlight. With an IP44 rating and a 100 degree beam angle, it is perfect for indoor applications. Available in Brushed Chrome or White. In Warm White.



























LAMP TEMP



**LUMENS** 

**COLOURS** 

PART NO



#### SHIELD LED 8W DOWN LIGHT SHIELDWH8W3K, SHIELDWH8W4K

3000K/4000K Dimmable Down Light Kit. With 2 year replacement warranty, advanced heat sink diffusion, high quality plastic trim and housing, dimmable with trailing edge/universal dimmer and long life energy saving LED technology. IC-F rated. Supplied with 1.0m flex and plug. Available in White. Please note: Brushed Nickel Trim also available.













PART NO









#### LAMP TEMP **LUMENS**

WHITE

WHITE

**COLOURS** 





#### SHIELD LED 8W COLOUR CHANGEABLE DOWN LIGHT SHIFI DWHCC8W

Our fixed, energy efficient, colour changeable LED down light. With advanced heat sink diffusion, high quality plastic trim and housing and dimmable on most trailing edge and universal dimmers. Features a slide switch to select from 3 colour options - 3000K, 4000K or 6000K with an output of 700/780/750 lumens. With a wide 100 degree beam angle for great light distribution. Comes with 2 year replacement warranty. IC-F rated. Available in White.



















**LUMENS COLOURS** PART NO

WHITE



#### **EXCALIBUR** EXCD4010WD

Round recessed LED Down Light with white trim. Available in 4000K with an output of 900 Lumens. Wide 100 degree beam angle, produces an even, bright light distribution. The EXCALIBUR is compatible with most trailing edge and universal dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. 35,000hr lifespan. Available in White.





























**COLOURS** 



WHITE



#### FLUX FIXED LED DOWN LIGHT FLUXMA15W3K, FLUXWH15W3K

Fixed LED down light achieves 6-star energy rating. 90 degree beam angle. Dimmable on most leading edge and trailing edge dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. Comes with 3 year warranty. 40,000hr lifespan. Available in Aluminium or White.























**COLOURS** 



PART NO





#### **LED COB 13W IP44 DOWN LIGHT** LANCOBDL13W3K

13W LED COB Downlight with reflector with clear lens and high power Chip. With a short heatsink suitable for all kinds of installation. Aluminium profile provides excellent thermal dissipation. Complete with driver. IP44 rated. Dimmable. Suitable for commercial and residential applications like office, supermarket, shop, school, hotel, restaurant, workshop, warehouses etc. Available in White. Warm White.





















LAMP TEMP

**LUMENS COLOURS**  PART NO

WHITE



#### **LED HALO 10W DOWN LIGHT** HALO10W3K

LED adjustable down light achieves up to 70% energy saving compared to halogen lamp with a long lifetime of 40,000 hour lifespan. With a 60 degree beam angle and 15 degree tilt, the HALO is perfect for general lighting applications such as hotels, offices, shops etc. Also can be widely used for public areas such as stairways and reception areas. Available in Warm White.





110mm



67mm



















WHITE



#### **LED HALO 13W DOWN LIGHT** HAL013W3K

LED adjustable down light achieves up to 70% energy saving compared to halogen lamp with a long lifetime of 40,000 hour lifespan. With a 60 degree beam angle and 15 degree tilt, the HALO is perfect for general lighting applications such as hotels, offices, shops etc. Also can be widely used for public areas such as stairways and reception areas. Available in Warm White.



















LAMP TEMP **LUMENS** 

**COLOURS** 

PART NO



#### **LED MINI DOWN LIGHT** LANCAB3WDC-CW. LANCAB3WDC-WW

Round recessed fixed LED cabinet light. Perfect for small display cases, shelf lighting, showcase lighting, merchandising and bars. 12V DC driver required P.O.A. Refer to our LED Drivers section. Parallel wired. Available in Cool White or Warm White.















PART NO













#### LAMP TEMP **LUMENS**





**COLOURS** 

ANCAB3WDC-W **Warm White** 



### **LED MINI DOWN LIGHT** LANPUK3WDC-CW, LANPUK3WDC-WW

Round recessed adjustable LED cabinet light. Perfect for small display cases, shelf lighting, showcase lighting, merchandising and bars. 12V DC driver required P.O.A. Refer to our LED Drivers section. Parallel wired. Available in Cool White or Warm White.



















#### **LUMENS COLOURS** PART NO

\_ANPUK3WDC-WV Warm White



#### LED MINI DOWN LIGHT LANLEDLYTE-3K, LANLEDLYTE-4K

This flush-mounted mini LED adds the touch of detail that brings a room to life. It has a wide beam angle of 110° to give a subtle, yet atmospheric accent of light. Install recessed within a cabinet or shelving, or in an alcove to show objects or features at their best.



























#### LAMP TEMP LUMENS **COLOURS** PART NO









#### LED IP RATED FLOOD/THREADED MINI DOWN LIGHT LEDLYTEIP, LEDLYTEIPT

With its IP65 rating and fully waterproof housing, this mini LED can be used to bring those subtle accents of light to kitchens, bathrooms, or external applications. Available in flood in 6 ambient colours. Alternatively, use the threaded version when installing into panels or tiles to secure the unit. Available in Neutral White or Blue.





















LAMP TEMP

LEDLYTEIPT Threaded



### LED MINI DOWN LIGHT LEDLYTESURFACEWW. **LEDLYTESURFACENW**

This surface mounted mini light is a simple and cost-effective option if recessing is not possible. This unit gives you the best of the LED LYTE –  $110^{\circ}$ beam angle, and low-energy 1W power consumption – in a stylish 20mm  $\times$ 60mm surface-mounted casing. Available in Warm White and Neutral White.

















1W













#### **LAMP TEMP LUMENS** COLOURS PART NO











#### LED ASTRA CABINET LIGHT 21280, 21281, 21282, 21283

The Astra features a high output 3W COB LED to offer superior performance and light over the working area whilst only consuming a total 3.6W of energy. 3000K/5000K with an output of 200/205 lumens. Recessed or surface mounting options available. Non-dimmable. Requires 12V DC Driver. In White or Warm White Light. Available in Silver or White finish.



















**COLOURS** PART NO **COLOURS** PART NO

WHITE

WHITE



#### SCOOP 13W LED DOWN LIGHT LANSCOOP-13W-3K-WHT

LED Down Light with satin white finished frame and glass diffuser. Complete with lamp & electronic control gear. Added benefits of up to 45° tilt. Dimmable. In Warm White.





























WHITE





#### SCOOP 25W LED DOWN LIGHT LANSCOOP-25W-4K-WHT

LED Down Light with satin white finished frame and glass diffuser. Complete with lamp & electronic control gear. Added benefits of up to 45° tilt. Non-dimmable. In Neutral White.







IP20

















LAMP TEMP **LUMENS** 









WHITE



PART NO



### ROUND RECESSED COMMERCIAL LED DOWN LIGHT LANE3F-07S-30K-D, LANE3F-07S-30K-ND

Round recessed Commercial 8.5W Down Light available in dimmable and

non-dimmable.



























#### LAMP TEMP **LUMENS**

**COLOURS** 

PART NO

WHITE

WHITE



### **ROUND RECESSED COMMERCIAL LED DOWN LIGHT** LANE3F-07S-40K-D, LANE3F-07S-40K-ND

Round recessed Commercial 8.5W Down Light available in dimmable and non-dimmable.





















#### LAMP TEMP LUMENS **COLOURS** PART NO

WHITE

WHITE





#### LED DOWN LIGHT 3000K LANE3R-07S-3K-D, LANE3R-07S-3K-ND

Round recessed Commercial 8.5W Down Light available in dimmable and non-dimmable.























LAMP TEMP LUMENS

**COLOURS** 

PART NO

WHITE



#### LED DOWN LIGHT 4000K LANE3R-07S-4K-D. LANE3R-07S-4K-ND

Round recessed Commercial 8.5W Down Light available in dimmable and non-dimmable.



















#### LAMP TEMP **LUMENS COLOURS** PART NO

WHITE



#### **LANE4D DOWN LIGHT 4000K**

LANE4D-10T-4K-D, LANE4D-10T-4K-ND

Round recessed Commercial 13W Down Light available in dimmable and non-dimmable.



















#### **LAMP TEMP LUMENS COLOURS** PART NO

WHITE

ANE4D-10T-4K-D

WHITE



#### **LANE4D DOWN LIGHT 3000K**

LANE4D-10T-3K-D, LANE4D-10T-3K-ND

Round recessed Commercial 13W Down Light available in dimmable and non-dimmable.























#### LAMP TEMP **LUMENS COLOURS** PART NO

WHITE

WHITE



#### ROUND RECESSED LED COMMERCIAL DOWN LIGHT 3000K LANE4F-13S-3K-D. LANE4F-13S-3K-ND

Round recessed Commercial 15W Down Light available in dimmable and non-dimmable.



















LAMP TEMP **LUMENS COLOURS** PART NO

WHITE



#### **ROUND RECESSED LED COMMERCIAL DOWN LIGHT** 4000K LANE4F-13S-4K-D, LANE4F-13S-4K-ND

Round recessed Commercial 15W Down Light available in dimmable and non-dimmable.



















#### LAMP TEMP **LUMENS**

WHITE

PART NO

WHITE

**COLOURS** 



#### ROUND RECESSED LED COMMERCIAL DOWN LIGHT 4000K LANE4R-13S-40K-D, LANE4R-13S-40K-ND

Round recessed Commercial 15W Down Light available in dimmable and non-dimmable.

















127mm



#### LAMP TEMP **LUMENS**

WHITE

**COLOURS** 

PART NO

WHITE



### **ROUND RECESSED LED COMMERCIAL DOWN LIGHT 3000K** LANE4R-13S-30K-D, LANE4R-13S-30K-ND

Round recessed Commercial 15W Down Light available in dimmable and non-dimmable.













15W











**LUMENS** 

WHITE

**COLOURS** 

PART NO

WHITE



#### **COMMERCIAL LED DOWN LIGHT 3000K**

LANE6F-20S-30K-D, LANE6F-20S-30K-ND

Round recessed Commercial 22W Down Light available in dimmable and non-dimmable.























**COLOURS** PART NO

WHITE



#### **COMMERCIAL LED DOWN LIGHT 4000K**

LANE6F-20S-40K-D, LANE6F-20S-40K-ND

Round recessed Commercial 22W Down Light available in dimmable and non-dimmable.























### LAMP TEMP

WHITE

WHITE



#### **COMMERCIAL LED DOWN LIGHT 3000K**

LANE6R-20S-30K-D, LANE6R-20S-30K-ND

Round recessed Commercial 22W Down Light available in dimmable and non-dimmable.















### **LUMENS**

#### COLOURS PART NO

LUMENS

IP40

WHITE

**COLOURS** 

PART NO

LAMP TEMP

WHITE



#### **COMMERCIAL LED DOWN LIGHT 4000K**

LANE6R-20S-40K-D, LANE6R-20S-40K-ND

Round recessed Commercial 22W Down Light available in dimmable and non-dimmable.















LED











WHITE

WHITE



#### **COMMERCIAL LED DOWN LIGHT 26W 3000K**

LANE8D-20T-30K-D, LANE8D-20T-30K-ND

Round recessed Commercial 26W Down Light available in dimmable and non-dimmable.



























LAMP TEMP **LUMENS** 

**COLOURS** 



WHITE

PART NO



#### **COMMERCIAL LED DOWN LIGHT 26W 4000K**

LANE8D-20T-40K-D, LANE8D-20T-40K-ND

Round recessed Commercial 26W Down Light available in dimmable and non-dimmable.













PART NO











#### LAMP TEMP **LUMENS**

**COLOURS** WHITE

WHITE



#### **COMMERCIAL LED DOWN LIGHT 38W 3000K**

LANE8D-30T-30K-D, LANE8D-30T-30K-ND

Round recessed Commercial 38W Down Light available in dimmable and non-dimmable.



















#### **LUMENS**

#### **COLOURS**

PART NO

WHITE

WHITE



#### **COMMERCIAL LED DOWN LIGHT 38W 4000K**

LANE8D-30T-40K-D, LANE8D-30T-40K-ND

Round recessed Commercial 38W Down Light available in dimmable and non-dimmable.

















































#### **COMMERCIAL LED DOWN LIGHT 52W**

LANE8D-40T-30K-ND, LANE8D-40T-40K-ND

Round recessed Commercial 52W Down Light available in dimmable and non-dimmable.

























LAMP TEMP LUMENS



**COLOURS** 

WHITE

PART NO



#### **COMMERCIAL LED DOWN LIGHT 22W 3000K**

LANE8F-20S-30K-ND, LANE8F-20S-30K-D

Round recessed Commercial 22W Down Light available in dimmable and non-dimmable.



























#### LAMP TEMP **LUMENS**

WHITE

**COLOURS** 

PART NO





#### **COMMERCIAL LED DOWN LIGHT 22W 4000K**

LANE8F-20S-40K-ND, LANE8F-20S-40K-D

Round recessed Commercial 22W Down Light available in dimmable and non-dimmable.



















#### LAMP TEMP LUMENS **COLOURS** PART NO

WHITE

WHITE



### **LANE8R DOWN LIGHT 22W 3000K**

LANE8R-20S-30K-ND, LANE8R-20S-30K-D

Round recessed Commercial 22W Down Light available in dimmable and non-dimmable.





230mm



102mm 240V







N/A





205mm



#### **LAMP TEMP LUMENS COLOURS** PART NO

WHITE

WHITE



#### **LANE8R DOWN LIGHT 22W 3000K**

LANE8R-20S-40K-ND, LANE8R-20S-40K-D

Round recessed Commercial 22W Down Light available in dimmable and non-dimmable.





















LAMP TEMP **LUMENS** 

**COLOURS** WHITE

PART NO



#### **COMMERCIAL LED DOWN LIGHT 35W 3000K**

LANE8R-30S-30K-ND, LANE8R-30S-30K-D

Round recessed Commercial 35W Down Light available in dimmable and non-dimmable.



























#### LAMP TEMP **LUMENS**

**COLOURS** 

WHITE

PART NO

WHITE



#### **LANE8R DOWN LIGHT 35W 3000K**

LANE8R-30S-30K-ND, LANE8R-30S-30K-D

Round recessed Commercial 35W Down Light available in dimmable and non-dimmable.





















#### **LUMENS**

**COLOURS** 

PART NO

WHITE

WHITE



#### **COMMERCIAL LED DOWN LIGHT 35W 4000K**

LANE8R-30S-40K-ND, LANE8R-30S-40K-D

Round recessed Commercial 35W Down Light available in dimmable and non-dimmable.





























PART NO



WHITE





#### **LANE8R DOWN LIGHT 35W 4000K**

LANE8R-30S-40K-ND, LANE8R-30S-40K-D

Round recessed Commercial 35W Down Light available in dimmable and non-dimmable.



N/A













N/A











**COLOURS** 

PART NO

WHITE



#### **EVOLVE 50** LANEVOLVE50-3K, LANEVOLVE50-4K

Premium LED light engine to suit an array of mounting rings, take your pick! Includes Dimmable LED Driver.



CITIZEN

### LAMP TEMP LUMENS COLOURS PART NO





#### MOUNTING RING TO SUIT EVOLVE 50 IP20 LANA5W

Recessed and adjustable mounting ring for Evolve 50 LED light engine.




WHITE



#### MOUNTING RING TO SUIT EVOLVE 50 IP44 LANF4W


Recessed , fixed and IP44 adjustable mounting ring for Evolve 50 LED light engine. Available in White.





#### MOUNTING RING TO SUIT EVOLVE 50 LANF5W

Recessed , fixed and IP20 adjustable mounting ring for Evolve 50 LED light engine. Available in White.





#### MOUNTING RING TO SUIT EVOLVE 50 LANR1W

Recessed, fixed mounting ring for Evolve 50 LED light engine. The deeply recessed lamp positioning of this mounting ring gives the down light low glare and high visual comfort. Available in White.





100mm



















**LUMENS** LAMP TEMP

**COLOURS** 

WHITE

PART NO



### LED ROUND DOWN LIGHT DL108SIL163, DL108WHT163, DL108SIL164, DL108WHT164

LED round downlight with tempered frost glass and aluminium sealed body. IP65 rated. 3000K/4000K with an output of 1300/1400 lumens. Complete with integral driver. Available in Silver or White.




















COLOURS **COLOURS** PART NO PART NO

WHITE





#### METAL HALIDE G12 DOWN LIGHT LAN10041

Round recessed HID down light with glass cover. Complete with lamp & electronic control gear.













PART NO













**LAMP TEMP LUMENS** 

**COLOURS** 

WHITE



#### **METAL HALIDE G12 DOWN LIGHT** LAN10057

Round recessed adjustable down light. Complete with lamp & electronic control gear.























LAMP TEMP **LUMENS COLOURS** PART NO

WHITE



### **SQUARE TILT DOWN LIGHT**

LAN3115A, LAN3115SS

Square recessed centre tilt down light. Various down light kits available P.O.A. Available in Aluminium or Stainless Steel.





























PART NO

**COLOURS** 

PART NO



### **SQUARE LOW GLARE DOWN LIGHT**

LAN3117A, LAN3117SS

Square recessed fixed low glare down light. Various down light kits available P.O.A. Available in Aluminium or Stainless Steel.



























**COLOURS** 

PART NO

**COLOURS** 

PART NO



### **ROUND TILT DOWN LIGHT**

LAN3116A, LAN3116SS

Round recessed centre tilt down light. Various down light kits available P.O.A. Available in Aluminium or Stainless Steel.























**COLOURS** 

PART NO

**COLOURS** 

PART NO



### **SQUARE CENTRE TILT DOWN LIGHT**

LAN4117A, LAN4117SS

Square recessed centre tilt down light. Various down light kits available P.O.A. Available in Aluminium or Stainless Steel.























**COLOURS** 

PART NO

**COLOURS** 

PART NO



### **ROUND LOW GLARE DOWN LIGHT**

LAN3118A, LAN3118SS

Round recessed fixed low glare down light. Various down light kits available P.O.A. Available in Aluminium or Stainless Steel.



























**COLOURS** 

PART NO

**COLOURS** 

PART NO



### **ROUND CENTRE TILT DOWN LIGHT**

LAN4116SS, LAN4116A

Round recessed centre tilt down light. Various down light kits available P.O.A. Available in Aluminium or Stainless Steel.



















90mm





PART NO

**COLOURS** 

PART NO



### QUICK RELEASE DOWN LIGHT

LAN332SC, LAN332WH

Square recessed fixed quick release down light. Various down light kits available P.O.A. Available in Satin Chrome or White.



















**COLOURS** 

PART NO

**COLOURS** 

PART NO

WHITE



#### **SQUARE 2-WAY TILT DOWN LIGHT**

LAN344SC, LAN344WH

Square recessed 2-way centre tilt down light. Various down light kits available P.O.A. Available in Satin Chrome or White.



















**COLOURS** 

PART NO

**COLOURS** 

PART NO

WHITE



#### **ROUND ADJUSTABLE DOWN LIGHT**

LAN340SC

Round recessed adjustable down light with plaster protect mounting bracket and paint guard removable trim. Various down light kits available P.O.A. Available in Satin Chrome.



























### **SQUARE ADJUSTABLE DOWN LIGHT**

LAN338

Square recessed adjustable down light with plaster protect mounting bracket and paint guard removable trim. Various down light kits available P.O.A. Available in Satin Chrome.

























LAMP TEMP LUMENS



PART NO



### **SQUARE QUICK RELEASE DOWN LIGHT**

LAN336SC, LAN336WH

Square recessed adjustable quick release down light. Various down light kits available P.O.A. Available in Satin Chrome or White.





















**COLOURS** 

PART NO

**COLOURS** 

PART NO

WHITE



### **ROUND ADJUSTABLE GOOSENECK GIMBLE**

LAN348

Round recessed gooseneck 90 x 360 degree adjustable gimble. Various down light kits available P.O.A. Available in White.













35W















LAMP TEMP **LUMENS** 

**COLOURS** 

PART NO

WHITE



#### **ROUND 2-WAY TILT DOWN LIGHT**

LAN343SC, LAN343WH

Round recessed 2-way centre tilt down light. Various down light kits available P.O.A. Available in Satin Chrome or White.























PART NO

**COLOURS** 

PART NO

WHITE



### **IP54 SEALED DOWN LIGHT**

LAN494SS, LAN494WH

Round fixed recessed sealed down light with tempered glass. Various down light kits available. Available in Stainless Steel or White.





















PART NO

**COLOURS** 

PART NO



## ADJUSTABLE QUICK RELEASE DOWN LIGHT

LAN5013SS, LAN5013WH, LAN5013CH

Round recessed adjustable quick release down light. Various down light kits available P.O.A. Available in Satin Silver, White or Chrome.





















#### PART NO **COLOURS COLOURS**

WHITE

PART NO



### **ROUND FIXED QUICK RELEASE DOWN LIGHT**

LAN5008-WHT, LAN5008-SCH

Round recessed fixed quick release down light. Various down light kits available P.O.A. Available in White or Satin Chrome.




















#### LAMP TEMP LUMENS

WHITE

COLOURS





### **ROUND QUICK RELEASE DOWN LIGHT**

LANE5008SC, LANE5008WH

Round recessed fixed quick release down light. Available in Satin Chrome or White.











PART NO











#### LAMP TEMP **LUMENS**



**COLOURS** 

WHITE



### **ROUND TWO-WAY TILT DOWN LIGHT**

LANE5009SC, LANE5009WH

Round recessed 2-way centre tilt quick release down light. Available in Satin Chrome or White.





















WHITE



## **SMALL ROUND SIDE ENTRY DOWN LIGHT**

LANCFL4S, LANCFL4W

Small round recessed side entry down light complete with mini spiral lamp. Available in Silver or White.















PART NO









#### LAMP TEMP LUMENS **COLOURS**









### LARGE ROUND SIDE ENTRY DOWN LIGHT

LANCFL6S, LANCFL6W

Large round recessed side entry down light complete with mini spiral lamp. Available in Silver or White.























#### LAMP TEMP LUMENS









PART NO

WHITE

**COLOURS** 



## E27 RECESSED DOWN LIGHT LAN1113-SIL, LAN1113-WH

Round recessed E27 down light with powder coated trim.



# LAMP TEMP LUMENS COLOURS PART NO

N/A N/A









## ROUND PLC DOWN LIGHT RECESSED LAN8020

Round recessed down light complete with electronic control gear, cross blade louvre & lamps. Available in White.







## **SQUARE PLC DOWN LIGHT RECESSED** LAN8021

Square recessed down light complete with electronic control gear, clear glass & lamps. Available in White.



WHITE



## ROUND PLC DOWN LIGHT RECESSED LAN8014-3K, LAN8014-4K

Round recessed shop light with clear glass. Complete with lamp & electronic control gear. Available in 3000K Silver or 4000K White.







### **SQUARE PLC DOWN LIGHT RECESSED**

LAN8031

Square recessed down light complete with electronic control gear, clear glass & lamps. Available in White.

















**COLOURS** 

PART NO

**COLOURS** 

PART NO

WHITE



### **ROUND PLC DOWN LIGHT RECESSED**

LAN10029-118, LAN10029-218, LAN10029-126, LAN10029-226

Round recessed facetted reflector down light complete with electronic control gear, IP44 clear glass & lamps. Remote and dimmable Ballast options available P.O.A.



















COLOURS

PART NO

**COLOURS** 

PART NO

WHITE

WHITE

WHITE

WHITE



### **ROUND METAL HALIDE SHOP LIGHT** LAN70

Round recessed shop light with clear glass. Complete with lamp & electronic gear control. Available in White.























WHITE

PART NO



### **RECTANGULAR METAL HALIDE SHOP LIGHT LAN70C**

Rectangular recessed shop light with clear glass. Complete with lamp & electronic gear control. Available in White.

























LAMP TEMP LUMENS

**COLOURS** PART NO

WHITE



### SQUARE METAL HALIDE RECESSED DOWN LIGHT

LAN8876-70W-3K-WHT, LAN8876-70W-4K-WHT

Square recessed down light with clear glass. Complete with lamp & electronic control gear. Available in White.



N/A


### LAMP TEMP LUMENS COLOURS PART NO





### **RECTANGULAR METAL HALIDE SHOP LIGHT LAN150C**

Rectangular recessed shop light with clear glass. Complete with lamp & electronic gear control. Available in White.





## **ROUND METAL HALIDE SHOP LIGHT** LAN150

Round recessed shop light with clear glass. Complete with lamp and electronic gear control. Available in White.




### LAMP TEMP LUMENS COLOURS PART NO





### **ROUND STARLIGHT LAN883SC**

Round recessed fixed starlight. Complete with 10 or 20W lamp. Available in Satin Chrome.





### **SQUARE STARLIGHT** LAN884-20W-SCH

Square recessed fixed starlight complete with 20W lamp. Available in Satin Chrome.



























LAMP TEMP LUMENS

**COLOURS** 

PART NO

LAN884-20W-SCH







### LED ALYSIA OYSTER 15W LANALYSIA330LED

Round LED Ceiling Mounted Oyster available in 3000K with an output of 900 Lumens. Made from opal PMMA and brushed aluminium. 30,000 hour lifespan.























LAMP TEMP LUMENS **COLOURS** PART NO





### LED ASTRA OYSTER LANASTRA300-LED24W

Round LED Ceiling Mounted Oyster available in 3000K. Made from opal PMMA and aluminium. 30,000 hour lifespan.



















**COLOURS** LAMP TEMP LUMENS PART NO



### **LED CEILING MOUNTED OYSTER**

LAN2400-350LED-20W-3K

Round LED Ceiling Mounted Oyster. Made from opal PMMA. Complete with lamp.





















LAMP TEMP

**LUMENS** 

**COLOURS** 

PART NO

N/A



### **ALABASTER OYSTER**

LAN2151, LAN2152, LAN2153

Round surface mount alabaster swirl glass oyster. Circular fluorescent conversion available P.O.A. Satin Chrome Clip.



300mm 400mm 500mm



1x 20W

2x 20W 3x 20W







**COLOURS** PART NO

**COLOURS** 

300mm 1x 20W

PART NO

500mm 3x 20W



### **SLIMLINE OPAL FLUORESCENT OYSTER**

LAN2400-22, LAN2400-32, LAN2400-40

Round surface mount acrylic opal diffused oyster.























PART NO

**COLOURS** 

PART NO













### SPIKE CLIP OYSTER LAN4300LED, LAN4400LED

Round LED Ceiling Mounted Oyster available in 3000K with an output of 1200 Lumens 12W and 2000 Lumens 20W. Mains Dimmable LED Driver. Available in Satin Chrome clip with Frosted Glass.





















**COLOURS** 

PART NO

**COLOURS** 

PART NO



### SPIKE CLIP OYSTER LAN4300, LAN4400, LAN4500

Round surface mount matt frost glass spike clip glass oyster. Circular fluorescent conversion available P.O.A. Satin Chrome Clip.



















**COLOURS** PART NO **COLOURS** 

PART NO



### SQUARE SURFACE MOUNT SPIKE CLIP WALL LIGHT LAN7471, LAN7472

Square surface mount matt frost glass spike clip glass oyster. PLC conversion available P.O.A. Available in Satin Chrome.



























### **SQUARE LED OYSTER 20W 3000K**

LAN2500-350

Square LED ceiling mounted oyster. Made from opal PMMA. Complete with lamp.

























LAMP TEMP

**LUMENS** 

**COLOURS** 



### **ECLIPSE LED 12W 0YSTER**

LAN-ECLIPSE12W-3K-D, LAN-ECLIPSE12W-4K-D

Ultra Slim Round LED Ceiling Mounted Oyster. Made from opal PMMA and polycarbonate. IP54 for indoor or outdoor covered areas. 40,000hr lifespan. Up to 70% energy cost savings. Emits no UV or IR light. Dimmable. Available in White.























#### LAMP TEMP **LUMENS**

**COLOURS** 

PART NO

AN-ECLIPSE12W WHITE

WHITE



### **ECLIPSE LED 18W OYSTER**

LAN-ECLIPSE18W-3K-D, LAN-ECLIPSE18W-4K-D

Ultra Slim Round LED Ceiling Mounted Oyster. Made from opal PMMA and polycarbonate. IP54 for indoor or outdoor covered areas. 40,000hr lifespan. Up to 70% energy cost savings. Emits no UV or IR light. Dimmable. Available in White.















### **LUMENS**

**COLOURS** 

PART NO

WHITE

AN-ECLIPSE18W

WHITE



### **ECLIPSE LED 25W 0YSTER**

LAN-ECLIPSE25W-3K-D, LAN-ECLIPSE25W-4K-D

Ultra Slim Round LED Ceiling Mounted Oyster. Made from opal PMMA and polycarbonate. IP54 for indoor or outdoor covered areas. 40,000hr lifespan. Up to 70% energy cost savings. Emits no UV or IR light. Dimmable. Available in White.



























**COLOURS** 

PART NO





WHITE





### **ECLIPSE LED 18W COLOUR CHANGEABLE OYSTER** LAN-ECLIPSE18WCC

Ultra Slim Round LED Ceiling Mounted Oyster. Made from opal PMMA and polycarbonate. IP54 for indoor or outdoor covered areas. Dimmable and colour changeable from Warm White to Cool White. Emits no UV or IR light. Available in White.



























LAMP TEMP **LUMENS** 

WHITE





### **ECLIPSE LED 25W COLOUR CHANGEABLE OYSTER** LAN-ECLIPSE25WCC

Ultra Slim Round LED Ceiling Mounted Oyster. Made from opal PMMA and polycarbonate. IP54 for indoor or outdoor covered areas. Dimmable and colour changeable from Warm White to Cool Emits no UV or IR light. White. Available in White.





















#### **LAMP TEMP LUMENS**

WHITE

**COLOURS** 

PART NO



### LUNAR LED 18W 5000K MLL05018BD, MLL05018WD

The Lunar oyster 18W lamp is designed to fit flush to a ceiling or wall utilising the custom built mounting system included. With a 40mm super slim profile, the Lunar still produces 1284 lumens in a Cool White light colour.



















#### LAMP TEMP LUMENS **COLOURS** PART NO

WHITE



### **LUNAR LED 18W 3000K** MLL03018BD. MLL03018WD

The Lunar oyster 18W lamp is designed to fit flush to a ceiling or wall utilising the custom built mounting system included. With a 40mm super slim profile, the Lunar still produces 1160 lumens in a Warm White light colour.























#### **LAMP TEMP LUMENS COLOURS** PART NO

MLL03018BD

WHITE

MLL03018WD



### **LUNAR LED 28W 3000K** MLL03028BD. MLL03028WD

The Lunar oyster 28W lamp is designed to fit flush to a ceiling or wall utilising the custom built mounting system included. With a 40mm super slim profile, the Lunar still produces 1845 lumens in a Warm White light colour.



















LAMP TEMP **LUMENS** 

**COLOURS** 

PART NO

WHITE

MLL03028WD



### **LUNAR LED 28W 5000K** MLL05028BD, MLL05028WD

The Lunar oyster 28W lamp is designed to fit flush to a ceiling or wall utilising the custom built mounting system included. With a 40mm super slim profile, the Lunar still produces 2050 lumens in a Cool White light colour.























#### LAMP TEMP **LUMENS**

WHITE

**COLOURS** 

MLL05028BD Dimmable

PART NO



### **LUNAR LED 38W 3000K** MLL03038BD, MLL03038WD

The Lunar oyster 38W lamp is designed to fit flush to a ceiling or wall utilising the custom built mounting system included. With a 40mm super slim profile, the Lunar still produces 2350 lumens in a Warm White light colour.



















#### **LUMENS COLOURS** PART NO

BRUSHED NICKEL

MLL03038BD Dimmable

WHITE



### **LUNAR LED 38W 5000K** MLL05038BD, MLL05038WD

The Lunar oyster 38W lamp is designed to fit flush to a ceiling or wall utilising the custom built mounting system included. With a 40mm super slim profile, the Lunar still produces 2525 lumens in a Cool White light colour.



























#### LAMP TEMP **LUMENS**



WHITE

**COLOURS** 

MLL05038BD

MLL05038WD

PART NO



### **ROUND SURFACE MOUNTED OYSTER LAN4380**

Round surface mount slim trim frost glass Oyster. Satin Chrome Trim.





























### PRISAYA LED OYSTER LAN6930-12WLED

Round LED Ceiling Mounted Oyster available in 3000K with an output of 1200 Lumens. Mains Dimmable LED Driver. Available in Satin Chrome with Frosted Glass.



















LAMP TEMP LUMENS

1200lm

SATIN CHROME

**COLOURS** 

LAN6930-12WLEI

PART NO



### PRISAYA OYSTER LAN6930-E27, LAN6940-E27

Round Ceiling Mounted Oyster with E27 lamp holder. Available in Satin Chrome with Frosted Glass.



















LAMP TEMP LUMENS COLOURS PART NO

N/A



SATIN CHROME

LAN6930-E27 **300mm** 

IN CHROME LAN



### PRISAYA LED OYSTER LAN6940-20WLED

Round LED Ceiling Mounted Oyster available in 3000K with an output of 2000 Lumens. Mains Dimmable LED Driver. Available in Satin Chrome with Frosted Glass.



















LAMP TEMP LUMENS COLOURS PART NO

3000K

2000tm

SATIN CHROME

LAN6940-20WLED



### **PRISAYA OYSTER**

LAN6940-2XE27

Round Ceiling Mounted Oyster with 2x E27 lamp holder. Available in Satin Chrome with Frosted Glass.



















LAMP TEMP LUMENS

COLOURS

PART NO

N/A





LAN6940-2XE27



### SURFACE MOUNTED LED LOW PROFILE OYSTER LAN-SLICE150, LAN-SLICE170

Surface mounted, low-profile Oyster made from aluminium. The highly efficient lens diffuses light evenly, achieving a 90° beam angle. 30,000/40,000 hour lifespan. Available in White.















PART NO











#### LAMP TEMP **LUMENS**

WHITE

**COLOURS** 



### **LED SURFACE MOUNTED 15W IP54 DOWN LIGHT** LANCOBSMWH15W3K, LANCOBSMWH15W4K

15W Surface Mounted Ceiling Light with COB LED chip and clear lens. Aluminium profile provides excellent thermal dissipation. Complete with isolated driver. IP54 rated. Dimmable. Suitable for commercial and residential applications like office, supermarket, shop, school, hotel, restaurant, workshop, warehouses etc. Available in White. Warm White or Neutral White.















### **LUMENS**

### **COLOURS**

PART NO

WHITE

WHITE



### **SQUARE FLUORESCENT**

GE241022, GE241040

T5 Fluorescent Square Ceiling Light. Matt opal acrylic diffuser with steel back plate, aluminium trim and electronic ballast. Side screws for lamp replacement. Available in Silver.





























#### LAMP TEMP LUMENS **COLOURS** PART NO













### SURFACE MOUNT PLC DOWN LIGHT LANTUBUSPR02-18, LANTUBUSPR02-26

Surface mounted facetted reflector down light complete with integral electronic gear & lamps. Available in White.





































**COLOURS** 







### **ELITE SURFACE MOUNTED CEILING LIGHT** 19410, 19411

Round body exterior ceiling-mounted direct-light suitable for alfresco entertaining, BBQ areas etc. Constructed from Pure 6063 Grade Aluminium, and completed with a Natural Clear Anodised Finish. Available with a highperformance 6W GU10 replaceable lamp (dimmable\*) or without.

























#### **LAMP TEMP LUMENS** COLOURS PART NO





### **ROUND CEILING LIGHT LANMC2000BLK**

Surface mounted ceiling light. Constructed in aluminium and powdercoated to ensure high corrision & UV resistance. Waterproof silicone seal gasket and 4mm thick toughened glass diffuser. Complete with meanwell driver. Available in Black.



















CRFF







**LAMP TEMP** 









BLACK



### **ALPHA SURFACE MOUNTED CEILING LIGHT**

19413, 19414

Square body exterior ceiling-mounted direct-light. Constructed from Pure 6063 Grade Aluminium and completed with a Natural Clear Anodised Finish. Ideal for coastal areas. Comes complete with a high-performance 6W GU10 replaceable lamp (dimmable\*) or without. Available in Silver.



























LAMP TEMP

LUMENS



### **SURFACE MOUNTED CANOPY LIGHT SBN961LED**

Surface mounted canopy light with prismatic diffuser and stainless steel construction. With integral control gear. Supplied with lamp. Available in White.

























**COLOURS** 

PART NO

LAMP TEMP

**LUMENS** 

WHITE



## SURFACE MOUNTED CANOPY LIGHT

SBN961250. SBN961400

Surface mounted canopy light with prismatic diffuser and stainless steel construction. With integral control gear. Available in White.




WHITE

WHITE



## SURFACE MOUNTED LED CANOPY LIGHT SBN961150SM

150W surface mounted LED canopy light with aluminium alloy housing and meanwell driver. 3 year replacement warranty. Available in White.





## RECESSED LED CANOPY LIGHT SBN961150REC


150W recessed LED canopy light with aluminium alloy housing and meanwell driver. 3 year replacement warranty. Available in White.





## **SURFACE MOUNTED CANOPY LIGHT** FA150HSJ

Surface mounted canopy light with prismatic diffuser and heavy duty die cast aluminium body. With integral control gear. Supplied with lamp. Available in Black, Silver or White.





### **SURFACE MOUNT LED BATTEN**

LANPLASTH40WLED4K

Our LED batten is suitable for a wide range of applications including garages, workshops and task areas where a high-output, natural white, surface mounted fitting is required. Made with extruded opal polycarbonate diffuser with UV protection and powdercoated steel housing. Available in White.





















### **LAMP TEMP**

**LUMENS** 

COLOURS

PART NO

WHITE



### SLIMLINE LED DIFFUSED INTERLINKABLE

LANCG8WLED4K, LANCG12WLED4K, LANCG18WLED4K, LANCG25WLED4K

Linkable tube LED with built-in driver. Achieves high lighting performance and good heat dissipation. Comes complete with 3 pins, 2pcs screws and clips. 1.2m flex and plug also available. Non-dimmable. Available in White.



1178mm 1478mm















PART NO

PART NO

PART NO

PART NO



## **BLADE SLIMLINE LED SURFACE MOUNT**

**LANBLADE** 

A slimline surface mounted fitting that is both modern and practical for those areas needing that little extra light i.e the kitchen, the study. Allows for easy installation in no time at all. Non-dimmable. 2 year replacement warranty. In Warm White or Cool White light. Available in White or Brushed Aluminium.





















**LAMP TEMP** 

**LUMENS** 

**COLOURS** 









### **SQUARE WALL LIGHT LANGS-033**

Square recessed wall light with ribbed reflector complete with mounting box. Available in Aluminium.



LAMPTEMP LUMENS COLOURS PART NO

N/A N/A ALUMINIUM LANGS-033



### **LED EXTERNAL WALL LIGHT LANLADDER150S**

The cover frame and lamp body are made of die-casted aluminium alloy; the surface is treated by two processes of electro casting dusting. The lens is equipped with sandblasted, fully-toughened glass. Silica gel waterproof gaskets which are resistant to high temperatures are installed around the glass and under the cover. Supplied with canister.



LAMP TEMP LUMENS COLOURS PART NO



### **LED EXTERNAL WALL LIGHT LANLADDER100S**

The cover frame and lamp body are made of die-casted aluminium alloy; the surface is treated by two processes of electro casting dusting. The lens is equipped with sandblasted, fully-toughened glass. Silica gel waterproof gaskets which are resistant to high temperatures are installed around the glass and under the cover. Supplied with canister.



LAMP TEMP LUMENS COLOURS PART NO

3000K N/A GREY LANLADDER100



### LED WALL LIGHT GL034ANW, GL034AWW

Made from marine grade stainless steel and aluminium, durable and suitable for both indoor and outdoor use. Ideal for being used either as a wall light to highlight steps and walk ways or a ground light to highlight walls and paths.



3000K N/A STAINLESS STEEL GL034AWW Warm White



### LED STEP LIGHT WL050WW, WL050NW

Square recessed LED wall light with ribbed reflector and 35° wide beam angle, which allows ample room between each fitting. Lights hall ways, stairs and lobbies directing light towards the floor. Available in Warm White, Neutral White or Blue. Made from Aluminium.





















**COLOURS** PART NO



### WALL BOX WL050WB

Wall box for use with WL050 wall light. Steel construction.



















**LUMENS COLOURS** PART NO



### **ROUND STEP LIGHT** LANSTEPRD3W3K

The lamp body is made of pure aluminium and is shaped by CNC machines. The surface is varnished after brushing. Light washes the surface at an angle, providing the perfect amount of light for a stair or hallway. Requires 700mA Driver - Series Wired. Supplied with canister.























**COLOURS** 

PART NO









### **SQUARE STEP LIGHT** LANSTEPSQ3W3K

The lamp body is made of pure aluminium and is shaped by CNC machines. The surface is varnished after brushing. Light washes the surface at an angle, providing the perfect amount of light for a stair or hallway. Requires 700mA Driver - Series Wired. Supplied with canister.



69mm































PART NO









### **SLIM ROUND LED STEP LIGHT** LAN-SLIM3K-ROUND

Round recessed LED step light which emits light two ways, up and down or left and right depending on which direction you choose. Made from solid aluminium. Includes 500mm wire. Canister available on request. Remote 700mA constant current driver required.























**LAMP TEMP LUMENS** 

**COLOURS** 

PART NO



### SLIM SQUARE LED STEP LIGHT LAN-SLIM3K-SQUARE

Square recessed LED step light which emits light two ways, up and down or left and right depending on which direction you choose. Made from solid aluminium. Includes 500mm wire. Canister available on request. Remote 700mA constant current driver required.



















LAMP TEMP **LUMENS COLOURS** PART NO



### **ROUND SURFACE MOUNTED STEP LIGHT** 19978, 19979

A surface mounted round wall or step light for interior or exterior applications. Simple yet clean in design yet fully functional. Die cast aluminium body with silver colour polyester coated finish. Built-in LED driver. Non-dimmable.



























### **SQUARE SURFACE MOUNTED STEP LIGHT** 19980, 19981

A surface mounted square wall or step light for interior or exterior applications. Simple yet clean in design yet fully functional. Die cast aluminium body with silver colour polyester coated finish. Built-in LED driver. Non-dimmable.





















LAMP TEMP **LUMENS COLOURS** PART NO



### **ROUND STEP LIGHT LAN-DOMERND**

Round step light which emits light asymmetrically, perfect for washing stairs. Made from solid aluminium. 500mm wire included. Canister available on request. Remote 700mA driver required.



















LAMP TEMP **LUMENS**  **COLOURS** 

PART NO



### **SQUARE STEP LIGHT LAN-DOMESQ**

Square recessed LED step light which emits light asymmetrically, perfect for washing stairs. Made from solid aluminium. 500mm wire included. Canister available on request. Remote 700mA driver required.



















LAMP TEMP **LUMENS COLOURS** PART NO



### **EYELID STEP LIGHT** LAN2015B, LAN2015SS, LAN2015S

Round recessed eyelid step light. 12V Transformer required. Available in Black, Stainless Steel or Silver.

























BLACK



### **ROUND RECESSED STEP LIGHT** LAN2013B, LAN2013SS, LAN2013S

Round recessed step light. 12V Transformer required. Available in Black, Stainless Steel or Silver.























**COLOURS COLOURS** PART NO

BLACK



### **SQUARE STEP LIGHT** LANGS-031

Square recessed step light with tempered frost glass complete with mounting box. Available in Aluminium.











N/A













LAMP TEMP **LUMENS** 

**COLOURS** 

PART NO



### **SQUARE STEP LIGHT LANGS-032**

Square recessed step light with tempered frost glass complete with mounting box. Available in Aluminium.



















LAMP TEMP LUMENS

COLOURS







### **SURFACE MOUNTED UP & DOWN WALL LIGHT** LAN-FOCUSIP, LAN-FOCUSIPBLK

Rectangular-shaped surface mounted up/down LED wall light in Silver. The light beams can be adjusted by moving the internal fins. Can be used internally or externally. Complete with integral driver. Available in Silver or Black.

















#### LAMP TEMP LUMENS **COLOURS** PART NO

**BLACK** 



### **FADE WALL LIGHT LED** LAN-FADE3K

Cube-shaped surface mounted LED wall light made from solid aluminium with powder coated white RAL9003 finish. Light is emitted indirectly in a uniform up and down direction. Complete with integral driver.





100mm



100mm

















WHITE



### **SURFACE MOUNTED UP & DOWN WALL LIGHT** LAN-FOCUS

Rectangular-shaped surface mounted up/down LED wall light made from solid aluminium. The light beams can be adjusted by moving the internal fins. Can be used internally or externally. Complete with integral driver.



















LAMP TEMP **LUMENS** 

**COLOURS** 



### **WAVE LED LANWAVEBB3K**

The lamp body is made of extruded pure aluminium, then shaped via CNC. The surface is then varnished after brushing. The SMD LED light source is diffused with an efficient light transmission lens. Complete with gear.



LAMP TEMP LUMENS COLOURS PART NO

BRUSHED LANWAVEBB3R



### WEDGE UP & DOWN WALL LIGHT LAN-WEDGE5K

Surface mounted LED up and down wall light. Made from solid aluminium. Complete with integral driver.





### DRIFT WALL LIGHT LANDRIFTBK6W3K, LANDRIFTSIL6W3K

2 x 3W LED slimline exterior wall light narrow light up and wide light down. Die cast aluminium body. 240V wiring, built in 350mA LED Driver. Non-dimmable. Available in Warm White. Silver or Black finish.







### X-WAVE WALL LIGHT 19462, 19463

A contemporary alternative to traditional wall lights. Made from a high quality cast aluminium then surface treated before a polyester silver powder coat is applied. With amazing 25° upward illumination to a wide 45° downward light. Integral LED driver. IP54 rated. Non-dimmable.



| LAMP TEMP | LUMENS | COLOURS | PART NO               |
|-----------|--------|---------|-----------------------|
| 3000K     | 500lm  | SILVER  | 19462<br>Warm White   |
| 5000K     | 580lm  | SILVER  | 19463<br><b>White</b> |



### I-BOOK WALL LIGHT 19464, 19465

SMD

2 x 3W LED exterior wall light wide light up and narrow light down. Die cast aluminium body, custom silver powder coat. 25º up-beam and 5º downbeam. 240V wiring, built in 350mA LED Driver. Non-dimmable.









### **SURFACE MOUNT SPIKE CLIP WALL LIGHT** LAN7473

Surface mount matt frost glass spike clip wall light. Available in Satin Chrome.





### **SURFACE MOUNTED SPIKE CLIP WALL LIGHT LAN4305**

Surface mount matt frost glass spike clip wall light. Available in Satin Chrome.




#### LAMP TEMP LUMENS **COLOURS** PART NO





### **ALABASTER WALL LIGHT LAN2154**

Surface mount alabaster swirl glass wall light. Available in Satin Chrome.





### **VISION** MFV108, MFV114, MFV121

A beautiful addition to any bathroom the Vision range features a durable chrome plated finish, adjustable light head and the choice of 8W, 14W and 21W high light output T5 4000K Tri-phosphor tube.









IP40

















**COLOURS** 

PART NO

PART NO

PART NO



### **ADJUSTABLE SPOT LIGHT LAN102102GRY**

Adjustable LED outdoor spotlight. This spotlight provides 9W of high intensity light. Constructed from die-cast aluminium and with an IP65 rating, provides a resilient product suited to most outdoor applications. Optional Spike. Available in Warm White. In Dark Grey finish.





















**LUMENS** 

**COLOURS** 

PART NO

DARK GREY



### SURFACE MOUNTED DIE CAST LAN8028B, LAN8028S

Surface mounted die-cast with aluminium reflector. LAN8028G-70W G12 MH version available fitting only or kit P.O.A. Available in Black or Silver.





175mm



























### ADJUSTABLE WALL SPOTLIGHT LAN2030BK, LAN2030SS, LAN2030SIL

Surface mounted adjustable wall spotlight complete with lamp. 12V transformer required. Available in Black, Stainless Steel or Silver.























**COLOURS** PART NO **COLOURS** PART NO

BLACK



### ADJUSTABLE WALL SPOTLIGHT LAN2030T/BLK, LAN2030T/SS, LAN2030T/SIL

Surface mounted adjustable wall spotlight complete with lamps & integral electronic control gear. Available in Black, Stainless Steel or Silver.





60mm









MR16







**COLOURS** PART NO **COLOURS** PART NO











### FIXED WALL DOWN LIGHT LAN2040T/BLK, LAN2040T/SS, LAN2040T/SIL

Surface mounted fixed wall down light complete with lamps & integral electronic control gear. Available in Black, Stainless Steel or Silver.





















COLOURS PART NO **COLOURS** PART NO

BLACK



### **UP & DOWN UNI-LIGHT SPOTLIGHT** LAN2010/BLK, LAN2010/SS, LAN2010/SL

Surface mounted up & down uni-light spotlight complete with lamps. 12V Transformer required. Available in Black, Silver or Stainless Steel.















**UP & DOWN UNI-LIGHT SPOTLIGHT** 

LAN2010T/BLK, LAN2010T/SS, LAN2010T/SL





Surface mounted up & down uni-light spotlight complete with lamps & integral



























electronic control gear.









COLOURS **COLOURS** PART NO













### FIXED WALL DOWN LIGHT LAN2040BK, LAN2040SS, LAN2040SIL

Surface mounted fixed wall down light complete with lamps. 12V Transformer required. Available in Black, Stainless Steel or Silver.



















**COLOURS** PART NO

BLACK

**COLOURS** 

PART NO



### **UP & DOWN GU10 WALL LIGHT** LAN20101BLK. LAN20101TI

Surface mounted up & down wall spotlight. Lamps included. Available in Black, Titanium Aluminium or Anodised Aluminium.



















LAMP TEMP **LUMENS** 

**COLOURS** 

PART NO

BLACK



### ADJUSTABLE GU10 WALL SPOTLIGHT LAN20301BLK, LAN20301TI

Surface mounted adjustable wall spotlight. Lamp included. Available in Black, Titanium Aluminium or Anodised Aluminium.





















BLACK



### **FIXED GU10 WALL DOWN LIGHT** LAN20401BLK, LAN20401TI

Surface mounted fixed wall down light. Lamp included. Available in Black, Titanium Aluminium or Anodised Aluminium.





















LAMP TEMP LUMENS

**COLOURS** 

PART NO

BLACK



### **UP AND DOWN LED WALL LIGHT RGB** WL070RGBW

This 24W wall-mounted colour-change LED is practical and versatile. By throwing light upwards towards the ceiling and downwards towards the floor, it provides a much wider zone of illumination. Gives you the entire range of colours or choose pure white light for the times when practicality is more important than atmosphere. Complete with wall fittings. 5 year warranty.













PART NO

24W











**LAMP TEMP LUMENS** 

**COLOURS** 



## **UP AND DOWN LED WALL LIGHT**

WL070A, WL170A, WL370A

A direct to mains LED wall light that delivers light both up and down a wall, pillar or post. Extremely durable, suitable for both indoor and outdoor applications and can deliver usable light in a choice of Warm White or Neutral White.



















**COLOURS** PART NO **COLOURS** PART NO

COPPER

**BLACK** 



### **LED WALL LIGHT**

WL075AWW, WL075ANW, WL175ANW

A direct to mains LED wall light made from anodised aluminium and IP rated to 65, suitable for decorating walls, pillars or posts with floods of light. Complete with fixings. Available in Warm White or Neutral White.



104mm





122mm

















WL075ANW Neutral White

BLACK



### **LED WALL LIGHT RGB**

WL075CARGB

Bring walls to life with this stylish anodised aluminium wall unit. It washes a section of the wall in RGB colour. The beam angle is 56° for a broader reach. Whether you point the beam up or down will depend on the effect you want to create. Complete with wall fixings.





















LAMP TEMP LUMENS

**COLOURS** 



### **LED WALL LIGHT**

WL060WW, WL060NW, WL160WW, W160NW

Using a halo effect combined with a downward LED, makes this product ideal for both entrance and hall ways. Suitable for both indoor or outdoor and finished to a very high standard using anodised aluminium; this wall light will compliment any lighting scheme. Available in Warm White or Neutral White.













PART NO











#### **COLOURS** PART NO



**COLOURS** 

**BLACK** 



### **LED WALL LIGHT**

WL140AFWW, WL140AFNW, WL240AFWW, WL240AFNW

Replace your existing wall light with the WL140A, equivalent to a 35W halogen and using an integral power supply, makes it simple and easy to do. Using an adjustable head and cowl design for low glare, means directing the light could not be easier. Suitable for both indoor and outdoor applications.



















### **COLOURS**

### PART NO

BLACK

**COLOURS** 

<u>WL14</u>0AFWW

PART NO

**BLACK** 



### **LED WALL LIGHT** WL220AMAINS

A straight to mains LED Wall light, making it simple and easy to install. Using an adjustable head that can also rotate, means directing the light could not be easier. Suitable for both indoor and outdoor applications. Available Flood or Spot lens. In Warm White or Neutral White.

























#### **COLOURS** PART NO



**COLOURS** 

PART NO



### **LED WALL LIGHT** WL220A, WL020ABLK, WL320A

Features three 1W high power LEDs giving an awesome lighting effect. Making this ideal for lighting walls, path ways or picking out key features in a room. Suitable for both indoor and outdoor applications. Available in Flood or Spot lens. In Warm White or Neutral White.



















N/A





**COLOURS COLOURS** PART NO



PART NO

BLACK



### **LED WALL LIGHT RGB** WL220CARGB, WL021CARGB

Let there be light – and light of every colour – wherever you want. This stylish anodised aluminium outdoor wall unit creates theatrical effects for any location. With wall fixings included and a 90° tilt angle, you can point this RGB light show in any direction. Complete with wall fixings.



















#### **LAMP TEMP LUMENS COLOURS**

**BLACK** 



PART NO



## LED ADJUSTABLE MINI WALL LIGHT

MF02IP, MS02IP

Mini wall lights are stylish and functional. Great for lighting pictures and focal items. Made from marine grade stainless and IP rated to 65 allows for installation both indoor and out. In Spot or Flood lens. Choose from  $6\,$ ambient LED colours. 3 wall mounting brackets also available.



















#### LAMP TEMP LUMENS **COLOURS**

PART NO



### **LED WALL LIGHT** MC040WW, MC040NW

Stylish, functional and durable wall light. Using 4 LED's creates a smooth light output suitable for lighting down walls and over entrance ways. Complete with integral power supply and with wall fixings makes the MC040 easy to install in any environment. Available in Warm White and Neutral White.



142mm



















#### **LAMP TEMP LUMENS COLOURS** PART NO



## LED DECORATIVE WALL LIGHT

MC050WW, MC050NW

The MC050 combines a remarkable light output with a striking light effect ideal for bringing to life any installation. Is straight to mains and IP-rated for both internal and external environments. Constructed in anodised aluminium. Available in Warm White and Neutral White.



















LAMP TEMP **LUMENS** 

**COLOURS** 



### LED MINI CUBE WALL LIGHT MC010S

The MC010 creates stunning effects on walls in both residential and commercial environments. Using a spot lens keeps the light narrow and direct, sending light over long distances. Constructed in anodised aluminium. Available in 6 ambient LED colours.























#### LAMP TEMP **LUMENS**

## **COLOURS**

PART NO



### LED MINI CUBE WALL LIGHT

MC020SWW, MC020SNW

Stylish, functional and finished to the highest standards in aluminium, the MC020 creates stunning effects on walls in both residential and commercial environments. Using a spot lens keeps the light narrow and direct, sending light over long distances. Available in 6 ambient LED colours.



















#### LAMP TEMP **LUMENS**

**COLOURS** 

MC020SWW

MC020SNW Neutral White

PART NO



### LED MINI CUBE WALL LIGHT

MC015SNW, MC015SWW, MC015SBL

The MC015 creates stunning effects on walls in both residential and commercial environments. Using a spot lens keeps the light narrow and direct, sending light over long distances. Complete with an integral power supply, wall fixings and pattress box makes installation quick and easy.















1.5W









**COLOURS** PART NO

**COLOURS** 

PART NO





### **LED MINI CUBE WALL LIGHT**

MC025SNW, MC025SBL

The MC025 creates stunning effects on walls in both residential and commercial environments. Using a spot lens keeps the light narrow and direct, sending light over long distances. Complete with an integral power supply, wall fixings and pattress box makes installation quick and easy.

















N/A







#### LAMP TEMP LUMENS **COLOURS**

PART NO

MC025SBL



### LED DECORATIVE MINI LIGHT ML02WW, ML02NW

Contemporary, chic, yet rugged, the MLO2 decorative mini-light adds style to floors, bars, walls and stairs. Made from marine grade stainless steel and IP rated to 68 ensures you can use this product indoors or out. Choose from 6 ambient LED colours.



















#### **LAMP TEMP LUMENS** COLOURS PART NO



ML02WW



### LED MINI HALO WALL LIGHT ML03WW, ML03NW

Add impact to any area with the MLO3 wall light. An elegant 'halo' effect is created around the unit in a choice of 6 ambient LED colours. Finished to a high standard using anodised aluminium, this trendy mini-light will look great in superior establishments and homes.

















#### LAMP TEMP LUMENS **COLOURS** PART NO



### LED ROTATABLE OCTAGONAL WALL LIGHT OCTOLEDWW. OCTOLEDNW

This eight sided wall light featuring a quality anodised aluminium finish, with four LED's on opposing sides, creates a light effect that is both modern and elegant. By simply rotating the product on the wall you can select any angle of light as required. Complete with a wall fixing bracket.







100mm















#### LAMP TEMP **LUMENS COLOURS** PART NO



### **LED FAN EFFECT WALL LIGHT** WL041IP

The WL041 IP really is something different. Over a hundred tiny fins produce large blades of light across walls and ceilings in dramatic fashion. IP rated to 65, made from anodised aluminium and complete with an integral power. Parallel wired. Available in Neutral White, Amber or Blue.





















LAMP TEMP **LUMENS** 

**COLOURS** 





### SURFACE MOUNTED EXTERIOR WALL LIGHT CLWL21STSES, CLWL21STS118

Surface mounted exterior light with opal polycarbonate diffuser. Lamp supplied with PLC option. Constructed in 316 Marine-grade Stainless Steel. 240V. IP44 rated.











PART NO









#### LAMP TEMP **LUMENS**





**COLOURS** 







### **ALPHA 1 WALL MOUNTED LIGHT** 19400, 19401

Square body exterior wall light facing down. Constructed from Pure 6063 Grade Aluminium and completed with a Natural Clear Anodised Finish. Ideal for coastal areas. Comes complete with a high-performance 6W GU10 replaceable lamp (dimmable\*) or without. Available in Silver.

















GU10

























### SURFACE MOUNTED EXTERIOR WALL LIGHT CLWL22STSES, CLWL22STS118

Surface mounted exterior light with opal polycarbonate diffuser. Lamp supplied with PLC option. Constructed in 316 Marine-grade Stainless Steel. 240V. IP44 rated.



















#### **LUMENS COLOURS**









PART NO







### **ALPHA 2 WALL MOUNTED LIGHT** 19402, 19403

Square body exterior wall light facing up and down. Constructed from Pure 6063 Grade Aluminium and completed with a Natural Clear Anodised Finish. Ideal for coastal areas. Comes complete with 2x 6W GU10 LED replaceable lamps (dimmable\*) or without. Available in Silver.

























#### LAMP TEMP LUMENS





**COLOURS** 



#### ELITE 1 WALL MOUNTED LIGHT 19404, 19405

Round body exterior wall light facing down. 6063 Grade Aluminium with a Natural Clear Anodised Finish. Available with a high-performance 6W GU10 replaceable lamp (dimmable\*) or without. Available in Silver.























#### **LAMP TEMP LUMENS** COLOURS PART NO





### **ROUND UP & DOWN WALL LIGHT LANMR3010STS**

Surface mounted wall light. Constructed in 316 Stainless Steel. Waterproof silicone seal gasket and 8mm thick toughened flat trim glass diffuser. Complete with dimmable driver. Available in Stainless Steel.







180mm















**LAMP TEMP LUMENS COLOURS** PART NO



#### ELITE 2 WALL MOUNTED LIGHT 19406, 19407

Round body exterior wall light facing up and down. Constructed from Pure 6063 Grade Aluminium and completed with a Natural Clear Anodised Finish. The ELITE-1 is available with a high-performance 6W GU10 replaceable lamp (dimmable\*) or without. Available in Silver.





LAMP TEMP LUMENS























#### **COLOURS** PART NO

| 3000K | 350lm | SILVER | 19406<br>Warm White |
|-------|-------|--------|---------------------|
| 5000K | 380lm | SILVER | 19407               |



### **ROUND UP & DOWN WALL LIGHT LANMR3010BLK**

Surface mounted wall light. Constructed in aluminium and powdercoated to ensure high corrision & UV resistance. Waterproof silicone seal gasket and 8mm thick toughened flat trim glass diffuser. Complete with meanwell driver. Available in Black.



















LAMP TEMP **LUMENS COLOURS** 

BLACK



#### **ROUND UP & DOWN WALL LIGHT LANMR4010BLK**

Surface mounted wall light. Constructed in aluminium and powdercoated to ensure high corrision & UV resistance. Waterproof silicone seal gasket and 8 mmthick toughened flat trim glass diffuser. Complete with meanwell driver. Available in Black.























BLACK

LAMP TEMP **LUMENS** 

**COLOURS** 

PART NO



#### **ROUND UP & DOWN WALL LIGHT LANMR6010STS**

Surface mounted wall light. Constructed in 316 Stainless Steel. Waterproof silicone seal gasket and 8mm thick toughened flat trim glass diffuser. Complete with meanwell driver. Available in Stainless Steel.





















**LUMENS COLOURS** PART NO



### **ROUND UP & DOWN WALL LIGHT LANUDR15302**

Surface mounted wall light. Constructed in aluminium and powdercoated to ensure high corrision & UV resistance. Waterproof silicone seal gasket and 8mm thick toughened flat trim glass diffuser. Complete with meanwell driver. Available in Black.




































### **SQUARE UP & DOWN WALL LIGHT LANMS3010BLK**

Surface mounted wall light. Constructed in aluminium and powdercoated to ensure high corrision & UV resistance. Waterproof silicone seal gasket and 8mm thick toughened flat trim glass diffuser. Complete with meanwell driver. Available in Black.

























PART NO







#### **SQUARE UP & DOWN WALL LIGHT LANMS3010STS**

Surface mounted wall light. Constructed in 316 Stainless Steel. Waterproof silicone seal gasket and 8mm thick toughened flat trim glass diffuser. Complete with dimmable driver. Available in Stainless Steel.























#### **LAMP TEMP LUMENS**

**COLOURS** 

PART NO



#### **SQUARE UP & DOWN WALL LIGHT LANMS6010BLK**

Surface mounted wall light. Constructed in aluminium and powdercoated to ensure high corrision & UV resistance. Waterproof silicone seal gasket and 8mm thick toughened flat trim glass diffuser. Complete with meanwell driver. Available in Grey.



















LAMP TEMP **LUMENS COLOURS** PART NO





#### ECHO SM UP AND DOWN LED WALL LIGHT ECHOBLK9W3K, ECHOSIL9W3K,

A modern, exterior surface mounted LED wall light. Die-cast aluminium body and powdercoated to ensure high corrision & UV resistance. The ECHO is ideally suited to provide accent lighting and illuminating vertical surfaces. Complete with integral driver. Available in Black and Silver. In Warm White.





















LAMP TEMP LUMENS **COLOURS** PART NO







#### MINI RECTANGLE WALL LIGHT LAN201102STS

A modern outdoor 9W LED wall light. Super sleek design with an open to allow the high power LED to shine from top to bottom, creating a beautiful lighting effect. 202 Stainless Steel body with clear PC diffuser. Available in Warm White.



























**COLOURS** 

PART NO



#### **RECTANGLE WALL LIGHT LAN201103STS**

A modern outdoor 12W LED wall light. Super sleek design with an open to allow the high power LED to shine from top to bottom, creating a beautiful lighting effect. 202 Stainless Steel body with clear PC diffuser. Available in Warm White.





















**LUMENS** 

**COLOURS** 

PART NO



#### **UP AND DOWN LED WALL LIGHT LAN101105GRY**

A direct to mains 6W LED outdoor wall light made from die-cast aluminium and IP rated to 65, suitable for decorating walls, pillars or posts with floods of light.

























DARK GREY

PART NO



Available in Warm White. In Dark Grey finish.







light. Available in Warm White. In Dark Grey finish.



**UP AND DOWN LED WALL LIGHT** LAN101104GRY

A direct to mains 12W LED outdoor wall light made from die-cast aluminium

and IP rated to 65, suitable for decorating walls, pillars or posts with floods of















LAMP TEMP LUMENS

**COLOURS** 

PART NO

DARK GREY



#### SURFACE MOUNTED GRILL BULKHEAD CL542141

Surface mounted exterior wall/ceiling light with aluminium dies cast body and opal polycarbonate diffuser. Ceramic lamp holder with ES model. Lamp supplied with PLC model only. Emergency options available.







147mm

COLOURS **COLOURS COLOURS** PART NO

BLACK WHITE



#### **SURFACE MOUNTED EYELID BULKHEAD** CL542142

Surface mounted exterior wall/ceiling light with aluminium dies cast body and opal polycarbonate diffuser. Ceramic lamp holder with ES model. Lamp supplied with PLC model only. Emergency options available











GLS

13W

18W







COLOURS **COLOURS COLOURS** PART NO

**BLACK** 

WHITE



#### SURFACE MOUNTED OPEN FACE BULKHEAD CL542144

Surface mounted exterior wall/ceiling light with aluminium dies cast body and opal polycarbonate diffuser. Ceramic lamp holder with ES model. Lamp supplied with PLC model only. Emergency options available.



















**COLOURS COLOURS COLOURS** PART NO

**BLACK** 

WHITE



#### HORIZON OVAL PLAIN BUNKER LANHORIZONOV12W3K, LANHORIZONOV12W4K

All polycarbonate oval bulkhead suitable for wall and ceiling applications. With plain trim design with frosted diffuser. IP66 weatherproof with IK10 Impact Rating. Available in Black or Grey. In Warm White or Neutral White.



















LAMP TEMP **LUMENS** 



PART NO





BLACK GREY



#### HORIZON ROUND PLAIN BUNKER

LANHORIZONRD12W3K, LANHORIZONRD12W4K

All polycarbonate round bulkhead suitable for wall and ceiling applications. With plain trim design with frosted diffuser. IP66 weatherproof with IK10 Impact Rating. Available in Black or Grey. In Warm White or Neutral White.



























#### LAMP TEMP **LUMENS**





**COLOURS** 







PART NO



#### **ROUND EXTERIOR BUNKER**

LAN304102GRY, LAN304102SIL

Round plastic outdoor 13W LED bulkhead with opal PC diffuser and built in driver. IP65 rated. Impact resistant rating of IK10. Available in Neutral White. In Dark Grey or Silver finish.























**LUMENS** 

DARK GREY





#### **265MM LED PLAIN BUNKER**

LAN2124BLK23WLED4K, LAN2124SIL23WLED4K

265mm round cast aluminium LED plain bunker with opal PC diffuser. Surface mount onto wall or ceiling. IP65 rated. Available in Black or Silver.

























#### LAMP TEMP LUMENS **COLOURS** PART NO











### **365MM LED PLAIN BUNKER**

LAN2134BLK23WLED4K, LAN2134SIL23WLED4K

365mm round cast aluminium LED plain bunker with opal PC diffuser. Surface mount onto wall or ceiling. IP65 rated. Available in Black or Silver.





































#### **265MM PLAIN BUNKER** LAN2124B, LAN2124S

265mm round cast aluminium plain bunker with opal PC diffuser. Available in Black or Silver.





















LAMP TEMP **LUMENS COLOURS** 







PART NO



### **365MM PLAIN BUNKER** LAN2134B, LAN2134S

365mm round cast aluminium plain bunker with opal PC diffuser. Available in Black or Silver.



















LAMP TEMP **LUMENS COLOURS** PART NO





#### **265MM GRILL GUARD BUNKER** LAN2122B, LAN2122S

265mm round cast aluminium grill guard bunker with opal PC diffuser. Available in Black or Silver.






























#### **365MM GRILL GUARD BUNKER** LAN2132B, LAN2132S

365mm round cast aluminium grill guard bunker with opal PC diffuser. Available in Black or Silver.











2x 26W









LAMP TEMP LUMENS **COLOURS** 



BLACK



### SMALL ROUND OPEN FACE BUNKER

LAN127400, LAN127401

Small round polycarbonate open face bunker with opal diffuser. Available in Black or White.




 N/A
 N/A
 BLACK
 LAN127401

 N/A
 N/A
 WHITE
 LAN127400



### **OVAL EXTERIOR BULKHEAD** LAN304104GRY, LAN304104SIL

Outdoor 9W LED plastic outdoor bulkhead with opal PC diffuser and built in driver. Impact resistant rating of IK10. Available in Neutral White. In Dark Grey or Silver finish.





### OVAL EXTERIOR BULKHEAD

LAN304105GRY, LAN304105SIL

Outdoor 18W LED plastic outdoor bulkhead with opal PC diffuser and built in driver. Impact resistant rating of IK10. Available in Neutral White. In Dark Grey or Silver finish.




| LAMP TEMP | LUMENS | COLOURS   | PART NO      |
|-----------|--------|-----------|--------------|
| 4000K     | 1100lm | DARK GREY | LAN304105GRY |
| 4000K     | 1100lm | SILVER    | LAN304105SIL |



### **SMALL OVAL GUARD BUNKER** LAN33361B, LAN33361S

Small oval cast aluminium bunker with guard. Available in Black or Silver.





#### **SURFACE MOUNTED BRICKLIGHT** CLBD601

Surface mounted louvered wall/bricklight. Made from Aluminium with tempered frost glass. Ceramic lampholder in ES model. Lamp supplied with PLC model only. Available in Black or Silver.























#### **COLOURS**

PART NO

PART NO

PART NO









### SURFACE MOUNTED BRICKLIGHT

CLBD602

Surface mounted plain wall/bricklight . Made from Aluminium with tempered frost glass. Ceramic lampholder in ES model. Lamp supplied with PLC model only. Available in Black or Silver.























PART NO PART NO



COLOURS



PART NO



CLBD602BLK118

CLBD602SIL111



#### RECESSED BRICKLIGHT

CL3324

Recessed bricklight louvered. Made from Aluminium with tempered frost glass. Complete with mounting box. Ceramic lampholder in ES model. Lamp supplied with PLC model only. Available in Black or Silver.











































#### RECESSED BRICKLIGHT

CL3325

Recessed open face bricklight. Made from Aluminium with tempered frost glass. Complete with mounting box. Ceramic lampholder in ES model. Lamp supplied with PLC model only. Available in Black or Silver.





























PART NO









#### **LED ROPE** LANLEDROPE

LED Rope Light has a maximum connection length of 100m cut to length at 1500mm intervals. Produces 3.8W per meter and is IP54 rated, suitable for indoor or outdoor use. An LED rope light is a perfect addition to any dull landscape. Lamp colour available in Blue, Cool or Warm. Note: LED connector set required per length.





















**COLOURS** 

#### LAMP TEMP **LUMENS**

N/A

PART NO



### LED STRIP LIGHTING LANS5050W-N, LANS5050WW-N

LED Strip Lighting supplied in 5m rolls with cut out every 100mm. Produces 7.2W per meter and has a 120° viewing angle. With an IP20 rating, it is suitable for indoor use such as under kitchen island benches or cabinets. Powered by 12V DC and available in Warm White or White. With adhesive backing. Note: Do not use in a sealed, hot area.



















#### LAMP TEMP LUMENS **COLOURS** PART NO

N/A

N/A



#### **LED STRIP LIGHTING**

LANS5050W-PP, LANS5050WW-P

Weatherproof LED Strip Lighting supplied in 5m rolls with cut out every 100mm. Produces 7.2W per meter and has a 120° viewing angle. With an IP68 rating, this LED strip light is versatile for either indoor or outdoor applications. Powered by 12V DC and available in Warm White or White. Note: Do not use in a sealed, hot area.

















Note: Do not use in a sealed, hot area.

**RGB LED STRIP LIGHTING** 

LANS5050RGB-N. LANS5050RGB-IP65



LED Colour Change Strip Lighting supplied in 5m rolls with cut out every

by 12V DC. Indoor (IP20) or Weatherproof (IP65) options available.

100mm. Produces 7.2W per meter and has a 120° viewing angle. Powered









**LAMP TEMP** 











**LUMENS** 



**COLOURS** 



PART NO













LAMP TEMP **LUMENS** 



**COLOURS** 

PART NO













#### LED STRIP LIGHTING LANS5151W-N, LANS5151WW-N

LED Strip Lighting supplied in 5m rolls with cut out every 100mm. Produces 14.4W per meter and has a 120° viewing angle. It is IP20 rated, suitable for indoor use such as under kitchen island benches or cabinets. Powered by 12V DC and available in White or Warm White. With Bronze adhesive backing. Note: Do not use in a sealed, hot area.











PART NO









#### LUMENS LAMP TEMP

**COLOURS** 



#### LED STRIP LIGHTING LANS5151W-IP65, LANS5151WW-IP65

Weatherproof LED Strip Lighting supplied in 5m rolls with cut out every 100mm. Produces 14.4W per meter and has a 120° viewing angle. With an IP rating of 65, it's a great option for any situation. Powered by 12V DC and available in White or Warm White. Bronze backing finish. Do not use in a sealed, hot area.





















### LUMENS

### **COLOURS**





#### **ALUMINIUM EXTRUSION LANEXT003R**

Aluminium extrusion recessed complete with PMMA Opal Diffuser. Each section comes with end caps and mounting clips. Note: LED strip not included.



LAMP TEMP **LUMENS COLOURS** PART NO



#### **ALUMINIUM EXTRUSION LANEXT011**

Aluminium extrusion surface mounted complete with PMMA Opal Diffuser. Each section comes with end caps and mounting clips. Note: LED strip not included.



LAMP TEMP LUMENS **COLOURS** PART NO



#### **ALUMINIUM EXTRUSION LANEXT002**

Aluminium extrusion surface mounted complete with PMMA Opal Diffuser. Each section comes with end caps and mounting clips. Note: LED strip not included.





#### **ALUMINIUM EXTRUSION LANEXT017R**

Aluminium extrusion recessed complete with PMMA Opal Diffuser. Each section comes with end caps and mounting clips. Note: LED strip not included.





#### **ALUMINIUM CORNER EXTRUSION LANEXT1616C**

Aluminium corner extrusion surface mounted has been designed to fit in at any corner LED lighting application. The light is directed by the shape of the profile at 45 degree angle. Complete with a curved PMMA Opal Diffuser. Each section comes with end caps and mounting clips. Note: LED strip not included.













PART NO













**COLOURS** 



LAMP TEMP LUMENS



Aluminium corner extrusion surface mounted has been designed to fit in at any corner LED lighting application. The light is directed by the shape of the profile at 45 degree angle. Complete with a square PMMA Opal Diffuser. Each section comes with end caps and mounting clips. Note: LED strip not included.























**LUMENS** 

**COLOURS** 





#### **ELBOW JOINT TRAPEZE CABLE LANWL-P01**

Turnbuckle set of 4 with elbow joint to suit 4mm trapeze cable.



LAMPTEMP LUMENS COLOURS PART NO

N/A N/A CHROME LANWL-P01



TRAPEZE STAND OFF SET LANWL-03B-50, LANWL-03B-100

Trapeze stand off set to suit 4mm trapeze cable.



LAMP TEMP LUMENS COLOURS PART NO

N/A N/A CHROME LANNWL-03B-100



#### TRAPEZE HEAD LANWL-004


 $360\ensuremath{^\circ}$  rotational 12V Trapeze Head to suit 4mm trapeze cable.





#### TRAPEZE CABLE LANWL-1/4C

4mm clear coated trapeze cable.





#### LED PENDANT LAN-CYL3K

LAMP TEMP

Architectural LED pendant made from solid aluminium. Includes 1.5m suspension cable. Complete with integral driver. Available in Aluminium.



PART NO

**COLOURS** 

**LUMENS** 



#### LED PENDANT LANCOBPD10WWH3K, LANCOBPD10WBK3K

10W Pendant Light with COB LED chip. Aluminium profile provides excellent thermal dissipation. Complete with isolated driver. IP20 rated. Suitable for commercial and residential applications like office, supermarket, shop, school, hotel, restuarant, workshop, warehouses etc.






#### PANDORA LED PENDANT

19599, 19605, 19603, 19598, 19604, 19602

A contemporary luminaire, ideal as a breakfast bar light. Aluminium shade with polished chrome highlights, clear wire suspension, surface mounted canopy with integral power suppy. Non-dimmable. In Warm White or Cool White.




| LAMP TEMP | PART NO   | PART NO      | PART NO      |
|-----------|-----------|--------------|--------------|
| 3200K     | 19599     | 19605        | 19603        |
|           | Aluminium | <b>Black</b> | <b>White</b> |
| 4500K     | 19598     | 19604        | 19602        |
|           | Aluminium | Black        | <b>White</b> |



#### JUPITER LED PENDANT 35002

JUPITER crystal LED pendant complete with polished chrome backplate and utilising K9 crystal. 5 x 6W GU10 LED Lamps (complimentary).





#### **BOOMERANG 40 LED PENDANT 35020**

BOOMERANG Crystal LED Pendant complete with polished chrome backplate and utilising K9 crystal. 4 x 6W GU10 LED Lamps (complimentary).





















**LAMP TEMP LUMENS** 

**COLOURS** 

PART NO



#### **BOOMERANG 50 LED PENDANT 35021**

BOOMERANG Crystal LED Pendant complete with polished chrome backplate and utilising K9 crystal. 6 x 6W GU10 LED Lamps (complimentary).



















LAMP TEMP LUMENS

**COLOURS** 

PART NO



### **VENUS 40 LED PENDANT**

35040, 35041

VENUS Crystal LED Pendant complete with polished chrome backplate and utilising K9 crystal. 5 x 3W / 8 x 3W G9 LED Lamps (complimentary).





























#### SUSPENDED DECORATIVE HIGH BAY

LANTJH6-42W, LANTJH6-70W

Die-cast aluminium suspended decorative high bay. Available Accessories- Blue/Green/Red/Yellow glass, Aluminium reflector, Acrylic reflector. Available in Aluminium.



















LAMP TEMP **LUMENS** 

**COLOURS** 





#### HIGH BAY LED 200W 4K LANHB200W4K

High power 200W LED High Bay light. IP65 4K. It can be widely used in large, energy-intensive areas. Uses a high brightness Bridgelux LED chip which is an effective solution to reduce energy consumption. Aluminium heat sink and lamp shade. Complete with Meanwell Driver. 3 year warranty.







500mm

















**COLOURS LUMENS** LAMP TEMP

PART NO



#### **HIGH BAY LED 200W 4K LANHBPCREF**

LED High Bay IP65 4K. It can be widely used in large, energy-intensive areas. 80° beam angle PC Reflector. Uses a high brightness Bridgelux LED chip which is an effective solution to reduce energy consumption. Complete with Meanwell Driver. 3 year warranty.




















LUMENS

**COLOURS** 



### Track Lights



#### **LED TRACK LIGHT**

#### LANTRACK10W3KWHT, LANTRACK10W3KBLK

COB LED Track Light made from aluminium alloy and tempered glass. One Circuit. Dimmable. Available in Black and White. 1M Track (including end caps) and joiners also available.













LAMP TEMP

**LUMENS COLOURS** 

PART NO





WHITE



#### **CIRCUIT TRACK**

LANTRACK-1M, LANTRACK-1MBLK

One circuit track 1 meter with power plug and end cap. Available in Black or White.



















**COLOURS** PART NO



LAMP TEMP



LUMENS



WHITE



#### **LED TRACK LIGHT**

LAN8611-311-3K-B, LAN8611-311-3K-WH

COB LED Track Light made from aluminium alloy and tempered glass. Non-dimmable. Available in Black and White.











**LAMP TEMP LUMENS** 

**COLOURS** 

PART NO

BLACK WHITE

LAN8611-311-3K-WH



#### **LED TRACK LIGHT**

LAN8611-311-4K-B, LAN8611-311-4K-WH

COB LED Track Light made from aluminium alloy and tempered glass. Non-dimmable. Available in Black and White.



























LAMP TEMP **LUMENS** 

**COLOURS** 

BLACK

PART NO

WHITE

LAN8611-311-<u>4</u>K-WH

# Track Lights



#### CIRCUIT TRACK LAN8414-01LEB, LAN8414-01LEWH

Three circuit track 1 meter with power plug and end cap. Available in Black or White.













LAMP TEMP **LUMENS** 

**COLOURS** 

PART NO









#### CIRCUIT TRACK LAN8414-02LEB, LAN8414-02LEWH

Three circuit track 2 meter with power plug and end cap. Available in Black or White.

















**LUMENS COLOURS** PART NO





### CONNECTOR LAN8416-02B, LAN8416-02WH

Three connector.













LAMP TEMP











LUMENS



WHITE

**COLOURS** 



PART NO



#### L-TYPE CONNECTOR LAN8416-03B, LAN8416-03WH

L-type connector.



















LAMP TEMP LUMENS

**COLOURS** 

PART NO

BLACK

WHITE





### **ROUND PANEL LIGHT LANPL180-10W**

Round panel light complete with power supply. Lamp temperatures of 3000K/4000K/5000K in 550/575/600 lumens. Available in Silver trim.













PART NO









**COLOURS** 

PART NO

**COLOURS** 



LANPL180-10W SIL-3K

LANPL180-10W-SIL-4K



### **ROUND PANEL LIGHT LANPL300-20W**

Round panel light complete with power supply. Lamp temperatures of 3000K/4000K/5000K in 1200/1300/1400 lumens. Available in Silver trim.



























**COLOURS** 

PART NO

**COLOURS** 

PART NO

LANPL300-20W SIL-3K

LANPL300-20W-SIL-4K

# LED Panel Lights



### SMALL SQUARE PANEL LIGHT LANPL20X20-3K, LANPL20X20-4K

Square panel light complete with power supply. Available in Silver trim.



# LAMP TEMP LUMENS COLOURS PART NO 3000K 650lm SILVER LANPL20X20-3K 4000K 750lm SILVER LANPL20X20-4K



#### **SQUARE PANEL LIGHT LANPL30X30-36W**

Square panel light complete with power supply. Suspended or Surface Mount kit available on request. Lamp temperatures of 3000K/4000K/5000K in 2400/2550/2700 lumens. Available in Silver trim.





#### **SQUARE PANEL LIGHT**

LANPL30X30-18W

Square panel light complete with power supply. Suspended or Surface Mount kit available on request. Lamp temperatures of 3000K/4000K/5000K in 1200/1250/1300 lumens. Available in Silver trim.

295mm





#### **RECTANGULAR PANEL LIGHT** LANPL30X60-36W

Rectangular panel light complete with power supply. Suspended or Surface Mount kit available on request. Lamp temperatures of 3000K/4000K/5000K in 2400/2550/2700 lumens. Available in Silver trim.



# LED Panel Lights



#### **SQUARE PANEL LIGHT LANPL60X60-36W**

Square panel light complete with power supply. Suspended or Surface Mount kit available on request. Lamp temperatures of 3000K/4000K/5000K in 2400/2550/2700 lumens. Available in Silver trim.



### COLOURS PART NO COLOURS PART NO





#### **SQUARE PANEL LIGHT LANPL60X60-45W**

Square panel light complete with power supply. Suspended or Surface Mount kit available on request. Lamp temperatures of 3000K/4000K/5000K in 3200/3350/3500 lumens. Available in Silver trim.



LANPL60X60-45W-SIL-4K



#### **SQUARE PANEL LIGHT** LANPL60X60-56W


Square panel light complete with power supply. Suspended or Surface Mount kit available on request. Lamp temperatures of 3000K/4000K/5000K in 3700/3900/4100 lumens. Available in Silver trim.





#### **RECTANGULAR PANEL LIGHT 36W** LANPL120X30-36W

Rectangular panel light complete with power supply. Suspended or Surface Mount kit available on request. Lamp temperature of 4000K with an output of 3350 lumens. Available in Silver trim.



### LAMP TEMP LUMENS COLOURS PART NO

4000K 3350lm SILVER LANPL120X30-36W-SIL-4K

# LED Panel Lights



#### **RECTANGULAR PANEL LIGHT 45W** LANPL120X30-45W

Rectangular panel light complete with power supply. Suspended or Surface Mount kit available on request. Lamp temperatures of 3000K/4000K/5000K in 3200/3350/3500 lumens. Available in Silver trim.





#### RECTANGULAR PANEL LIGHT 72W LANPL120X30-72W

Rectangular panel light complete with power supply. Suspended or Surface Mount kit available on request. Lamp temperatures of 3000K/4000K/5000K in 4300/4450/4600 lumens. Available in Silver trim.





#### **RECTANGULAR PANEL LIGHT 56W** LANPL120X30-56W


Rectangular panel light complete with power supply. Suspended or Surface Mount kit available on request. Lamp temperatures of 3000K/4000K/5000K in 3700/3900/4100 lumens. Available in Silver trim.





#### **RECTANGULAR PANEL LIGHT 72W** LANPL120X60-72W

Rectangular panel light complete with power supply. Suspended or Surface Mount kit available on request. Lamp temperatures of 3000K/4000K/5000K in 4300/4450/4600 lumens. Available in Silver trim.







### **LED SINGLE SLOTTER**

LAN001LED-16W LAN001LED-26W

Square recessed 2-way tilt single slotter. Complete with lamp & control gear.

























#### **METAL HALIDE SINGLE SLOTTER**

LAN001K-135, LAN001K-170

Square recessed 2-way tilt single slotter. Complete with lamp & control gear.























LAMP TEMP LUMENS **COLOURS** PART NO

LAN001K-170 **70W** 

# Slotter Down Lights



#### LED DOUBLE SLOTTER

LAN002LED-16W, LAN002LED-26W

Square recessed 2-way tilt double slotter. Complete with lamp & control gear.



N/A

LAMP TEMP **LUMENS COLOURS** PART NO



#### **METAL HALIDE DOUBLE SLOTTER**

METAL HALIDE TRIPLE SLOTTER

3x 35W

PART NO

LAN003K-370 3x 70W

LAN003K-335, LAN003K-370

LAN002K-235, LAN002K-270

Square recessed 2-way tilt double slotter. Complete with lamp & control gear.





#### **LED TRIPLE SLOTTER**

LAN003LED-16W, LAN003LED-26W



# Slotter Down Lights



#### SQUARE TWO-WAY SINGLE SLOTTER DOWN LIGHT LAN001CT

Square recessed two-way tilt Single Slotter Down Light. Available in Grey.



LAMP TEMP **LUMENS COLOURS** PART NO



#### **RECTANGULAR TWO-WAY TRIPLE SLOTTER DOWN LIGHT** LAN003CT

Rectangular recessed two-way tilt Triple Slotter Down Light. Available in Grey.





#### **RECTANGULAR TWO-WAY TWIN SLOTTER DOWN LIGHT** LAN002CT

Rectangular recessed two-way tilt Twin Slotter Down Light. Available in Grey.



PART NO LAMP TEMP **LUMENS COLOURS** 



#### **SLOTTER DOWN LIGHT GU10** LANE3111





# Ceiling Fans



#### LIFESTYLE DLS134B, DLS134M, DLS134W

Ceiling Fan without light, offering a three speed wall control. With sealed, solid plywood blades. Available in Brushed Aluminum, Matt Black or White.





















#### COLOURS PART NO COLOURS PART NO

BRUSHED ALUMINIUM

DLS134B

WHITE

DLS134

MATT BLACK DLS134M

N/A





#### LIFESTYLE E27 DLS1344B, DLS1344M, DLS1344W

Ceiling Fan with E27 Twin Light Kit, offering a three speed wall control with light switch. With sealed, solid plywood blades. Available in Brushed Aluminum, Matt Black or White.



















#### COLOURS PART NO COLOURS PART NO

BRUSHED ALUMINIUM DLS1344B

WHITE

DLS1344W

MATT BLACK

DLS1344M

N/A

N/A





#### **RAZOR 28W LED 3000K** MRF1343W, MRF1343B

Ceiling Fan with LED light, offering a three speed wall control. Comes complete with a 28W Warm LED light for energy efficiency. With sealed, solid plywood blades. Available in Brushed Aluminum or White.





















### LAMP TEMP LUMENS





**COLOURS** 

MRF1343B Warm White

PART NO

3000K

1845lm

WHITE

MRF1343W **W**arm **W**hite

# Ceiling Fans



#### **RAZOR 28W LED 5000K** MRF1345B, MRF1345W

Ceiling Fan with LED light, offering a three speed wall control. Comes complete with a 28W Cool LED light for energy efficiency. With sealed, solid plywood blades. Available in Brushed Aluminum or White.













PART NO











#### LAMP TEMP **LUMENS**

BRUSHED ALUMINIUM

**COLOURS** 

WHITE



#### PRECISION 304 MPF3042SS, MPF3043SS, MPF3044SS

Ceiling Fan without light, offering a three speed wall control with light switch. Rust proof treatment applied. Available in Stainless Steel and in 48" 52" 56". Light Kit available (Product Code: PLKBN).



















**COLOURS** 

PART NO

PART NO

PART NO



#### PRECISION 316 MPF3162SS, MPF3163SS, MPF3164SS

Ceiling Fan without light, offering a three speed wall control with light switch. Made entirely from Marine grade 316 Stainless Steel, perfect for salt water environments. Available in Stainless Steel and in 48" 52" 56". Light Kit available (Product Code: PLKSS).

























PART NO



### **PREMIER REMOTE KIT MPREM**

Premier Remote Kit featuring 3 speed fan setting, on/off fan and light function and the convenience of a 10 metre RF operational range.













PART NO



LAMP TEMP









PART NO

LUMENS

**COLOURS** 

### Exhaust Fans & Bathroom Heaters



#### LINEAR MBHL1000S, MBHL1000W

High Extraction three in one bathroom heater and exhaust fan available in 2520 Lumens. Fitted with advanced LED technology. Remote Control adaptable. Available in Silver or White.













**LAMP TEMP** 





450 x 300mm

WHITE

PART NO



#### PROFILE PLUS 2 MBHP2LS, MBHP2LW

High Extraction three in one bathroom heater and exhaust fan available in 1890 Lumens. Fitted with advanced LED technology. Remote Control adaptable. Available in Silver or White.

















#### LAMP TEMP LUMENS **COLOURS** PART NO

WHITE



#### PROFILE PLUS 4 MBHP4LS. MBHP4LW

High Extraction three in one bathroom heater and exhaust fan available in 2680 Lumens. Fitted with advanced LED technology. Remote Control adaptable. Available in Silver or White.







210mm



















#### **LAMP TEMP LUMENS COLOURS** PART NO

WHITE MBHP4LW



#### **CONTOUR 1 MBHC1LS, MBHC1LW**

The Contour 1 comes complete with 1x 275W infrared heat lamp. Available in Silver or White.

























LAMP TEMP **LUMENS COLOURS** 



PART NO

WHITE

### Exhaust Fans & Bathroom Heaters



#### CONTOUR 2 MBHC2LS, MBHC2LW

 $\label{thm:eq:high-extraction} \mbox{High Extraction three in one bathroom heater and exhaust fan. Fitted with}$ advanced LED technology. Remote Control adaptable. Includes 2 x 275W infrared heat lamps. Available in Silver or White.











PART NO











#### LAMP TEMP **LUMENS**





**COLOURS** 







#### **LCD REMOTE MBHREM**

Suited to three in one Heater Range.























PART NO









#### CONTOUR 4 MBHC4LS, MBHC4LW

High Extraction three in one bathroom heater and exhaust fan. Fitted with advanced LED technology. Remote Control adaptable. Includes 4 x 275W infrared heat lamps. Available in Silver or White.





















### Exhaust Fans & Bathroom Heaters



#### **GYRO LIGHT MXFLG25S, MXFLG25W**

Circular High Extraction Exhaust Fan features 240 cubic meters of extraction per hour with LED 5W Down Light. Fitted with advanced LED technology. Available in Silver or White.





















#### LAMP TEMP **LUMENS COLOURS**









PART NO





#### GYRO MXFG25S, MXFG25W

Circular High Extraction Exhaust Fan features 240 cubic meters of extraction per hour. Available in Silver or White.



















#### LAMP TEMP LUMENS **COLOURS** PART NO



WHITE



#### TETRA MXFT25S, MXFT25W

Square High Extraction Exhaust Fan with side ducting. Available in Silver or White.























#### **LAMP TEMP** LUMENS **COLOURS** PART NO





#### TETRA LIGHT MXFLT25S, MXFLT25W

Square High Extraction Exhaust Fan with side ducting. Available in Silver or White.























LAMP TEMP LUMENS



**COLOURS** 

PART NO

WHITE



# **Exterior Lights**



#### **COLOUR CHANGE LED LIGHT UL010RGBW**

This marine grade Stainless Steel light is as versatile as the colours it produces. The mounting plate lets you screw it to any solid surface, while the 360° pan-and-tilt housing directs a 40° beam of constantly changing colour in any direction. Complete with wall fixings. Series Wired. 5 year warranty.











PART NO











**LAMP TEMP LUMENS** 

COLOURS



#### **COLOUR CHANGE LED LIGHT UL030RGBW**

No feature of your building or your grounds is beyond the reach of this supremely versatile colour-change wall light. The combination of a simple mounting plate and a 360° swivel head means that you can place it virtually anywhere – from a low-level wall to the top of a tower – and point the light in any direction. Complete with wall fixings. Series Wired.























**LAMP TEMP LUMENS COLOURS** PART NO



#### UNIVERSAL LED LIGHT UL010WW, UL010NW

Illumiate your garden or pond from any angle- this swivel mounted Universal light throws a beam in any direction. Made from marine grade Stainless Steel.





















#### LAMP TEMP LUMENS

**COLOURS** 

PART NO



### UNIVERSAL LED LIGHT UL030WW, UL030NW

This versatile swivel-mounted Universal light offers endless possibilities. With a 360° stainless-steel bracket, 18° beam angle, IP68 water-resistance rating, and bright 7W LED light, it throws light into even the darkest and wettest environments. Made from marine grade Stainless Steel. Available in 3 ambient colours including blue.



















LAMP TEMP **LUMENS** 

**COLOURS** 

# **Exterior Lights**



#### **POST TOP SPHERE** LAN1010-200, LAN1010-250, LAN1010-300, LAN1010-400

Post-top acrylic sphere to suit 60mm OD post. 200mm/250mm/300mm/400mm. Available in Opal or Smoke.



















#### LAMP TEMP **LUMENS**

#### PART NO PART NO

LAN1010-400



#### **ADJUSTABLE SPIKE LIGHT LANSPIKEAA12V**

Adjustable outdoor spike light. Made from a solid 6063 grade aluminium and clear anodised for a spectacular finish that's suitable for the harshest of environments including coastal areas. Available in Anodised Aluminium. Please Note: Driver required. Lamp not included. LED option available on request.




















LUMENS LAMP TEMP

**COLOURS** 



# **Exterior Lights**



### SPIKE GARDEN LIGHT 6W SPIKELEDBLK6W4K. SPIKELEDSIL6W4K

LED Spike Light with a high lumen output. low temperature and long lifespan. Easy to install into various lawns, pathway and general landscape lighting. Note: 12V DC driver required. Available in Black or Silver.





72mm



243mm













#### **LAMP TEMP LUMENS COLOURS** PART NO

BLACK



### **SPIKE SPOT LIGHT** LAN2060BLK, LAN2060STS, LAN2060TI

Inground adjustable spike spot light. 12V transformer required. Lamp included. Available in Black, Titanium Aluminium or Stainless Steel.





















#### **COLOURS** PART NO COLOURS PART NO

BLACK



#### LED SPIKE LIGHT 1W SL030FWW, SL030FNW

A small, stylish, 1W high-power LED, marine-grade Stainless Steel spike light. Choose light colour from a range of two whites and four colours (amber, blue, green, red), all offering long life, low running costs and easy installation.



































LUMENS



PART NO



# **Exterior Lights**



#### LED SPIKE LIGHT 7W SL040AFWW. SL040AFNW

This 7W garden spike light throws a powerful beam of light into your garden. The black anodised casing includes a shield to prevent dazzle while the head tilts through 90° for precise direction of the beam. In Flood or Spot lens. Available in Warm White or Neutral White.











S 18°



PART NO











#### LAMP TEMP **LUMENS**

**BLACK** 

**COLOURS** 

**BLACK** 



#### **LED WALL WASHING LIGHT BAR LEDLINE40045.** LEDLINE400110, LEDLINE40025X6

The wall-washing light bar throws a swathe of light across the area that you want to highlight. Choose from a broad 110°, 45° mid-level or 25x6° tiltable asymmetric beam angle. 16W power output and an external IP rating, this is the ultimate LED lighting unit. Available in Warm White or Neutral White.

























110°

#### COLOURS PART NO **COLOURS** PART NO

BLACK

**BLACK** 

BLACK



#### LED WALL WASHING LIGHT BAR RGB UL345CARGB. UL346CARGB, UL347CARGB

The wall-washing RGB light bar throws a swathe of light across the area that you want to highlight. Choose from a broad 110°, 45° mid-level or 25x6° tiltable asymmetric beam angle. 12.6W power output and an external IP rating, this is the ultimate LED lighting unit. 5 year warranty.







34mm













BLACK

**BLACK** 









#### **COLOURS** PART NO





PART NO

**COLOURS** 



#### LED AREA LIGHT 80W CLFA80LDBLK4

80W LED Parking light. Heavy duty die cast aluminium housing. 8500 lumen output. 4000K. IP65 rated. Pole sold seperately. Available in Black.



























PART NO





# **Exterior Lights**



#### LED AREA LIGHT 160W CLFA160LDBLK4

160W LED Parking light. Heavy duty die cast aluminium housing. 16800 lumen output. 4000K. IP65 rated. Pole sold seperately. Available in Black.



LAMP TEMP LUMENS COLOURS PART NO

4000K 16800lm BLACK CLFA160LDBLI




#### LED AREA LIGHT 60W / 100W CLSB60W, CLSB100W

60W / 100W LED Area (Shoebox) light. Can be widely used for industrial and residential areas, sidewalks, parking lots etc. Die cast aluminium housing and inbuilt high efficiency LED Driver. High luminous efficiency and long life lumileds LED. Available in 3000K/4000K/5000K/5700K. Available in Dark



LAMP TEMP LUMENS COLOURS PART NO





#### LED AREA LIGHT 150W / 200W CLSB150W, CLSB200W

150W / 200W LED Area (Shoebox) light. Can be widely used for industrial and residential areas, sidewalks, parking lots etc. Die cast aluminium housing and inbuilt high efficiency LED Driver. High luminous efficiency and long life lumileds LED. Available in 3000K/4000K/5000K/5700K. Available in Dark Charcoal. 5 year warranty.



DARK CHARCOAL

DARK CHARCOAL



LED AREA LIGHT 300W CLSB300W







#### **LED BOLLARD LAN-SLANT3K**

Sleek LED bollard made from solid aluminium. Surface mounted. 500mm wire with Integral Driver. Available in Aluminium.



















LAMP TEMP LUMENS **COLOURS** PART NO



#### **DOME TOP BOLLARD**

LANMBL1582

Dome top bollard. Constructed in aluminium and powdercoated to ensure high corrision & UV resistance. Complete with meanwell driver. Available in Black.



















CREE LED









**LAMP TEMP LUMENS COLOURS** PART NO

BLACK



### **FLAT TOP BOLLARD**

LANMBL1580

Flat top bollard. Constructed in aluminium and powdercoated to ensure high corrision & UV resistance. Complete with meanwell driver. Available in Black.

























LAMP TEMP LUMENS **COLOURS** PART NO

BLACK

### **Bollards**



### FLAT TOP LED BOLLARD CL1099BBLK204, CL1099BSIL204

24W LED flat top bollard with silver cone shaped reflector and clear lens. Inbuilt LED Driver enclosed in IP Rated Box. Available in Black or Silver.











PART NO













#### LAMP TEMP **LUMENS**





**COLOURS** 





#### SURFACE MOUNT DOME TOP BOLLARD CL3338

Surface mount bollard with aluminium body. Opal polycarbonate diffuser. Lamp supplied with PLC option only. Available in Black or Silver.























### **COLOURS**

**BLACK** 

### PART NO

PART NO

PART NO



### POST TOP BOLLARD LAN3333B, LAN3333G

Three tier aluminium bollard post top to suit 76mm OD post. Available in Black or Green.



























PART NO









GREEN





### MICRO INGROUND UPLIGHT 15° LANMICRO-CV3015, LANMICRO-CV5515

Perfect marker light for in-ground, underwater or exterior applications. 8mm tempered glass lens can support 2,000kg drive over. Very low temperature on fascia means the luminaire is also safe for interiors and is ideal for use in bathrooms, kitchens and so forth. 50,000 hour lifespan and 3 year warranty.







66mm























### MICRO INGROUND UPLIGHT 40° LANMICRO-CV3040, LANMICRO-CV5540

Perfect marker light for in-ground, underwater or exterior applications. 8 mmtempered glass lens can support 2,000kg drive over. Very low temperature on fascia means the luminaire is also safe for interiors and is ideal for use in bathrooms, kitchens and so forth. 50,000 hour lifespan and 3 year warranty.



























LAMP TEMP LUMENS **COLOURS** PART NO

LANMICRO-CV5540



#### MINI INGROUND UPLIGHT 15° LANMINI-CV3015, LANMINI-CV5015

Perfect marker light for in-ground, underwater or exterior applications. 8mm tempered glass lens can support 2,000kg drive over. Very low temperature on fascia means the luminaire is also safe for interiors and is ideal for use in bathrooms, kitchens, etc. 50,000 hour lifespan and 3 year warranty.















PART NO













#### LAMP TEMP **LUMENS**

**COLOURS** 



### MINI INGROUND UPLIGHT 40°

LANMINI-CV3040, LANMINI-5040

Perfect marker light for in-ground, underwater or exterior applications. 8mm tempered glass lens can support 2,000kg drive over. Very low temperature on fascia means the luminaire is also safe for interiors and is ideal for use in bathrooms, kitchens, etc. 50,000 hour lifespan and 3 year warranty.





















#### **LUMENS COLOURS**

PART NO



### **LED GROUND LIGHT 10W**

GL007A-NW, GL007A-WW

Contains 1x 10W LED unit that can be adjusted to 20°, bringing greater flexibility and achieving equivalent light output to a 35W halogen. Well suited for drive over situations, permanent use outdoors and being part of a retrofit or new installation. Available in both a Flood or Spot lens and 3 ambient LED colours including Blue.













LAMP TEMP













**COLOURS** 

PART NO









#### **LED GROUND LIGHT 8W**

GL007FROSTEDWW, GL007FROSTEDNW

Strong, powerful and practical, the GL007 FROSTED provides excellent light for marking any path, lobby or drive way, whilst drive over glass and direct to mains installation gives you peace of mind. The powerful 8W Luxeon led inside means it is perfect for large scale effects, giving you a professional look. 316 Stainless Steel cover ring. Available in 2 ambient LED colours.























**COLOURS** 





#### **RGBW LED GROUND LIGHT GL007RGBW**

For bold outdoor colour effects, this 12W ground light is unbeatable. The LED tilts up to 20° so you can throw light back against trees, walls or other architectural or ornamental features. No one need ever suffer direct glare. For complete versatility, the white LED gives you the option to switch to a functional white light. Installation tube included. 3 year warranty.















PART NO

12W











#### LAMP TEMP **LUMENS**



COLOURS



#### LED TWIN GROUND LIGHT 16W GL008AWW. GL008ANW

Contains 2x 8W LED units that can adjust to 20° bringing greater flexibility. Contains toughened glass and 316 Stainless Steel cover ring. Is well suited for drive over situations. Series Wired. Available in both a Flood or Spot lens and 2 ambient colours.





















LAMP TEMP LUMENS **COLOURS** PART NO



### **RGBW LED GROUND LIGHT GL008RGBW**

This is the powerful 24W colour-change ground light that goes where the traffic's heaviest and the features you want to illuminate are highest. With twin LED units independently tiltable to 20°, you can direct the light towards the features that count. The addition of the white LED means you can flood the scene with functional white light for evenings when practicality is more important than atmosphere. Installation tube included. 3 year warranty.
































### LED GROUND LIGHT 22W GL009AWW, GL009ANW

Real power without the hassle of ongoing maintenance. With just 3 adjustable, 7W Luxeon LED unit inside means it's perfect for large scale effects. Also the adjustability of the light angle means it's great for lighting trees, buildings, statues and driveways. Stainless Steel cover ring and aluminium body. And with a built in power supply, means straight to mains simplicity too. Available in both a Flood or Spot lens.























LAMP TEMP **LUMENS** 





PART NO





GL009ANW Neutral White



#### MINI LED GROUND LIGHT GL016WW. GL016NW

Powerful and stylish, the 1W LED powered light features marine grade Stainless Steel and is submersible in water down to 9m. This mid-sized, stainless steel 1W ground light is ideal for lighting paths, decking and water features. Series Wired. Available in 6 ambient LED colours. Note: Canister available.























**COLOURS** 

#### LAMP TEMP **LUMENS**



PART NO



#### MINI LED GROUND LIGHT GL016RGBW

Marine grade stainless steel is what gives this ground light its ability to shine even when the ground puddles over. A 5mm toughened glass cover lets you walk all over it, and the RGBW LEDs give you the option to create as much colour as you like. With the white LED, you can go further and bathe your grounds in pure white light, which is practical as well as attractive. Installation tube available. 5 year warranty.



















#### **LUMENS**

### **COLOURS**

PART NO



### MINI LED GROUND LIGHT GL018CWW, GL018CNW

This mini path marker/ground light is ideal for both domestic and public applications. Its low profile discreet design makes this unit a must for decking areas, lobbies and walkways. Low in power consumption and cost effective. Constructed in 316 Stainless Steel. Requires 24V DC Driver. Available in 6 ambient LED colours.



















#### LAMP TEMP LUMENS



### **COLOURS**

PART NO



### MINI LED GROUND LIGHT GL019FWW, GL019FNW

Discreet yet powerful, this 1W LED powered ground light is perfect for dance floors, decking areas, entrance halls and pathways. Either indoors or outdoors, the IP68 marine grade Stainless Steel unit is available in 6 ambient LED colours. Series Wired. Note: Canister available.



























PART NO



### **LED SPOT GROUND LIGHT** GL019SWW, GL019SNW

Discreet yet powerful, this 1W LED powered ground light is perfect for decking areas, entrance halls and pathways. Indoors or out, the IP68 marine grade stainless steel unit will give a flawless performance for many years of maintenance free operation. Series Wired. Available in 6 ambient LED colours Note: Canister available























#### **LAMP TEMP LUMENS**





COLOURS



PART NO



### **SQUARE MINI LED GROUND LIGHT 1W** GL019SQNW, GL019SQWW

Discreet yet powerful, this 1W LED powered ground light is perfect for dance floors, decking areas, entrance halls and pathways. Available in Flood or Spot and in 3 ambient LED colours. The IP68 marine grade Stainless Steel unit can be used

40mm



either indoors or outdoors. Series Wired. Note: Canister available.













#### LAMP TEMP LUMENS **COLOURS** PART NO



### **LED SLOTTED GROUND LIGHT**

GL021WW. GL021NW

This exclusive, robust yet attractive, mid-sized, LED slot light is ideal for path, lobby and deck lighting. The light exits via 30° slots giving precise light output where you want it, and eliminates glare where you don't. Inexpensive to run and maintenance free. Available in Neutral White, Warm White and Blue Light. Note: Canister available.



N/A



















#### **LAMP TEMP LUMENS COLOURS** PART NO





### LED SQUARE SLOTTED GROUND LIGHT GL022WW. GL022NW

This exclusive, robust yet attractive, mid-sized, LED slot light is ideal for path, lobby and deck lighting. The light exits via 30° slots giving precise light output where you want it, and eliminates glare where you don't. Inexpensive to run and maintenance free. Available in Neutral White, Warm White and Blue Light. Note: Canister available.























LAMP TEMP **LUMENS** 



IP68



**COLOURS** 

PART NO





GL022NW Neutral Whit



#### LED GROUND LIGHT 3W GL040WW, GL040NW

Equivalent to a 20W halogen, this marine grade Stainless Steel ground light is ideal for lighting walls, trees and walkways. Available in Flood or Spot, 3 ambient LED colours and submersible up to 9M, the GL040 with its low profile will compliment any surroundings and bring to life your outdoor lighting scheme. Series Wired. Note: Canister available.



























#### LAMP TEMP **LUMENS**

**COLOURS** 

### PART NO



#### INGROUND UPLIGHT RGB GL040CARGB

For imaginative lighting effects involving shrubs or low-level architectural features, this 3W walk-over ground light is ideal. Made from marine grade stainless steel and IP67 rated, this ground light takes on a life of its own in the most inhospitable corners of your garden. Place a network of them across your premises, and you'll see the familiar in a completely different light after dark. Series Wired. Installation tube available. 5 year warranty.



















#### **LUMENS**

### **COLOURS**

PART NO





#### LED SQUARE GROUND LIGHT 3W GL041WW, GL041NW

Equivalent to a 20W halogen, this marine grade Stainless Steel ground light is ideal for lighting walls, trees and walkways. Available in Flood or Spot, Warm White or Neutral White and submersible up to 9M, the GL041 with its low profile and square facia will compliment any surroundings. Constructed in 316 Stainless Steel. Note: Canister available.









350mA













S 12°

#### LAMP TEMP **LUMENS**

**COLOURS** 

PART NO



#### LED GROUND LIGHT 3W GL050WW, GL050NW

The GL050 uses a frosted effect for a softer tone of light and is perfect as a marker light positioned along walls, paths, in lobbies or flower beds for a professional look. Available in 3 ambient LED colours. Note: Canister available.



















#### LAMP TEMP LUMENS

**COLOURS** 

PART NO



#### **LED GROUND LIGHT 3W GL050RGBW**

This is the ground light that gives you the most subtle colour changes for indoor and outdoor use. Mount an array of them on the ground or on the walls. The inclusion of RGBW, a frosted glass cover, and a wide 100° beam angle gives this walk-over ground light the ability to flood the scene with soft light. Constructed in marine grade Stainless Steel. Series Wired. 5 year warranty.






















#### LAMP TEMP **LUMENS**







PART NO



#### LED SQUARE GROUND LIGHT 3W GL051WW, GL051NW

The GL051 uses a frosted effect for a softer tone of light and is perfect as a marker light positioned along walls, paths, in lobbies or flower beds for a professional look. Available in 3 ambient LED colours. Note: Canister available.




















#### LAMP TEMP LUMENS **COLOURS** PART NO



#### LED GROUND LIGHT 7W GL090WW. GL090NW

Equivalent to a 35W halogen, this marine grade stainless steel ground light is ideal when looking for that extra level of light. Available in Flood or Spot lens, 3 ambient LED colours and submersible up to 9m, the GL090 is the perfect ground light for any outdoor installation including those difficult water features.

























#### LAMP TEMP **LUMENS COLOURS** PART NO



#### **LED GROUND LIGHT 12W GL090RGBW**

With four colour-change LEDs (including white), this powerful 12W ground light gives you just about every colour you can imagine, including the softest pastels and the purest bright white. Since the LED is made from marine-grade stainless steel with an IP67 rating, you could instead light up your bathroom or the area around your swimming pool. Installation tube available.































PART NO







#### **LED MINI DECORATIVE LIGHT 1W ML01**

A modern day and elegant LED decorative mini-light, designed to add style to floors, bars, walls and ceilings. Walkover and IP68 rated, allows for installation anywhere, and the clever and stylish design of the light output means no glare even when looking directly at it, making this product perfect for stair facings. Available in 5 ambient LED colours.



















LAMP TEMP LUMENS

NS COLOURS

PART NO

4000K

4lm

STAINLESS STEEL MI N1



### TUBE LANTUBE-33, LANTUBE-50, LANTUBE-68

Aluminium installation tubes. Ideal for securing products in to concrete, soil or sand. Cut hole included for cable entry and available in 3 sizes.



















COLOURS PART NO COLOURS PART NO

ALUMINIUM

LANTUBE-33 **37mm** 

ALUMINIUM


LANTUBE-68 **72mm** 

ALUMINIUM

LANTUBE-50 **56mm** 

N/A

N/A







### 20W LED FLOOD LIGHT LANFLASH20WSIL3K, LANFLASH20WSIL4K, LANFLASH20WBK3K, LANFLASH20WBK4K

LED 20W Flood Light with an IP rating of 66 for exterior use. Available with an output of 3000K (1800 lumens) & 4000K (1950 lumens). Available in Black or Silver.





138mm

















#### **COLOURS** PART NO **COLOURS** PART NO









#### 20W LED FLOOD LIGHT

19584, 19585, 19586, 19587

LED 20W Flood Light with an IP rating of 65 for exterior use. Available with an output of 3000K or 5000K. Constructed from die-cast aluminium alloy and  $\,$ toughened tempered glass. Adjustable bracket. Available in Silver or White.



















**COLOURS** 

PART NO

**COLOURS** 

PART NO

WHITE

WHITE

BLACK

# Flood Lights



#### 30W LED FLOOD LIGHT LAN175TG-30W3K, LAN175TG-30W4K

LED Flood Light 30W with an IP rating of 65. Available in Black/Silver.



#### LAMP TEMP **LUMENS COLOURS** PART NO

BLACK SILVER BLACK SILVER



#### 100W LED FLOOD LIGHT LAN175TG-100W3K. LAN175TG-100W4K

LED Flood Light 100W with an IP rating of 65. Available in Black/Silver.



BLACK

BLACK SILVER



#### 50W LED FLOOD LIGHT LAN175TG-50W3K, LAN175TG-50W4K


LED Flood Light 50W with an IP rating of 65. Available in Black/Silver.





#### 21W LED DIMMABLE FLOOD LIGHT FL200FWW. FL200FNW

This Universal fitting throws the light in any direction, while the anodised aluminium body and waterproof mains connector keep the weather out.



| LAMP TEMP | LUMENS | COLOURS | PART NO                   |
|-----------|--------|---------|---------------------------|
| 3000K     | 1292lm | BLACK   | FL200FWW<br>Warm White    |
| 4000K     | 1415lm | BLACK   | FL200FNW<br>Neutral White |

# **Spot Lights**



### **SENTRY SINGLE SPOT LIGHT 4000K** SENTRYBLK13W4K, SENTRYSIL13W4K

Our Sentry Spotlight provides an efficient and cost-effective solution for outdoor lighting. Provides a consistant wash of Neutral White LED light. Ideal for a BBQ area, backyard area, under eaves, front garage etc. IP65 rated. 3 Year Replacement warranty. Available in Black and Silver.

























#### **LAMP TEMP LUMENS** COLOURS PART NO













### SENTRY TWIN SPOT LIGHT WITH SENSOR 4000K SENTRYBLK26W4KS, SENTRYSIL26W4KS, SENTRYWHT26W4KS

Our Sentry Spotlight with Sensor provides an efficient and cost-effective solution for outdoor lighting. Provides a consistant wash of Neutral White LED light. Ideal for a BBQ area, backyard area, under eaves, front garage etc. IP65 rated. 3 Year Replacement warranty. Available in Black, Silver and White.





















#### PART NO **COLOURS COLOURS** PART NO

BLACK









#### **SENTRY TWIN SPOT LIGHT 4000K** SENTRYBLK26W4K, SENTRYSIL26W4K

Our Sentry Spotlight provides an efficient and cost-effective solution for outdoor lighting. Provides a consistant wash of Neutral White LED light. Ideal for a BBQ area, backyard area, under eaves, front garage etc. IP65 rated. 3 Year Replacement warranty. Available in Black and Silver.



















#### LAMP TEMP LUMENS **COLOURS** PART NO

BLACK

WHITE



# Fluorescent Lights



#### SLIMLINE INTER-CONNECTABLE FLUORESCENT

LANCG1501-8, LANCG1501-14, LANCG1501-21, LANCG1501-28, LANCG1501-35

Linkable slimline fluorescent complete with lamp & electronic ballast. Available in White.























#### PART NO PART NO PART NO PART NO













#### SLIMLINE INTER-CONNECTABLE FLUORESCENT

LANCG1611A-8, LANCG1611A-14, LANCG1611A-21, LANCG1611A-28, LANCG1611A-35

Linkable slimline fluorescent complete with switch, lamp & electronic ballast. Available in White.



1205mm 1487mm

















PART NO

PART NO



#### **SURFACE MOUNT LED BATTEN**

LANPLASTH40WLED4K

Our LED batten is suitable for a wide range of applications including garages, workshops and task areas where a high-output, natural white, surface mounted fitting is required. Made with extruded opal polycarbonate diffuser with UV protection and powdercoated steel housing. Available in White.



1200mm

























**LUMENS** 



WHITE



PART NO



### **TORNADO SURFACE MOUNT**

LANTORNADO-114, LANTORNADO-128

Weather and Vandal resistant surface mount with stainless steel clips and lamps. Emergency option available. Available in Silver.





























**COLOURS** 

PART NO













# Fluorescent Lights



### TORNADO SURFACE MOUNT LANTORNADO-214, LANTORNADO-228

Weather and vandal resistant surface mount with stainless steel clips and lamps. Emergency option available. Available in Silver.









#### **ULB LOUVRED** LANMOD128, LANMOD228

ULB louvered suspension or surface mount complete with lamps offering 5000 Lumens. Available in Silver.





#### **INDIRECT T-BAR LANINDIRECT-236**

Indirect recessed T-Bar complete with lamps. Available in White.



WHITE



#### **T-BAR TROFFER LANRELAX-214**

ULB Louvred recessed T-Bar Troffer complete with lamps. Plaster recess Kit available P.O.A. Available in White,



# Fluorescent Lights



#### **TROFFER LANCLASSIC228**

Surface Mount ULB louvre troffer complete with lamps. Available in White.



**LAMP TEMP LUMENS COLOURS** PART NO





### T-BAR TROFFER

LANRELAX-128, LANRELAX-228

ULB Louvred recessed T-Bar Troffer complete with lamps. Available in 28W or 2x 28W. Plaster recess Kit available P.O.A. Available in White.





#### K12 DIFFUSED T-BAR TROFFER LANT-128, LANT-228

K12 Diffused recessed T-Bar troffer complete with lamps. Available in White.









#### **LED WEATHERPROOF BATTEN**

TORNLED20WIP654K, TORNLED40WIP654K

- Vandal Resistant
- LED Weather proof batten
- Opal diffuser to minimise glare
- Moulded polycarbonate body
- Stainless Steel clips
- Stainless Steel mounting brackets
- 4000K
- Atco LED
- Tridonic Driver




















LAMP TEMP **LUMENS COLOURS** PART NO







OPAL





#### **HOUSED LED DRIVER 8W LAN350MA8W**

350mA polycarb housed LED driver. Note: Wired in series



























**LAMP TEMP LUMENS**  **COLOURS** 

PART NO

N/A



#### **HOUSED LED DRIVER 18W LAN350MA18W**

350mA polycarb housed LED driver. Note: Wired in series



















LAMP TEMP **LUMENS COLOURS** PART NO

N/A



#### **LED DRIVER LANDC12V-9W**

Constant voltage polycarb housed LED driver.



















N/A











**COLOURS** 

PART NO



### **LED DRIVER** LCBI014-0700-IP20, LCBI015-0350-IP20

Dimmable via leading edge and trailing edge phase dimmers.





















IP20







**LAMP TEMP** 

**LUMENS** 

N/A

LAMP TEMP LUMENS

PART NO

PART NO

Updated 1016



### LED DRIVER 18W / 40W LANLEX18W12VIP67, LANLEX40W12VIP67

Constant voltage LED driver. IP67 dust and waterproof.













PART NO









LAMP TEMP **LUMENS** 





PART NO





#### **LED DRIVER 15W**

LCI015-0350-IP20, LCI015-0700-IP20

Constant current LED control gear.



















LAMP TEMP

LUMENS

PART NO

PART NO



#### **LED DRIVER 30W** LCI030-0700-IP20

Constant current LED control gear.

























N/A





### **LED DRIVER 35W** LCU035-12-IP20, LCU035-24-IP20

Constant voltage LED control gear Indoor.



185mm























PART NO









#### **LED DRIVER 60W** LCU060-12-IP20, LCU060-24-IP20

Constant voltage LED control gear Indoor.













60W











**LAMP TEMP** 

**LUMENS** 

PART NO

PART NO





### **LED DRIVER 100W** LCU0100-12-IP20, LCU0100-24-IP20

Constant voltage LED control gear Indoor.



















LAMP TEMP **LUMENS** PART NO PART NO





#### **LED DRIVER 150W** LCU0150-12-IP20, LCU0150-24-IP20

Constant voltage LED control gear Indoor.



























PART NO LCU0150-12-IP20

LCU0150-24-IP20

PART NO



#### **LED DRIVER 15W** LCI015-0350-IP67, LCI015-0700-IP67

Independent LED control gear for LED modules.

































LUMENS











#### **LED DRIVER 30W** LCI030-0700-IP67

Independent LED control gear for LED modules.



LAMP TEMP LUMENS COLOURS PART NO

N/A N/A N/A LC1030-0700-IP6



#### LED DRIVER 35W LCU035-12-IP67, LCU035-24-IP67

Constant voltage LED control gear Outdoor.



LCU035-12-IP67



### **LED DRIVER 15W** LCU015-12-IP67, LCU015-24-IP67

Constant voltage LED control gear Outdoor.





#### LED DRIVER 60W LCU060-12-IP67, LCU060-24-IP67

Constant voltage LED control gear Outdoor.





#### **LED DRIVER 100W** LCU0100-12-IP67, LCU0100-24-IP67

Constant voltage LED control gear Outdoor.





#### **LED DRIVER 30W** 20201

30W 12V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, garden lights, inground uplighters and much more. Parallel wired.





#### **LED DRIVER 15W** 20200

15W 12V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, garden lights, inground uplighters and much more. Parallel wired.




LAMP TEMP LUMENS COLOURS PART NO



#### **LED DRIVER 60W** 20202

60W 12V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, garden lights, inground uplighters and much more. Parallel wired.





#### **LED DRIVER 100W** 20203

100W 12V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, garden lights, inground uplighters and much more. Parallel wired.



















LAMP TEMP **LUMENS** 

**COLOURS** 

PART NO



#### **LED DRIVER 150W** 20204

150W 12V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, garden lights, inground uplighters and much more. Parallel wired.



















LAMP TEMP **LUMENS COLOURS** PART NO





### **LED DRIVER 200W** 20199

200W 12V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, garden lights, inground uplighters and much more. Parallel wired.































#### **LED TUBE** LANLEDTUBE20W5K

SMD LED Tube with a high efficency diffuser, glare-free offering precise light distribution. The Aluminium heat sink helps to dissipate heat and extend product lifespan.























LAMP TEMP **LUMENS** 




PART NO **COLOURS** 

N/A



#### FLAT EARTH FLEX & PLUG LANFP1.2

2 pin, flat earth flex & plug.






#### REDUCER RING TO SUIT DOWN LIGHT LAN0007-WH

200mm reducer ring to suit 90mm cut out down light.

Note: Reducer ring only no gimble supplied. Available in White.





#### **ROUND EARTH FLEX & PLUG LANFPREM1**

3 pin, round earth flex & plug.





### **PREMIER REMOTE KIT MPREM**

Premier Remote Kit featuring 3 speed fan setting, on/off fan and light function and the convenience of a 10 metre RF operational range.





#### LCD REMOTE MBHREM

Suited to three in one Heater Range.



# Lamps & Components



#### **ELECTRONIC TRANSFORMER LAN60VAFP**

60VA electronic transformer complete with flex & plug.





N/A N/A LAN60VAFP



#### **GU10 LAMP HOLDER ADAPTOR KIT LAN5111**

GU10 lamp holder adaptor kit.



N/A



### **G4 HALOGEN BI-PIN LAMP** LANPIN10

G4 Halogen Bi-Pin Lamp.



N/A



### LAMP HOLDER LEAD LAN0012, LAN0013, LAN0014



# Lamps & Components



### HALOGEN LAMP IRC35W60DEG

Osram energy saving Infra Red Coated 60 degree MR16 low voltage lamp.



















LAMP TEMP **LUMENS**  **COLOURS** 

PART NO

N/A



#### HALOGEN LAMP IRC35W60DEG-RAD

Radium energy saving Infra Red Coated 60 degree MR16 low voltage lamp.





















**LUMENS** 





**COLOURS** PART NO

LAMP TEMP

N/A



### **ENERGY SAVING MINI SPIRAL** LANTP4540-13W

Energy saving mini spiral compact fluorescent.



























PART NO



#### **TRISTAR TRISTARR4S**

Tristar 45 degree beam LED with heat sink. Available in Silver.



38mm















LAMP TEMP













**LUMENS** 

# Lamps & Components



#### TRISTAR TRISTAR-MR16-3K, TRISTAR-MR16-4K

Tristar non-dimmable 60 degree beam LED with heat sink. Available in Silver.

























**LAMP TEMP LUMENS COLOURS** PART NO









#### TRISTAR COLOUR CHANGE TRISTARRGB

Tristar colour change 60 degree beam lamp. Accessories-TRISTARREMOTE colour change remote. Available in Silver.



















LAMP TEMP LUMENS **COLOURS** PART NO







#### LED GU10 6W DIMMABLE LAMP LANLEDGU106W-3K, LANLEDGU106W-5K

LED GU10 6W Philips 3535 LED chip 240V Dimmable.



















GU10

**LUMENS** 

IP20

**COLOURS** 

PART NO



### TRISTAR REMOTE

TRISTARREMOTE

Tristar colour change infra red remote to suit TRISTARRGB lamp. Note: Instructions available upon request. Available in Black.























LAMP TEMP LUMENS

**COLOURS** 

BLACK

PART NO

### **INGRESS PROTECTION (IP RATING)**

| 1st Number | Protection Against Dust & Solid Objects  |
|------------|--|
| 0          | No protection                            |
| 1          | Protection against solid objects > 50mm  |
| 2          | Protection against solid objects > 12mm  |
| 3          | Protection against solid objects > 2.5mm |
| 4          | Protection against solid objects > 1mm   |
| 5          | Dust Protected                           |
| 6          | Dust Tight                               |
|            |  |

| 2nd Number | Protection Against Moisture                       |
|------------|---|
|            |   |
| 0          | No protection                                     |
| 1          | Protection against dripping water                 |
| 2          | Protection against dripping water tilted > 15 deg |
| 3          | Protection against spraying water > 30 deg        |
| 4          | Protection against spraying water                 |
| 5          | Protection against water jet                      |
| 6          | Protection against heavy seas                     |
| 7          | Protection against the effects of immersion       |
| 8          | Protection against submersion                     |

### **Terms and Conditions**

- 1. Any change which affects the trading address, legal entity, structure of management or control of the applicant will be notified to Lanark Trading Co. Pty. Ltd. (thereafter referred to as "The Company") in writing within seven (7) days of change becoming effective.
- 2. Payment of the account is to be made by the end of the following month. Net 30 days from date of statement.
- 3. Credit facilities may be withdrawn on overdue accounts and or accounts exceeding credit facilities.
- 4. i. It is expressly agreed and declared that the title to the goods/product shall not pass to the [buyer] until payment in full of the purchase price. The [Buyer] shall in the meantime take custody of the goods/product and retain them as fiduciary agent and bailee of the [seller].
  - ii. The [Buyer] may resell but only as a fiduciary agent of the [Seller]. Any right to bind the [seller] to any third party by contract or otherwise is however expressly negated. Any such resale is to be at arms length and on market terms and pending resale or utilisation in any manufacturing or construction process, is to be kept separate on its own, properly stored, protected and insured.
  - iii. The [Buyer] will receive all proceeds whether tangible or intangible, direct or indirect of any dealing with such goods/product in trust for [seller] and will keep such proceeds in a separate account until the liability to the [seller] shall have been discharged.
  - iv. The [Seller] is to have power to appropriate payments to such goods and accounts, as it thinks fit notwithstanding any appropriation by the [buyer] to the contrary.
  - v. In the event that the [Buyer] uses the goods/product in some manufacturing or construction process of its own or some third party, then the [Buyer] shall hold such part of the proceeds or construction process as relates to the goods/product in trust for the [Seller]. Such part shall be deemed to equal in dollar terms the amount owing by the [Buyer] to the [Seller] at the time of the receipt of such proceeds.
- 5. No claims for loss or damage in transit or for shortage in quantity will be entertained unless notice is given in writing within seven (7) days from date of delivery.
- 6. Goods returned will not be accepted unless a written request for credit has been approved by the Company. Goods returned shall be at the customer's expense.
- 7. The Company will not accept liability for any loss or damage to property of any nature in respect of any failure to deliver, or delay in delivery due to any case of whatever nature not within the control of the Company.
- 8. Enforcement expenses may become payable under credit facility in the event of a breach. The credit applicant must pay any reasonable expenses incurred in enforcing the agreement in the event of default.
- 9. The Company reserves the right to use the services of credit reporting service and mercantile agent.
- 10. i. All Company luminaires are warranted for 1 year from the date of installation, provided they are free from defects in workmanship and materials provided, the equipment is used on proper voltage supply and has not been subjected to misuse. The Company will make necessary replacements of faulty component parts during this time without charge upon return to our premises. We will not be responsible for charges incurred by other parties for the rectification of our lighting equipment either during the installation period of the maintenance period unless such charges have been previously submitted and approved in writing by the Company. We reserve the right to use our own maintenance facilities for such rectification.
  - ii. This warranty does not cover any lamps, tubes, transformers, starters, control gear or other components of light fitting components that are subject to manufacturer warranty.
  - iii. Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.
- 11. Measurements provided are accurate at the time of publication but may vary within the manufacturing process. Users are advised to confirm exact specification prior to installation. The Company reserves the right to improve, modify or update any designs without prior notice.

### **Warranty Terms**

- 1. No warranties except those implied and which cannot be excluded by law are given by Lanark Trading Company PTY LTD in respect of Goods or services supplied.
- 2. Lanark Trading Company PTY LTD in its absolute discretion provides a 12 month warranty from the date of purchase or supply to the first on-user.
- 3. Any breech of condition or warranty is limited to the repair or replacement of the Goods, the supply of equivalent goods, as determined by Lanark Trading Company PTY LTD.
- 4. The above warranty is in addition to the warranties and conditions implied by Part V Division 2 of the Trade Practices Act 1974 or by applicable State Acts and Territorial Ordinances to the extent that such implied warranties and condition incapable of being excluded here from. All other warranties and conditions are hereby expressly excluded.
- 5. All Company luminaries are warranted for 1 year from the date of installation, provided they are free from defects in workmanship and materials provided, the equipment is used on proper voltage supply and has not been subjected to misuse. The Company will make necessary replacement of faulty component parts during this time without charge upon return to our premises. Lanark Trading Company PTY LTD will not be liable for any electrical costs incurred if Lanark product/s are deemed faulty after installation. Goods need to be returned to the place of purchase, whereby Lanark Trading and Customer (not end user) will follow standard procedure to remedy situation.
- 6. Faulty Goods All goods claimed as being faulty and returned within 12 months of date of invoice shall be either repaired or replaced at the sole discretion of Lanark Trading. The faulty goods will need to be sent back with an approved Goods Return Authority return number.
- 7. Lanark Trading Company PTY LTD shall not be liable in any way whatsoever for any advice, assistance or representation given or omitted to be given in respect of products and services other than those directly provided by Lanark.
- 8. In no circumstance whatsoever will Lanark Trading Company PTY LTD be liable for loss of profits, contracts, goodwill, business, and anticipated savings and rectification costs for third party claims.

# LANARK TRADING CO. PTY LTD

7 Pitino Court Osborne Park 6017

> Ph: 08 9446 8922 Fx: 08 9446 8498

E: lanark@lanarktrading.com.au W: www.lanarktrading.com.au



