

LANARK

TRADING CO. PTY LTD



Company Profile

Who are we?

Lanark Trading, established in 1972, has built its reputation as a key distributor of architectural, industrial and commercial lighting and electrical product solutions.

Lanark have since built solid foundations with extensive networks in national electrical wholesale supply channels as well as architectural and construction industry partners. Lanark source high quality, cost-effective products whilst offering an informed and professional service to their clientele.

Portfolio

Our portfolio of installation is sophisticated and representative of the high calibre projects Lanark have undertaken, including Audi Centre, Caversham House, Kalgoorlie Health Campus and various multi-residential apartments. Our client relationships have been built through our efficient operations, high-level lighting education and cost-effective, high quality solutions enjoyed by our end user.

Lighting Solutions

We understand your lighting needs and project requirements and have a wide range of lighting solutions for any budget. Whether your project requires industrial high out-put luminaires for a tunnel or a detailed LED design solution for jewellery store, Lanark are able to offer the latest technology and lighting design solutions at the most competitive price in the industry. From LED, Metal Halide, Fluorescent and Halogen, Lanark can offer a diverse range of lighting technology tailored to suit your project needs. Lanark invests in knowledge; our personnel have thorough industry experience and attain a high-level of lighting education from key industry bodies. Our tailored product solutions comply with all the latest regulatory codes with readily available technical data and warranties as required. Should you require lighting advice, lighting design or specification for any projects you may have on the horizon please don't hesitate to contact us.

Sections



Oyster & Ceiling



Step Lights



Wall Lights



LED Strip & Extrusion



Trapeze & Pendants



Track Lights



LED Panel Lights



Slotter Down Lights



Ceiling Fans



Exhaust Fans & Bathroom Heaters



Exterior Lights



Bollards



Inground Up-Lights



Flood Lights



Spot Lights



Fluorescent



LED Drivers & Accessories



Lamps & Components



Width



IP Rating



Lamp Options



Voltage



Watts



Beam Angle



Length



Cut Out



Height

Index

Down Lights

Part No. / Product	Pg.
21280, 21281, 21282, 21283 LED ASTRA CABINET LIGHT	22
BARRIERLEDWH13W3K, BARRIERLEDBC13W3K LED BARRIER DOWN LIGHT	18
DL108SIL163, DL108WHT163, DL108SIL164, DL108WHT164 LED ROUND DOWN LIGHT	31
EXCD4010WD EXCALIBUR	19
FLUXMA15W3K, FLUXWH15W3K FLUX FIXED LED DOWN LIGHT	19
HALO10W3K LED HALO 10W DOWN LIGHT	20
HALO13W3K LED HALO 13W DOWN LIGHT	20
LAN70C RECTANGULAR METAL HALIDE SHOP LIGHT	39
LAN70 ROUND METAL HALIDE SHOP LIGHT	39
LAN150C RECTANGULAR METAL HALIDE SHOP LIGHT	40
LAN150 ROUND METAL HALIDE SHOP LIGHT	40
LAN332SC, LAN332WH QUICK RELEASE DOWN LIGHT	34
LAN336SC, LAN336WH SQUARE QUICK RELEASE DOWN LIGHT	35
LAN338 SQUARE ADJUSTABLE DOWN LIGHT	34
LAN340SC ROUND ADJUSTABLE DOWN LIGHT	34
LAN343SC, LAN343WH ROUND 2-WAY TILT DOWN LIGHT	35
LAN344SC, LAN344WH SQUARE 2-WAY TILT DOWN LIGHT	34
LAN348 ROUND ADJUSTABLE GOOSENECK GIMBLE	35
LAN494SS, LAN494WH IP54 SEALED DOWN LIGHT	35
LAN883SC ROUND STARLIGHT	40
LAN884-20W-SCH SQUARE STARLIGHT	41
LAN1113-SIL, LAN1113-WH E27 RECESSED DOWN LIGHT	38
LAN3115A, LAN3115SS SQUARE TILT DOWN LIGHT	32
LAN3116A, LAN3116SS ROUND TILT DOWN LIGHT	33
LAN3117A, LAN3117SS SQUARE LOW GLARE DOWN LIGHT	32
LAN3118A, LAN3118SS ROUND LOW GLARE DOWN LIGHT	33
LAN4116SS, LAN4116A ROUND CENTRE TILT DOWN LIGHT	33
LAN4117A, LAN4117SS SQUARE CENTRE TILT DOWN LIGHT	33
LAN8014-3K, LAN8014-4K ROUND PLC DOWN LIGHT RECESSED	38
LAN8020 ROUND PLC DOWN LIGHT RECESSED	38
LAN8021 SQUARE PLC DOWN LIGHT RECESSED	38
LAN8031 SQUARE PLC DOWN LIGHT RECESSED	39
LAN8876-70W-3K-WHT, LAN8876-70W-4K-WHT SQUARE METAL HALIDE RECESSED DOWN LIGHT	40
LAN10029-118, LAN10029-218, LAN10029-126, LAN10029-226 ROUND PLC DOWN LIGHT RECESSED	39
LAN10041 METAL HALIDE G12 DOWN LIGHT	32
LAN10057 METAL HALIDE G12 DOWN LIGHT	32
LANA5W MOUNTING RING TO SUIT EVOLVE 50 IP20	30
LANCAB3WDC-CW, LANCAB3WDC-WW LED MINI DOWN LIGHT	21
LANCFL4S, LANCFL4W SMALL ROUND SIDE ENTRY DOWN LIGHT	37
LANCFL6S, LANCFL6W LARGE ROUND SIDE ENTRY DOWN LIGHT	37

Index

Down Lights cont.

Part No. / Product	Pg.
21280, 21281 , 21282, 21283 LED ASTRA CABINET LIGHT	22
BARRIERLEDWH13W3K, BARRIERLEDBC13W3K LED BARRIER DOWN LIGHT	18
DL108SIL163, DL108WHT163, DL108SIL164, DL108WHT164 LED ROUND DOWN LIGHT	31
EXCD4010WD EXCALIBUR	19
FLUXMA15W3K, FLUXWH15W3K FLUX FIXED LED DOWN LIGHT	19
HALO10W3K LED HALO 10W DOWN LIGHT	20
HALO13W3K LED HALO 13W DOWN LIGHT	20
LAN70C RECTANGULAR METAL HALIDE SHOP LIGHT	39
LAN70 ROUND METAL HALIDE SHOP LIGHT	39
LAN150C RECTANGULAR METAL HALIDE SHOP LIGHT	40
LAN150 ROUND METAL HALIDE SHOP LIGHT	40
LAN332SC, LAN332WH QUICK RELEASE DOWN LIGHT	34
LAN336SC, LAN336WH SQUARE QUICK RELEASE DOWN LIGHT	35
LAN338 SQUARE ADJUSTABLE DOWN LIGHT	34
LAN340SC ROUND ADJUSTABLE DOWN LIGHT	34
LAN343SC, LAN343WH ROUND 2-WAY TILT DOWN LIGHT	35
LAN344SC, LAN344WH SQUARE 2-WAY TILT DOWN LIGHT	34
LAN348 ROUND ADJUSTABLE GOOSENECK GIMBLE	35
LAN494SS, LAN494WH IP54 SEALED DOWN LIGHT	35
LAN883SC ROUND STARLIGHT	40
LAN884-20W-SCH SQUARE STARLIGHT	41
LAN1113-SIL, LAN1113-WH E27 RECESSED DOWN LIGHT	38
LAN3115A, LAN3115SS SQUARE TILT DOWN LIGHT	32
LAN3116A, LAN3116SS ROUND TILT DOWN LIGHT	33
LAN3117A, LAN3117SS SQUARE LOW GLARE DOWN LIGHT	32
LAN3118A, LAN3118SS ROUND LOW GLARE DOWN LIGHT	33
LAN4116SS, LAN4116A ROUND CENTRE TILT DOWN LIGHT	33
LAN4117A, LAN4117SS SQUARE CENTRE TILT DOWN LIGHT	33
LAN8014-3K, LAN8014-4K ROUND PLC DOWN LIGHT RECESSED	38
LAN8020 ROUND PLC DOWN LIGHT RECESSED	38
LAN8021 SQUARE PLC DOWN LIGHT RECESSED	38
LAN8031 SQUARE PLC DOWN LIGHT RECESSED	39
LAN8876-70W-3K-WHT, LAN8876-70W-4K-WHT SQUARE METAL HALIDE RECESSED DOWN LIGHT	40
LAN10029-118, LAN10029-218, LAN10029-126, LAN10029-226 ROUND PLC DOWN LIGHT RECESSED	39
LAN10041 METAL HALIDE G12 DOWN LIGHT	32
LAN10057 METAL HALIDE G12 DOWN LIGHT	32
LANA5W MOUNTING RING TO SUIT EVOLVE 50 IP20	30
LANCAB3WDC-CW, LANCAB3WDC-WW LED MINI DOWN LIGHT	21
LANCFL4S, LANCFL4W SMALL ROUND SIDE ENTRY DOWN LIGHT	37

Index

Down lights cont.

Part No. / Product	Pg.
21280, 21281 , 21282, 21283 LED ASTRA CABINET LIGHT	22
BARRIERLEDWH13W3K, BARRIERLEDBC13W3K LED BARRIER DOWN LIGHT	18
DL108SIL163, DL108WHT163, DL108SIL164, DL108WHT164 LED ROUND DOWN LIGHT	31
EXCD4010WD EXCALIBUR	19
FLUXMA15W3K, FLUXWH15W3K FLUX FIXED LED DOWN LIGHT	19
HALO10W3K LED HALO 10W DOWN LIGHT	20
HALO13W3K LED HALO 13W DOWN LIGHT	20
LAN70C RECTANGULAR METAL HALIDE SHOP LIGHT	39
LAN70 ROUND METAL HALIDE SHOP LIGHT	39
LAN150C RECTANGULAR METAL HALIDE SHOP LIGHT	40
LAN150 ROUND METAL HALIDE SHOP LIGHT	40
LAN332SC, LAN332WH QUICK RELEASE DOWN LIGHT	34

Oyster and Ceiling Lights

19410, 19411 ELITE SURFACE MOUNTED CEILING LIGHT	50
19413, 19414 ALPHA SURFACE MOUNTED CEILING LIGHT	50
FA150HSJ SURFACE MOUNTED CANOPY LIGHT	51
GE241022, GE241040 SQUARE FLUORESCENT	49
LAN2151, LAN2152, LAN2153 ALABASTER OYSTER	43
LAN2400-22, LAN2400-32, LAN2400-40 SLIMLINE OPAL FLUORESCENT OYSTER	43
LAN2400-350LED-20W-3K LED CEILING MOUNTED OYSTER	43
LAN2500-350 SQUARE LED OYSTER 20W 3000K	44
LAN4300, LAN4400, LAN4500 SPIKE CLIP OYSTER	44
LAN4300LED, LAN4400LED SPIKE CLIP OYSTER	44
LAN4380 ROUND SURFACE MOUNTED OYSTER	47
LAN6930-12WLED PRISAYA LED OYSTER	48
LAN6930-E27, LAN6940-E27 PRISAYA OYSTER	48
LAN6940-2XE27 PRISAYA OYSTER	48
LAN6940-20WLED PRISAYA LED OYSTER	48
LAN7471, LAN7472 SQUARE SURFACE MOUNT SPIKE CLIP WALL LIGHT	44
LANALYSIA330LED LED ALYSIA OYSTER 15W	42
LANASTRA300-LED24W LED ASTRA OYSTER	42
LANCG8WLED4K, LANCG12WLED4K, LANCG18WLED4K, LANCG25WLED4K SLIMLINE LED DIFFUSED INTERLINKABLE	52
LANCOBSMWH15W3K, LANCOBSMWH15W4K LED SURFACE MOUNTED 15W IP54 DOWN LIGHT	49
LAN-ECLIPSE12W-3K-D, LAN-ECLIPSE12W-4K-D ECLIPSE LED 12W OYSTER	45
LAN-ECLIPSE18W-3K-D, LAN-ECLIPSE18W-4K-D ECLIPSE LED 18W OYSTER	45
LAN-ECLIPSE18WCC ECLIPSE LED 18W COLOUR CHANGEABLE OYSTER	45
LAN-ECLIPSE25W-3K-D, LAN-ECLIPSE25W-4K-D ECLIPSE LED 25W OYSTER	45

Index

Oyster & Ceiling Lights cont.

Part No. / Product	Pg.
LAN-ECLIPSE25WCC ECLIPSE LED 25W COLOUR CHANGEABLE OYSTER	46
LANMC2000BLK ROUND CEILING LIGHT	50
LANPLASTH40WLED4K SURFACE MOUNT LED BATTEN	52
LAN-SLICE150, LAN-SLICE170 SURFACE MOUNTED LED LOW PROFILE OYSTER	49
LANTUBUSPR02-18, LANTUBUSPR02-26 SURFACE MOUNT PLC DOWN LIGHT	49
MLBF BLADE SLIMLINE LED SURFACE MOUNT	52
MLLO3018BD, MLL03018WD LUNAR LED 18W 3000K	46
MLLO3028BD, MLL03028WD LUNAR LED 28W 3000K	46
MLLO3038BD, MLL03038WD LUNAR LED 38W 3000K	47
MLLO5018BD, MLL05018WD LUNAR LED 18W 5000K	46
MLLO5028BD, MLL05028WD LUNAR LED 28W 5000K	47
MLLO5038BD, MLL05038WD LUNAR LED 38W 5000K	47
SBN961LED SURFACE MOUNTED CANOPY LIGHT	50
SBN961150REC RECESSED LED CANOPY LIGHT	51
SBN961150SM SURFACE MOUNTED LED CANOPY LIGHT	51
SBN961250, SBN961400 SURFACE MOUNTED CANOPY LIGHT	51

Step Lights

19978, 19979 ROUND SURFACE MOUNTED STEP LIGHT	56
19980, 19981 SQUARE SURFACE MOUNTED STEP LIGHT	56
GL034ANW, GL034AWW LED WALL LIGHT	54
LAN2013B, LAN2013SS, LAN2013S ROUND RECESSED STEP LIGHT	57
LAN2015B, LAN2015SS, LAN2015S EYELID STEP LIGHT	57
LAN-DOMERN ROUND STEP LIGHT	57
LAN-DOMESQ SQUARE STEP LIGHT	57
LANGS-031 SQUARE STEP LIGHT	58
LANGS-032 SQUARE STEP LIGHT	58
LANGS-033 SQUARE WALL LIGHT	54
LANLADDER100S LED EXTERNAL WALL LIGHT	54
LANLADDER150S LED EXTERNAL WALL LIGHT	54
LAN-SLIM3K-ROUND SLIM ROUND LED STEP LIGHT	56
LAN-SLIM3K-SQUARE SLIM SQUARE LED STEP LIGHT	56
LANSTEPRD3W3K ROUND STEP LIGHT	55
LANSTEPSQ3W3K SQUARE STEP LIGHT	55
WL050WB WALL BOX	55
WL050WW, WL050NW LED STEP LIGHT	55

Index

Wall Lights

Part No. / Product	Pg.
19400, 19401 ALPHA 1 WALL MOUNTED LIGHT	71
19402, 19403 ALPHA 2 WALL MOUNTED LIGHT	71
19404, 19405 ELITE 1 WALL MOUNTED LIGHT	72
19406, 19407 ELITE 2 WALL MOUNTED LIGHT	72
19462, 19463 X-WAVE WALL LIGHT	61
19464, 19465 I-BOOK WALL LIGHT	62
CL3324 RECESSED BRICKLIGHT	80
CL3325 SURFACE MOUNTED BRICKLIGHT	80
CL542141 SURFACE MOUNTED GRILL BULKHEAD	76
CL542142 SURFACE MOUNTED EYELID BULKHEAD	76
CL542144 SURFACE MOUNTED OPEN FACE BULKHEAD	76
CLBD601 SURFACE MOUNTED BRICKLIGHT	80
CLBD602 SURFACE MOUNTED BRICKLIGHT	80
CLWL21STSES, CLWL21STS118 SURFACE MOUNTED EXTERIOR WALL LIGHT	71
CLWL22STSES, CLWL22STS118 SURFACE MOUNTED EXTERIOR WALL LIGHT	71
ECHOSIL9W3K, ECHOBLK9W3K ECHO SM UP AND DOWN LED WALL LIGHT	74
LAN2010/BLK, LAN2010/SS, LAN2010/SL UP & DOWN UNI-LIGHT SPOTLIGHT	64
LAN2010T/BLK, LAN2010T/SS, LAN2010T/SL UP & DOWN UNI-LIGHT SPOTLIGHT	64
LAN2030BK, LAN2030SS, LAN2030SIL ADJUSTABLE WALL SPOTLIGHT	63
LAN2030T/BLK, LAN2030T/SS, LAN2030T/SIL ADJUSTABLE WALL SPOTLIGHT	64
LAN2040BK, LAN2040SS, LAN2040SIL FIXED WALL DOWN LIGHT	65
LAN2040T/BLK, LAN2040T/SS, LAN2040T/SIL FIXED WALL DOWN LIGHT	64
LAN2122B, LAN2122S 265MM GRILL GUARD BUNKER	78
LAN2124B, LAN2124S 265MM PLAIN BUNKER	78
LAN2124BLK23WLED4K, LAN2124SIL23WLED4K 265MM LED PLAIN BUNKER	77
LAN2132B, LAN2132S 365MM GRILL GUARD BUNKER	78
LAN2134B, LAN2134S 365MM PLAIN BUNKER	78
LAN2134BLK23WLED4K, LAN2134SIL23WLED4K 365MM LED PLAIN BUNKER	77
LAN2154 ALABASTER WALL LIGHT	62
LAN4305 SURFACE MOUNTED SPIKE CLIP WALL LIGHT	62
LAN7473 SURFACE MOUNT SPIKE CLIP WALL LIGHT	62
LAN8028B, LAN8028S SURFACE MOUNTED DIE CAST	63
LAN20101BLK, LAN20101TI UP & DOWN GU10 WALL LIGHT	65
LAN20301BLK, LAN20301TI ADJUSTABLE WALL SPOTLIGHT	65
LAN20401BLK, LAN20401TI FIXED DOWN ONLY WALL LIGHT	65
LAN101104GRY UP AND DOWN LED WALL LIGHT	75
LAN101105GRY UP AND DOWN LED WALL LIGHT	75
LAN102102GRY ADJUSTABLE SPOT LIGHT	63
LAN201102STS MINI RECTANGLE WALL LIGHT	75

Index

Wall Lights cont.

Part No. / Product	Pg.
LAN201103STS RECTANGLE WALL LIGHT	75
LAN304102GRY, LAN304102SIL ROUND EXTERIOR BUNKER	77
LANDRIFTBK6W3K, LANDRIFTSIL6W3K DRIFT WALL LIGHT	61
LAN-FADE3K FADE WALL LIGHT LED	60
LAN-FOCUSIP, LAN-FOCUSIPBLK SURFACE MOUNTED UP & DOWN WALL LIGHT	60
LAN-FOCUS SURFACE MOUNTED UP & DOWN WALL LIGHT	60
LANHORIZONOV12W3K, LANHORIZONOV12W4K HORIZON OVAL PLAIN BUNKER	76
LANHORIZONRD12W3K, LANHORIZONRD12W4K HORIZON ROUND PLAIN BUNKER	77
LANMR3010BLK ROUND UP & DOWN WALL LIGHT	72
LANMR3010STS ROUND UP & DOWN WALL LIGHT	72
LANMR4010BLK ROUND UP & DOWN WALL LIGHT	73
LANMR6010STS ROUND UP & DOWN WALL LIGHT	73
LANMS3010BLK SQUARE UP & DOWN WALL LIGHT	73
LANMS3010STS SQUARE UP & DOWN WALL LIGHT	74
LANMS6010BLK SQUARE UP & DOWN WALL LIGHT	74
LANUDR15302 ROUND UP & DOWN WALL LIGHT	73
LANWAVEBB3K WAVE LED	61
LAN-WEDGE5K WEDGE UP & DOWN WALL LIGHT	61
MC010S LED MINI CUBE WALL LIGHT	69
MC015SNW, MC015SWW, MC015SBL LED MINI CUBE WALL LIGHT	69
MC020SWW, MC020SNW LED MINI CUBE WALL LIGHT	69
MC025SNW, MC025SBL LED MINI CUBE WALL LIGHT	69
MC040WW, MC040NW LED WALL LIGHT	68
MC050WW, MC050NW LED DECORATIVE WALL LIGHT	68
MF02IP, MS02IP LED ADJUSTABLE MINI WALL LIGHT	68
MFV108, MFV114, MFV121 VISION	63
ML02WW, ML02NW LED DECORATIVE MINI LIGHT	70
ML03WW, ML03NW LED MINI HALO WALL LIGHT	70
OCTOLEDWW, OCTOLEDNW LED ROTATABLE OCTAGONAL WALL LIGHT	70
WL041IP LED FAN EFFECT WALL LIGHT	70
WL060WW, WL060NW, WL160WW, W160NW LED WALL LIGHT	67
WL070A, WL170A, WL370A UP AND DOWN LED WALL LIGHT	66
WL070RGB UP AND DOWN LED WALL LIGHT RGB	66
WL075AWW, WL075ANW, WL175ANW LED WALL LIGHT	66
WL075CARGB LED WALL LIGHT RGB	66
WL140AFWW, WL140AFNW, WL240AFWW, WL240AFNW LED WALL LIGHT	67
WL220AMAINS LED WALL LIGHT	67
WL220A, WL020ABLK, WL320A LED WALL LIGHT	67
WL220CARGB, WL021CARGB LED WALL LIGHT RGB	68

Index

LED Strip & Extrusion

Part No. / Product	Pg.
LANEXT002 ALUMINIUM EXTRUSION	84
LANEXT003R ALUMINIUM EXTRUSION	84
LANEXT011 ALUMINIUM EXTRUSION	84
LANEXT017R ALUMINIUM EXTRUSION	84
LANEXT1616C ALUMINIUM CORNER EXTRUSION	85
LANEXT1616SQ ALUMINIUM CORNER EXTRUSION	85
LANLEDROPE LED ROPE	82
LANS5050RGB-N, LANS5050RGB-IP65 RGB LED STRIP LIGHTING	82
LANS5050W-N, LANS5050WW-N LED STRIP LIGHTING	82
LANS5050W-PP, LANS5050WW-P LED STRIP LIGHTING	82
LANS5151W-IP65, LANS5151WW-IP65 LED STRIP LIGHTING	83
LANS5151W-N, LANS5151WW-N LED STRIP LIGHTING	83

Trapeze & Pendants

19599, 19605, 19603, 19598, 19604, 19602 PANDORA LED PENDANT	87
35002 JUPITER LED PENDANT	87
35020 BOOMERANG 40 LED PENDANT	88
35021 BOOMERANG 50 LED PENDANT	88
35040, 35041 VENUS 40 LED PENDANT	88
LANCOBPDWH10W3K, LANCOBPDBK10W3K LED PENDANT	87
LAN-CYL3K LED PENDANT	87
LANHB200W4K HIGH BAY LED 200W 4K	89
LANHBPCREF HIGH BAY LED 200W 4K	89
LANTJH6-42W, LANTJH6-70W SUSPENDED DECORATIVE HIGH BAY	88
LANWL-1/4C TRAPEZE CABLE	86
LANWL-03B-50, LANWL-03B-100 TRAPEZE STAND OFF SET	86
LANWL-004 TRAPEZE HEAD	86
LANWL-P01 ELBOW JOINT TRAPEZE CABLE	86

Index

Track Lights

Part No. / Product	Pg.
LAN8414-01LEB, LAN8414-01LEWH CIRCUIT TRACK	91
LAN8414-02LEB, LAN8414-02LEWH CIRCUIT TRACK	91
LAN8416-02B, LAN8416-02WH CONNECTOR	91
LAN8416-03B, LAN8416-03WH L-TYPE CONNECTOR	91
LAN8611-311-3K-B, LAN8611-311-3K-WH LED TRACK LIGHT	90
LAN8611-311-4K-B, LAN8611-311-4K-WH LED TRACK LIGHT	90
LANTRACK-1M, LANTRACK-1MBLK CIRCUIT TRACK	90
LANTRACK10W3KWHT, LANTRACK10W3KBLK LED TRACK LIGHT	90

LED Panel Lights

LANPL20X20-3K, LANPL20X20-4K SMALL SQUARE PANEL LIGHT	93
LANPL30X30-18W SQUARE PANEL LIGHT	93
LANPL30X30-36W SQUARE PANEL LIGHT	93
LANPL30X60-36W RECTANGULAR PANEL LIGHT	93
LANPL60X60-36W SQUARE PANEL LIGHT	94
LANPL60X60-45W SQUARE PANEL LIGHT	94
LANPL60X60-56W SQUARE PANEL LIGHT	94
LANPL120X30-36W RECTANGULAR PANEL LIGHT 36W	94
LANPL120X30-45W RECTANGULAR PANEL LIGHT 45W	95
LANPL120X30-56W RECTANGULAR PANEL LIGHT 56W	95
LANPL120X30-72W RECTANGULAR PANEL LIGHT 72W	95
LANPL120X60-72W RECTANGULAR PANEL LIGHT 72W	95
LANPL180-10W ROUND PANEL LIGHT	92
LANPL300-20W ROUND PANEL LIGHT	92

Slotter Lights

LAN001CT SQUARE TWO-WAY SINGLE SLOTTER DOWN LIGHT	98
LAN001K-135, LAN001K-170 METAL HALIDE SINGLE SLOTTER	96
LAN001LED-16W, LAN001LED-26W LED SINGLE SLOTTER	96
LAN002CT RECTANGULAR TWO-WAY TWIN SLOTTER DOWN LIGHT	98
LAN002K-235, LAN002K-270 METAL HALIDE DOUBLE SLOTTER	97
LAN002LED-16W, LAN002LED-26W LED DOUBLE SLOTTER	97
LAN003CT RECTANGULAR TWO-WAY TRIPLE SLOTTER DOWN LIGHT	98
LAN003K-335, LAN003K-370 METAL HALIDE TRIPLE SLOTTER	97
LAN003LED-16W, LAN003LED-26W LED TRIPLE SLOTTER	97
LANE3111 SLOTTER DOWN LIGHT GU10	98

Index

Ceiling Fans

Part No. / Product	Pg.
DLS134B, DLS134M, DLS134W LIFESTYLE	100
DLS1344B, DLS1344M, DLS1344W LIFESTYLE E27	100
MPF3042SS, MPF3043SS, MPF3044SS PRECISION 304	101
MPF3162SS, MPF3163SS, MPF3164SS PRECISION 316	101
MPREM PREMIER REMOTE KIT	101
MRF1343W, MRF1343B RAZOR 28W LED 3000K	100
MRF1345B, MRF1345W RAZOR 28W LED 5000K	101

Exhaust Fans & Bathroom Heaters

MBHC1LS, MBHC1LW CONTOUR 1	102
MBHC2LS, MBHC2LW CONTOUR 2	103
MBHC4LS, MBHC4LW CONTOUR 4	103
MBHL1000S, MBHL1000W LINEAR	102
MBHP2LS, MBHP2LW PROFILE PLUS 2	102
MBHP4LS, MBHP4LW PROFILE PLUS 4	102
MBHREM LCD REMOTE	103
MXFG25S, MXFG25W GYRO	104
MXFLG25S, MXFLG25W GYRO LIGHT	104
MXFLT25S, MXFLT25W TETRA LIGHT	104
MXFT25S, MXFT25W TETRA	104

Exterior Lights

CLFA80LDBLK4 LED AREA LIGHT 80W	109
CLFA160LDBLK4 LED AREA LIGHT 160W	110
CLSB60W, CLSB100W LED AREA LIGHT 60W/100W	110
CLSB150W, CLSB200W LED AREA LIGHT 150W/200W	110
CLSB300W LED AREA LIGHT 300W	110
LAN1010-200, LAN1010-250, LAN1010-300, LAN1010-400 POST TOP SPHERE	107
LAN2060BLK, LAN2060STS, LAN2060TI SPIKE SPOT LIGHT	108
LANSPIKEAA12V ADJUSTABLE SPIKE LIGHT	107
LEDLINE40045, LEDLINE400110, LEDLINE40025X6 LED WALL WASHING LIGHT BAR	109
SL030FWW, SL030FNW LED SPIKE LIGHT 1W	108
SL040AFWW, SL040AFNW LED SPIKE LIGHT 7W	109
SPIKELEDBLK6W4K, SPIKELEDSIL6W4K SPIKE GARDEN LIGHT 6W	108
UL010RGBW COLOUR CHANGE LED LIGHT	106
UL010WW, UL010NW UNIVERSAL LED LIGHT	106
UL030RGBW COLOUR CHANGE LED LIGHT	106
UL030WW, UL030NW UNIVERSAL LED LIGHT	106
UL345CARGB, UL346CARGB, UL347CARGB LED WALL WASHING LIGHT BAR RGB	109

Index

Bollards

Part No. / Product	Pg.
CL1099BBLK204, CL1099BSIL204 FLAT TOP LED BOLLARD	113
CL3338 SURFACE MOUNT DOME TOP BOLLARD	113
LAN3333B, LAN3333G POST TOP BOLLARD	113
LANMBL1580 FLAT TOP BOLLARD	112
LANMBL1582 DOME TOP BOLLARD	112
LAN-SLANT3K LED BOLLARD	112

Inground Up-Lights

GL007A-NW, GL007A-WW LED GROUND LIGHT 10W	115
GL007FROSTEDWW, GL007FROSTEDNW LED GROUND LIGHT 8W	115
GL007RGBW RGBW LED GROUND LIGHT	116
GL008AWW, GL008ANW LED GROUND LIGHT 16W	116
GL008RGBW RGB LED GROUND LIGHT	116
GL009AWW, GL009ANW LED GROUND LIGHT 22W	116
GL016RGBW MINI LED GROUND LIGHT	117
GL016WW, GL016NW MINI LED GROUND LIGHT	117
GL018CWW, GL018CNW MINI LED GROUND LIGHT	117
GL019FWW, GL019FNW MINI LED GROUND LIGHT	117
GL019SQNW, GL019SQWW SQUARE MINI LED GROUND LIGHT 1W	118
GL019SWW, GL019SNW LED SPOT GROUND LIGHT	118
GL021WW, GL021NW LED SLOTTED GROUND LIGHT	118
GL022WW, GL022NW LED SQUARE SLOTTED GROUND LIGHT	118
GL040CARGB INGROUND UPLIGHT RGB	119
GL040WW, GL040NW LED GROUND LIGHT 3W	119
GL041WW, GL041NW LED SQUARE GROUND LIGHT 3W	119
GL050RGBW LED GROUND LIGHT 3W	120
GL050WW, GL050NW LED GROUND LIGHT 3W	119
GL051WW, GL051NW LED SQUARE GROUND LIGHT 3W	120
GL090RGBW LED GROUND LIGHT 12W	120
GL090WW, GL090NW LED GROUND LIGHT 7W	120
LANMICRO-CV3015, LANMICRO-CV5515 MICRO INGROUND UPLIGHT 15°	114
LANMICRO-CV3040, LANMICRO-CV5540 MICRO INGROUND UPLIGHT 40°	114
LANMINI-3015, LANMINI-5015 MINI INGROUND UPLIGHT 15°	115
LANMINI-3040, LANMINI-5040 MINI INGROUND UPLIGHT 40°	115
LANTUBE-33, LANTUBE-50, LANTUBE-68 TUBE	121
ML01 LED MINI DECORATIVE LIGHT 1W	121

Index

Flood Lights

Part No. / Product	Pg.
19584, 19585, 19586, 19587 20W LED FLOOD LIGHT	122
FL200FWW, FL200FNW 21W LED DIMMABLE FLOOD LIGHT	123
LAN175TG-30W3K, LAN175TG-30W4K 30W LED FLOOD LIGHT	123
LAN175TG-50W3K, LAN175TG-50W4K 50W LED FLOOD LIGHT	123
LAN175TG-100W3K, LAN175TG-100W4K 100W LED FLOOD LIGHT	123

Spot Lights

SENTRYBLK13W4K, SENTRYSIL13W4K SENTRY SINGLE SPOT LIGHT 4000K	124
SENTRYBLK26W4K, SENTRYSIL26W4K SENTRY TWIN SPOT LIGHT 4000K	124
SENTRYBLK26W4KS, SENTRYSIL26W4KS, SENTRYWHT26W4KS SENTRY TWIN SPOT LIGHT WITH SENSOR 4000K	124

Fluorescent Lights

LANCG1501-8, LANCG1501-14,	126
LANCG1501-21, LANCG1501-28, LANCG1501-35 SLIMLINE INTER-CONNECTABLE FLUORESCENT	126
LANCG1611A-8, LANCG1611A-14, LANCG1611A-21,	
LANCG1611A-28, LANCG1611A-35 SLIMLINE INTER-CONNECTABLE FLUORESCENT	126
LANCLASSIC228 TROFFER	128
LANINDIRECT-236 INDIRECT T-BAR	127
LANMOD128, LANMOD228 ULB LOUVRED	127
LANPLASTH40WLED4K SURFACE MOUNT LED BATTEN	126
LANRELAX-128, LANRELAX-228 T-BAR TROFFER	128
LANRELAX-214 T-BAR TROFFER	127
LANT-128, LANT-228 K12 DIFFUSED T-BAR TROFFER	128
LANTORNADO-114, LANTORNADO-128 TORNADO SURFACE MOUNT	126
LANTORNADO-214, LANTORNADO-228 TORNADO SURFACE MOUNT	127
TORNLED20WIP654K, TORNLED40WIP654K LED WEATHERPROOF BATTEN	128

Index

LED Drivers & Accessories

Part No. / Product	Pg.
20199 LED DRIVER 200W	135
20200 LED DRIVER 15W	134
20201 LED DRIVER 30W	134
20202 LED DRIVER 60W	134
20203 LED DRIVER 100W	135
20204 LED DRIVER 150W	135
LAN0007-WH REDUCER RING TO SUIT DOWN LIGHT	136
LAN350MA8W HOUSED LED DRIVER 8W	130
LAN350MA18W HOUSED LED DRIVER 18W	130
LANDC12V-9W LED DRIVER 9W	130
LANFP1.2 FLAT EARTH FLEX & PLUG	136
LANFPREM1 ROUND EARTH FLEX & PLUG	136
LANLEDTUBE20W5K LED TUBE	135
LANLEX18W12VIP67, LANLEX40W12VIP67 LED DRIVER 18W / 40W	131
LCBI014-0700, LCBI015-0350-IP20 LED DRIVER	130
LCI015-0350-IP20, LCI015-0700-IP20 LED DRIVER 15W	131
LCI015-0350-IP67, LCI015-0700-IP67 LED DRIVER 15W	132
LCI030-0700-IP20 LED DRIVER 30W	131
LCI030-0700-IP67 LED DRIVER 30W	133
LCU015-12-IP67, LCU015-24-IP67 LED DRIVER 15W	133
LCU035-12-IP20, LCU035-24-IP20 LED DRIVER 35W	131
LCU035-12-IP67, LCU035-24-IP67 LED DRIVER 35W	133
LCU060-12-IP20, LCU060-24-IP20 LED DRIVER 60W	132
LCU060-12-IP67, LCU060-24-IP67 LED DRIVER 60W	133
LCU0100-12-IP20, LCU0100-24-IP20 LED DRIVER 100W	132
LCU0100-12-IP67, LCU0100-24-IP67 LED DRIVER 100W	134
LCU0150-12-IP20, LCU0150-24-IP20 LED DRIVER 150W	132
MBHREM LCD REMOTE	137
MPREM PREMIER REMOTE KIT	136

Index

Lamps & Components

Part No. / Product	Pg.
IRC35W60DEG HALOGEN LAMP	139
IRC35W60DEG-RAD HALOGEN LAMP	139
LAN0012, LAN0013, LAN0014 LAMP HOLDER LEAD	138
LAN60VAFP ELECTRONIC TRANSFORMER	138
LAN5111 GU10 LAMP HOLDER ADAPTOR KIT	138
LANLEDGU106W-3K, LANLEDGU106W-5K LED GU10 6W DIMMABLE LAMP	140
LANPIN10 G4 HALOGEN BI-PIN LAMP	138
LANTP4540-13W ENERGY SAVING MINI SPIRAL	139
TRISTAR-MR16-3K, TRISTAR-MR16-4K TRISTAR	140
TRISTARR4S TRISTAR	139
TRISTARREMOTE TRISTAR REMOTE	140
TRISTARRGB TRISTAR COLOUR CHANGE	140

Down Lights



SHINE LED 8W IP54 DOWN LIGHT SHINEWH8W-3K

Our smaller version of the 90mm Shine with 70 to 75mm cut-out and using only 8W of electricity. Achieves 6-star energy rating. 90 degree beam angle. Dimmable on most leading edge and trailing edge dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. Comes with 3 year warranty. 40,000hr lifespan. Available in White. Warm White.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	450lm	WHITE	SHINEWH8W-3K



SHINE LED 13W IP54 DOWN LIGHT SHINEBN13W-3K, SHINEWH13-3K, SHINEWH13W-4K

Fixed LED down light achieves 6-star energy rating. 90 degree beam angle. Dimmable on most leading edge and trailing edge dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. Comes with 3 year warranty. 40,000hr lifespan. Lamp temperatures of 3000K/4000K in 860/960 lumens. Available in Brushed Nickel or White.



COLOURS	PART NO	COLOURS	PART NO
BRUSHED NICKEL	SHINEBN13W-3K	WHITE	SHINEWH13W-3K
WHITE	SHINEWH13W-4K	N/A	N/A



SHINE 13W COLOUR CHANGEABLE DOWN LIGHT SHINEBLKCC13W3K, SHINEBNCC13W3K SHINEMACC13W3K, SHINEWHCC13W3K

Our fixed, colour changeable LED down light achieves 6-star energy rating. Features a slide switch to select from 3 colour options - 3000K, 4000K or 5000K with an output of 760/850/900 lumens. Wide 90 degree beam angle. Dimmable on most leading edge and trailing edge dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. Comes with 3 year warranty. Available in Black, Brushed Nickel, Machined Aluminium and White.



COLOURS	PART NO	COLOURS	PART NO
BLACK	SHINEBLKCC13W3K	BRUSHED NICKEL	SHINEBNCC13W3K
MACHINED ALUMINIUM	SHINEMACC13W3K	WHITE	SHINEWHCC13W3K



SHINE TUNE DOWN LIGHT SHINETUNEWH13W

Control Colour Temperature and Brightness (Dimming) from your Smart Phone (Wi-Fi) & over the Internet, or by 2.4GHZ Wireless Remote Control. This fixed LED down light achieves 6-star energy rating. Dimmable on most leading edge and trailing edge dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. Comes with 3 year warranty. 40,000hr lifespan.



LAMP TEMP	LUMENS	COLOURS	PART NO
2700K-5700K	900-1030lm	WHITE	SHINETUNEWH13W

Down Lights



SHINE TILT 13W DOWN LIGHT SHINETILT13W3K, SHINETILT13W4K, SHINETILTBN13W3K

Adjustable LED down light achieves a 6-star energy rating. 90° beam angle. Dimmable on most leading edge or trailing edge dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. Comes with 3 year warranty. 40,000hr lifespan. Includes external driver. Lamp temperatures of 3000K/4000K in 760/800 lumens. Available in White or Brushed Nickel.

L N/A
W 110mm
H 41.5mm
⚡ 240V
⚡ 13W

💡 SMD LED
IP IP20
🌀 95-100mm
A 90°

COLOURS	PART NO	COLOURS	PART NO
BRUSHED NICKEL	SHINETILTBN13W3K	WHITE	SHINETILT13W4K
WHITE	SHINETILT13W3K	N/A	N/A



SHINE 2 LED 18W IP44 DOWN LIGHT SHINE2-18W-3K

Fixed LED down light achieves 6-star energy rating. 90 degree beam angle. Dimmable on most leading edge and trailing edge dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. Comes with 2 year warranty. 40,000hr lifespan. Available in White.

L N/A
W 145mm
H 45mm
⚡ 240V
⚡ 18W

💡 LED
IP IP44
🌀 120-130mm
A 90°

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	1260lm	WHITE	SHINE2-18W-3K



SHINE 3 LED 25W COLOUR CHANGEABLE DOWN LIGHT SHINE3WHCC25W

Fixed LED down light achieves 6-star energy rating. 90 degree beam angle. Features a slide switch to select from 3 colour options - 3000K, 4000K or 5000K with an output of 1850/1975/2100 lumens. Dimmable on most leading edge and trailing edge dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. Comes with 2 year warranty. 40,000hr lifespan. Available in White.

L N/A
W 228mm
H 45mm
⚡ 240V
⚡ 25W

💡 LED
IP IP44
🌀 200-210mm
A 90°

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K - 5000K	1850-2100lm	WHITE	SHINE3WHCC25W



SHINE 4 LED 35W IP44 DOWN LIGHT SHINE4WH35W4K

Fixed LED down light achieves 6-star energy rating. 90 degree beam angle. Dimmable on most leading edge and trailing edge dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. Comes with 2 year warranty. 40,000hr lifespan. Available in White.

L N/A
W 280mm
H 52mm
⚡ 240V
⚡ 35W

💡 LED
IP IP44
🌀 230-260mm
A 90°

LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	N/A	WHITE	SHINE4WH35W4K

Down Lights



LUMA LED 13W DOWN LIGHT LUMABN13W3K, LUMAWH13W3K, LUMABN13W4K, LUMAWH13W4K

Fixed LED down light achieves 6-star energy rating. 90 degree beam angle. Dimmable on most leading edge and trailing edge dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. Comes with 3 year warranty, 40,000hr lifespan. Lamp temperatures of 3000K/4000K in 849/889 lumens. Available in Brushed Nickel or White.

L N/A
W 101mm
H 31mm
⚡ 240V
⚡ 13W

💡 LED
IP IP44
🌀 90-95mm
A 90°

COLOURS	PART NO	COLOURS	PART NO
BRUSHED NICKEL	LUMABN13W-3K	BRUSHED NICKEL	LUMABN13W-4K
WHITE	LUMAWH13W-3K	WHITE	LUMAWH13W-4K



LUMA LED 13W COLOUR CHANGEABLE DOWN LIGHT LUMABNCC13W, LUMAWHCC13W

Fixed, colour changeable LED down light achieves 6-star energy rating. Features a slide switch to select from 3 colour options- 3000K, 4000K or 6000K with an output of 760/850/900 lumens. With 90 degree beam angle. Dimmable on most leading edge and trailing edge dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. Comes with 3 year warranty, 40,000hr lifespan. Available in Brushed Nickel or White.

L N/A
W 101mm
H 31mm
⚡ 240V
⚡ 13W

💡 LED
IP IP44
🌀 90-95mm
A 90°

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K - 5000K	760-900lm	BRUSHED NICKEL	LUMABNCC13W
3000K - 5000K	760-900lm	WHITE	LUMAWHCC13W



LUMA TUNE DOWN LIGHT LUMATUNEWH13W

Control Colour Temperature and Brightness (Dimming) from your Smart Phone (Wi-Fi) & over the Internet, or by 2.4GHZ Wireless Remote Control. This fixed LED down light achieves 6-star energy rating. Dimmable on most leading edge and trailing edge dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. Comes with 3 year warranty, 40,000hr lifespan.

L N/A
W 104mm
H 31mm
⚡ 240V
⚡ 13W

💡 LED
IP IP44
🌀 90-95mm
A 90°

LAMP TEMP	LUMENS	COLOURS	PART NO
2700K-5700K	900-1030lm	WHITE	LUMATUNEWH13W



LED BARRIER DOWN LIGHT BARRIERLEDWH13W3K, BARRIERLEDBC13W3K

Our BARRIER LED downlight has an insulation barrier than runs 10% cooler than a standard IC-F downlight. With an IP44 rating and a 100 degree beam angle, it is perfect for indoor applications. Available in Brushed Chrome or White. In Warm White.

L N/A
W 108mm
H 65mm
⚡ 240V
⚡ 13W

💡 LED
IP IP44
🌀 92mm
A 100°

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	850lm	BRUSHED CHROME	BARRIERLED BC13W3K
3000K	850lm	WHITE	BARRIERLED WH13W3K

Down Lights



SHIELD LED 8W DOWN LIGHT

SHIELDWH8W3K, SHIELDWH8W4K

3000K/4000K Dimmable Down Light Kit. With 2 year replacement warranty, advanced heat sink diffusion, high quality plastic trim and housing, dimmable with trailing edge/universal dimmer and long life energy saving LED technology. IC-F rated. Supplied with 1.0m flex and plug. Available in White. Please note: Brushed Nickel Trim also available.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	700lm	WHITE	SHIELDWH8W3K Warm White
4000K	750lm	WHITE	SHIELDWH8W4K Neutral White



SHIELD LED 8W COLOUR CHANGEABLE DOWN LIGHT

SHIELDWHCC8W

Our fixed, energy efficient, colour changeable LED down light. With advanced heat sink diffusion, high quality plastic trim and housing and dimmable on most trailing edge and universal dimmers. Features a slide switch to select from 3 colour options - 3000K, 4000K or 6000K with an output of 700/780/750 lumens. With a wide 100 degree beam angle for great light distribution. Comes with 2 year replacement warranty. IC-F rated. Available in White.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K - 6000K	700-780lm	WHITE	SHIELDWHCC8W



EXCALIBUR

EXCD4010WD

Round recessed LED Down Light with white trim. Available in 4000K with an output of 900 Lumens. Wide 100 degree beam angle, produces an even, bright light distribution. The EXCALIBUR is compatible with most trailing edge and universal dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. 35,000hr lifespan. Available in White.




LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	900lm	WHITE	EXCD4010WD



FLUX FIXED LED DOWN LIGHT

FLUXMA15W3K, FLUXWH15W3K

Fixed LED down light achieves 6-star energy rating. 90 degree beam angle. Dimmable on most leading edge and trailing edge dimmers. Emits no UV or IR light. Environmentally friendly and mercury free. Comes with 3 year warranty. 40,000hr lifespan. Available in Aluminium or White.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	1020lm	ALUMINIUM	FLUXMA15W3K
3000K	1020lm	WHITE	FLUXWH15W3K



Down Lights



LED COB 13W IP44 DOWN LIGHT LANCOBDL13W3K

13W LED COB Downlight with reflector with clear lens and high power Chip. With a short heatsink suitable for all kinds of installation. Aluminium profile provides excellent thermal dissipation. Complete with driver. IP44 rated. Dimmable. Suitable for commercial and residential applications like office, supermarket, shop, school, hotel, restaurant, workshop, warehouses etc. Available in White. Warm White.

N/A	110mm	53mm	240V	13W
LED	IP44	90 - 100mm	60°	

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	790lm	WHITE	LANCOBDL13W3K



LED HALO 10W DOWN LIGHT HALO10W3K

LED adjustable down light achieves up to 70% energy saving compared to halogen lamp with a long lifetime of 40,000 hour lifespan. With a 60 degree beam angle and 15 degree tilt, the HALO is perfect for general lighting applications such as hotels, offices, shops etc. Also can be widely used for public areas such as stairways and reception areas. Available in Warm White.

N/A	110mm	67mm	240V	10W
LED	IP20	80-90mm	60°	

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	545lm	WHITE	HALO10W3K



LED HALO 13W DOWN LIGHT HALO13W3K

LED adjustable down light achieves up to 70% energy saving compared to halogen lamp with a long lifetime of 40,000 hour lifespan. With a 60 degree beam angle and 15 degree tilt, the HALO is perfect for general lighting applications such as hotels, offices, shops etc. Also can be widely used for public areas such as stairways and reception areas. Available in Warm White.

N/A	110mm	88mm	240V	13W
LED	IP20	80-90mm	60°	

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	850lm	WHITE	HALO13W3K

Down Lights



LED MINI DOWN LIGHT

LANCAB3WDC-CW, LANCAB3WDC-WW

Round recessed fixed LED cabinet light. Perfect for small display cases, shelf lighting, showcase lighting, merchandising and bars. 12V DC driver required P.O.A. Refer to our LED Drivers section. Parallel wired. Available in Cool White or Warm White.




LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	SILVER	LANCAB3WDC-CW Cool White
N/A	N/A	SILVER	LANCAB3WDC-WW Warm White



LED MINI DOWN LIGHT

LANPUK3WDC-CW, LANPUK3WDC-WW

Round recessed adjustable LED cabinet light. Perfect for small display cases, shelf lighting, showcase lighting, merchandising and bars. 12V DC driver required P.O.A. Refer to our LED Drivers section. Parallel wired. Available in Cool White or Warm White.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	SILVER	LANPUK3WDC-CW Cool White
N/A	N/A	SILVER	LANPUK3WDC-WW Warm White



LED MINI DOWN LIGHT LANLEDLYTE-3K, LANLEDLYTE-4K

This flush-mounted mini LED adds the touch of detail that brings a room to life. It has a wide beam angle of 110° to give a subtle, yet atmospheric accent of light. Install recessed within a cabinet or shelving, or in an alcove to show objects or features at their best.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	60lm	SATIN CHROME	LANLEDLYTE-3K
4000K	82lm	SATIN CHROME	LANLEDLYTE-4K



LED IP RATED FLOOD/THREADED MINI DOWN LIGHT LEDLYTEIP, LEDLYTEIPT

With its IP65 rating and fully waterproof housing, this mini LED can be used to bring those subtle accents of light to kitchens, bathrooms, or external applications. Available in flood in 6 ambient colours. Alternatively, use the threaded version when installing into panels or tiles to secure the unit. Available in Neutral White or Blue.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	63lm	ALUMINIUM	LEDLYTEIP Flood
4000K	82lm	ALUMINIUM	LEDLYTEIPT Threaded

Down Lights



LED MINI DOWN LIGHT LEDLYTESURFACEWW, LEDLYTESURFACENW

This surface mounted mini light is a simple and cost-effective option if recessing is not possible. This unit gives you the best of the LED LYTE – 110° beam angle, and low-energy 1W power consumption – in a stylish 20mm x 60mm surface-mounted casing. Available in Warm White and Neutral White.

L N/A
W 60mm
H 20mm
⚡ 350mA
⚡ 1W

💡 LED
IP IP65
🔄 N/A
⤴ 110°

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	63lm	ALUMINIUM	LEDLYTESURFACEWW Warm White
4000K	82lm	ALUMINIUM	LEDLYTESURFACENW Neutral White



LED ASTRA CABINET LIGHT 21280, 21281, 21282, 21283

The Astra features a high output 3W COB LED to offer superior performance and light over the working area whilst only consuming a total 3.6W of energy. 3000K/5000K with an output of 200/205 lumens. Recessed or surface mounting options available. Non-dimmable. Requires 12V DC Driver. In White or Warm White Light. Available in Silver or White finish.

L N/A
W 65mm
H 14mm
⚡ 12V DC
⚡ 3.6W

💡 LED
IP N/A
🔄 57mm
⤴ N/A

COLOURS	PART NO	COLOURS	PART NO
SILVER	21280 Warm White	WHITE	21282 Warm White
SILVER	21281 White	WHITE	21283 White



SCOOP 13W LED DOWN LIGHT LANSCOOP-13W-3K-WHT

LED Down Light with satin white finished frame and glass diffuser. Complete with lamp & electronic control gear. Added benefits of up to 45° tilt. Dimmable. In Warm White.

L N/A
W 96mm
H 115mm
⚡ 240V
⚡ 13W

💡 LED
IP IP20
🔄 85-88mm
⤴ 70°

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	900lm	WHITE	LANSCOOP-13W-3K-WHT



SCOOP 25W LED DOWN LIGHT LANSCOOP-25W-4K-WHT

LED Down Light with satin white finished frame and glass diffuser. Complete with lamp & electronic control gear. Added benefits of up to 45° tilt. Non-dimmable. In Neutral White.

L N/A
W 180mm
H 100mm
⚡ 240V
⚡ 25W

💡 LED
IP IP20
🔄 160-170mm
⤴ 70°

LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	1850lm	WHITE	LANSCOOP-25W-4K-WHT



ROUND RECESSED COMMERCIAL LED DOWN LIGHT
LANE3F-07S-30K-D, LANE3F-07S-30K-ND

Round recessed Commercial 8.5W Down Light available in dimmable and non-dimmable.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	700lm	WHITE	LANE3F-07S-30K-D Dimmable
3000K	700lm	WHITE	LANE3F-07S-30K-ND Non-Dimmable



ROUND RECESSED COMMERCIAL LED DOWN LIGHT
LANE3F-07S-40K-D, LANE3F-07S-40K-ND

Round recessed Commercial 8.5W Down Light available in dimmable and non-dimmable.



LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	720lm	WHITE	LANE3F-07S-40K-D Dimmable
4000K	720lm	WHITE	LANE3F-07S-40K-ND Non-Dimmable



LED DOWN LIGHT 3000K LANE3R-07S-3K-D,
LANE3R-07S-3K-ND

Round recessed Commercial 8.5W Down Light available in dimmable and non-dimmable.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	700lm	WHITE	LANE3R-07S-3K-D Dimmable
3000K	700lm	WHITE	LANE3R-07S-3K-ND Non-Dimmable

Down Lights



LED DOWN LIGHT 4000K LANE3R-07S-4K-D,
LANE3R-07S-4K-ND

Round recessed Commercial 8.5W Down Light available in dimmable and non-dimmable.



LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	720lm	WHITE	LANE3R-07S-4K-D Dimmable
4000K	720lm	WHITE	LANE3R-07S-4K-ND Non-Dimmable



LANE4D DOWN LIGHT 3000K
LANE4D-10T-3K-D, LANE4D-10T-3K-ND

Round recessed Commercial 13W Down Light available in dimmable and non-dimmable.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	1050lm	WHITE	LANE4D-10T-3K-D Dimmable
3000K	1050lm	WHITE	LANE4D-10T-3K-ND Non-Dimmable



LANE4D DOWN LIGHT 4000K
LANE4D-10T-4K-D, LANE4D-10T-4K-ND

Round recessed Commercial 13W Down Light available in dimmable and non-dimmable.




LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	1100lm	WHITE	LANE4D-10T-4K-D Dimmable
4000K	1100lm	WHITE	LANE4D-10T-4K-ND Non-Dimmable



ROUND RECESSED LED COMMERCIAL DOWN LIGHT 3000K LANE4F-13S-3K-D, LANE4F-13S-3K-ND

Round recessed Commercial 15W Down Light available in dimmable and non-dimmable.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	1300lm	WHITE	LANE4F-13S-3K-D Dimmable
3000K	1300lm	WHITE	LANE4F-13S-3K-ND Non-Dimmable

Down Lights



ROUND RECESSED LED COMMERCIAL DOWN LIGHT 4000K LANE4F-13S-4K-D, LANE4F-13S-4K-ND

Round recessed Commercial 15W Down Light available in dimmable and non-dimmable.



LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	1400lm	WHITE	LANE4F-13S-4K-D Dimmable
4000K	1400lm	WHITE	LANE4F-13S-4K-ND Non-Dimmable



ROUND RECESSED LED COMMERCIAL DOWN LIGHT 3000K LANE4R-13S-30K-D, LANE4R-13S-30K-ND

Round recessed Commercial 15W Down Light available in dimmable and non-dimmable.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	1300lm	WHITE	LANE4R-13S-30K-D Dimmable
3000K	1300lm	WHITE	LANE4R-13S-30K-ND Non-Dimmable



ROUND RECESSED LED COMMERCIAL DOWN LIGHT 4000K LANE4R-13S-40K-D, LANE4R-13S-40K-ND

Round recessed Commercial 15W Down Light available in dimmable and non-dimmable.




LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	1700lm	WHITE	LANE4R-13S-40K-D Dimmable
4000K	1700lm	WHITE	LANE4R-13S-40K-ND Non-Dimmable



COMMERCIAL LED DOWN LIGHT 3000K LANE6F-20S-30K-D, LANE6F-20S-30K-ND

Round recessed Commercial 22W Down Light available in dimmable and non-dimmable.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	2000lm	WHITE	LANE6F-20S-30K-D Dimmable
3000K	2000lm	WHITE	LANE6F-20S-30K-ND Non-Dimmable

Down Lights



COMMERCIAL LED DOWN LIGHT 4000K LANE6F-20S-40K-D, LANE6F-20S-40K-ND

Round recessed Commercial 22W Down Light available in dimmable and non-dimmable.




LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	2200lm	WHITE	LANE6F-20S-40K-D Dimmable
4000K	2200lm	WHITE	LANE6F-20S-40K-ND Non-Dimmable



COMMERCIAL LED DOWN LIGHT 3000K LANE6R-20S-30K-D, LANE6R-20S-30K-ND

Round recessed Commercial 22W Down Light available in dimmable and non-dimmable.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	2500lm	WHITE	LANE6R-20S-30K-D Dimmable
3000K	2500lm	WHITE	LANE6R-20S-30K-ND Non-Dimmable



COMMERCIAL LED DOWN LIGHT 4000K LANE6R-20S-40K-D, LANE6R-20S-40K-ND

Round recessed Commercial 22W Down Light available in dimmable and non-dimmable.




LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	2700lm	WHITE	LANE6R-20S-40K-D Dimmable
4000K	2700lm	WHITE	LANE6R-20S-40K-ND Non-Dimmable



COMMERCIAL LED DOWN LIGHT 26W 3000K LANE8D-20T-30K-D, LANE8D-20T-30K-ND

Round recessed Commercial 26W Down Light available in dimmable and non-dimmable.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	2900lm	WHITE	LANE8D-20T-30K-D Dimmable
3000K	2900lm	WHITE	LANE8D-20T-30K-ND Non-Dimmable

Down Lights



COMMERCIAL LED DOWN LIGHT 26W 4000K LANE8D-20T-40K-D, LANE8D-20T-40K-ND

Round recessed Commercial 26W Down Light available in dimmable and non-dimmable.

L N/A
W 230mm
H 102mm
⚡ 240V
⚡ 26W

💡 LED
IP IP65
🌀 205mm
∠ 40°

LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	3100lm	WHITE	LANE8D-20T-40K-D Dimmable
4000K	3100lm	WHITE	LANE8D-20T-40K-ND Non-Dimmable



COMMERCIAL LED DOWN LIGHT 38W 3000K LANE8D-30T-30K-D, LANE8D-30T-30K-ND

Round recessed Commercial 38W Down Light available in dimmable and non-dimmable.

L N/A
W 230mm
H 102mm
⚡ 240V
⚡ 38W

💡 LED
IP IP65
🌀 205mm
∠ 40°

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	4000lm	WHITE	LANE8D-30T-30K-D Dimmable
3000K	4000lm	WHITE	LANE8D-30T-30K-ND Non-Dimmable



COMMERCIAL LED DOWN LIGHT 38W 4000K LANE8D-30T-40K-D, LANE8D-30T-40K-ND

Round recessed Commercial 38W Down Light available in dimmable and non-dimmable.

L N/A
W 230mm
H 102mm
⚡ 240V
⚡ 38W

💡 LED
IP IP65
🌀 205mm
∠ 40°

LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	4200lm	WHITE	LANE8D-30T-40K-D Dimmable
4000K	4200lm	WHITE	LANE8D-30T-40K-ND Non-Dimmable



COMMERCIAL LED DOWN LIGHT 52W LANE8D-40T-30K-ND, LANE8D-40T-40K-ND

Round recessed Commercial 52W Down Light available in dimmable and non-dimmable.

L N/A
W 230mm
H 102mm
⚡ 240V
⚡ 52W

💡 LED
IP IP65
🌀 205mm
∠ 40°

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	4600lm	WHITE	LANE8D-40T-30K-D Dimmable
4000K	4800lm	WHITE	LANE8D-40T-40K-ND Non-Dimmable

Down Lights



COMMERCIAL LED DOWN LIGHT 22W 3000K LANE8F-20S-30K-ND, LANE8F-20S-30K-D

Round recessed Commercial 22W Down Light available in dimmable and non-dimmable.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	2200lm	WHITE	LANE8F-20S-30K-D Dimmable
3000K	2200lm	WHITE	LANE8F-20S-30K-ND Non-Dimmable



COMMERCIAL LED DOWN LIGHT 22W 4000K LANE8F-20S-40K-ND, LANE8F-20S-40K-D

Round recessed Commercial 22W Down Light available in dimmable and non-dimmable.




LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	2500lm	WHITE	LANE8F-20S-40K-D Dimmable
4000K	2500lm	WHITE	LANE8F-20S-40K-ND Non-Dimmable



LANE8R DOWN LIGHT 22W 3000K LANE8R-20S-30K-ND, LANE8R-20S-30K-D

Round recessed Commercial 22W Down Light available in dimmable and non-dimmable.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	2000lm	WHITE	LANE8R-20S-30K-D Dimmable
3000K	2000lm	WHITE	LANE8R-20S-30K-ND Non-Dimmable



LANE8R DOWN LIGHT 22W 4000K LANE8R-20S-40K-ND, LANE8R-20S-40K-D

Round recessed Commercial 22W Down Light available in dimmable and non-dimmable.



LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	2200lm	WHITE	LANE8R-20S-40K-D Dimmable
4000K	2200lm	WHITE	LANE8R-20S-40K-ND Non-Dimmable

Down Lights



COMMERCIAL LED DOWN LIGHT 35W 3000K

LANE8R-30S-30K-ND, LANE8R-30S-30K-D

Round recessed Commercial 35W Down Light available in dimmable and non-dimmable.

L N/A
W 230mm
H 102mm
⚡ 240V
⚡ 35W

💡 LED
IP IP65
🌀 205mm
∠ 80°

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	3000lm	WHITE	LANE8R-30S-30K-D Dimmable
3000K	3000lm	WHITE	LANE8R-30S-30K-ND Non-Dimmable



LANE8R DOWN LIGHT 35W 3000K

LANE8R-30S-30K-ND, LANE8R-30S-30K-D

Round recessed Commercial 35W Down Light available in dimmable and non-dimmable.

L N/A
W 230mm
H 102mm
⚡ 240V
⚡ 35W

💡 N/A
IP IP40
🌀 205mm
∠ 60°

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	3000lm	WHITE	LANE8R-30S-30K-D Dimmable
3000K	3000lm	WHITE	LANE8R-30S-30K-ND Non-Dimmable



COMMERCIAL LED DOWN LIGHT 35W 4000K

LANE8R-30S-40K-ND, LANE8R-30S-40K-D

Round recessed Commercial 35W Down Light available in dimmable and non-dimmable.

L N/A
W 230mm
H 102mm
⚡ 240V
⚡ 35W

💡 LED
IP IP65
🌀 205mm
∠ 80°

LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	3200lm	WHITE	LANE8R-30S-40K-D Dimmable
4000K	3200lm	WHITE	LANE8R-30S-40K-ND Non-Dimmable



LANE8R DOWN LIGHT 35W 4000K

LANE8R-30S-40K-ND, LANE8R-30S-40K-D

Round recessed Commercial 35W Down Light available in dimmable and non-dimmable.

L N/A
W 230mm
H 102mm
⚡ 240V
⚡ 35W

💡 N/A
IP IP40
🌀 205mm
∠ 60°

LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	3200lm	WHITE	LANE8R-30S-40K-D Dimmable
4000K	3200lm	WHITE	LANE8R-30S-40K-ND Non-Dimmable

Down Lights



EVOLVE 50 LANEVOLVE50-3K, LANEVOLVE50-4K

Premium LED light engine to suit an array of mounting rings, take your pick!
Includes Dimmable LED Driver.

N/A	60mm	80mm	240V	13W
CITIZEN LED	IP20	N/A	60°	

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	N/A	ALUMINIUM	LANEVOLVE50-3K
4000K	N/A	ALUMINIUM	LANEVOLVE50-4K



MOUNTING RING TO SUIT EVOLVE 50 IP20 LANA5W

Recessed and adjustable mounting ring for Evolve 50 LED light engine.

N/A	105mm	30mm	N/A	N/A
N/A	IP20	90mm	N/A	

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	WHITE	LANA5W



MOUNTING RING TO SUIT EVOLVE 50 IP44 LANF4W

Recessed , fixed and IP44 adjustable mounting ring for Evolve 50 LED light engine. Available in White.

N/A	90mm	N/A	N/A	N/A
N/A	IP44	75mm	N/A	

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	WHITE	LANF4W



MOUNTING RING TO SUIT EVOLVE 50 LANF5W

Recessed , fixed and IP20 adjustable mounting ring for Evolve 50 LED light engine. Available in White.

N/A	75mm	N/A	N/A	N/A
N/A	IP20	68mm	N/A	

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	WHITE	LANF5W

Down Lights



MOUNTING RING TO SUIT EVOLVE 50 LANR1W

Recessed, fixed mounting ring for Evolve 50 LED light engine. The deeply recessed lamp positioning of this mounting ring gives the down light low glare and high visual comfort. Available in White.

L N/A	W 100mm	H 40mm	N/A	N/A
N/A	IP IP20	G 90mm	A N/A	

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	WHITE	LANR1W




LED ROUND DOWN LIGHT DL108SIL163, DL108WHT163, DL108SIL164, DL108WHT164

LED round downlight with tempered frost glass and aluminium sealed body. IP65 rated. 3000K/4000K with an output of 1300/1400 lumens. Complete with integral driver. Available in Silver or White.

L N/A	W 260mm	H 195mm	N/A	16W
LED	IP IP65	G 230mm	A 80°	

COLOURS	PART NO	COLOURS	PART NO
SILVER	DL108SIL163 Warm White	WHITE	DL108WHT163 Warm White
SILVER	DL108SIL164 White	WHITE	DL108WHT164 White




Down Lights



METAL HALIDE G12 DOWN LIGHT LAN10041

Round recessed HID down light with glass cover. Complete with lamp & electronic control gear.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	WHITE	LAN10041



METAL HALIDE G12 DOWN LIGHT LAN10057

Round recessed adjustable down light. Complete with lamp & electronic control gear.




LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	N/A	WHITE	LAN10057



SQUARE TILT DOWN LIGHT LAN3115A, LAN3115SS

Square recessed centre tilt down light. Various down light kits available P.O.A. Available in Aluminium or Stainless Steel.



COLOURS	PART NO	COLOURS	PART NO
ALUMINIUM	LAN3115A	STAINLESS STEEL	LAN3115SS



SQUARE LOW GLARE DOWN LIGHT LAN3117A, LAN3117SS

Square recessed fixed low glare down light. Various down light kits available P.O.A. Available in Aluminium or Stainless Steel.




COLOURS	PART NO	COLOURS	PART NO
ALUMINIUM	LAN3117A	STAINLESS STEEL	LAN3117SS

Down Lights



ROUND TILT DOWN LIGHT LAN3116A, LAN3116SS

Round recessed centre tilt down light. Various down light kits available P.O.A. Available in Aluminium or Stainless Steel.



COLOURS PART NO COLOURS PART NO



SQUARE CENTRE TILT DOWN LIGHT LAN4117A, LAN4117SS

Square recessed centre tilt down light. Various down light kits available P.O.A. Available in Aluminium or Stainless Steel.




COLOURS PART NO COLOURS PART NO



ROUND LOW GLARE DOWN LIGHT LAN3118A, LAN3118SS

Round recessed fixed low glare down light. Various down light kits available P.O.A. Available in Aluminium or Stainless Steel.



COLOURS PART NO COLOURS PART NO



ROUND CENTRE TILT DOWN LIGHT LAN4116SS, LAN4116A

Round recessed centre tilt down light. Various down light kits available P.O.A. Available in Aluminium or Stainless Steel.



COLOURS PART NO COLOURS PART NO




Down Lights



QUICK RELEASE DOWN LIGHT

LAN332SC, LAN332WH

Square recessed fixed quick release down light. Various down light kits available P.O.A. Available in Satin Chrome or White.




COLOURS PART NO COLOURS PART NO



SQUARE 2-WAY TILT DOWN LIGHT

LAN344SC, LAN344WH

Square recessed 2-way centre tilt down light. Various down light kits available P.O.A. Available in Satin Chrome or White.




COLOURS PART NO COLOURS PART NO



ROUND ADJUSTABLE DOWN LIGHT

LAN340SC

Round recessed adjustable down light with plaster protect mounting bracket and paint guard removable trim. Various down light kits available P.O.A. Available in Satin Chrome.



LAMP TEMP LUMENS COLOURS PART NO



SQUARE ADJUSTABLE DOWN LIGHT

LAN338

Square recessed adjustable down light with plaster protect mounting bracket and paint guard removable trim. Various down light kits available P.O.A. Available in Satin Chrome.



LAMP TEMP LUMENS COLOURS PART NO



Down Lights



SQUARE QUICK RELEASE DOWN LIGHT LAN336SC, LAN336WH

Square recessed adjustable quick release down light. Various down light kits available P.O.A. Available in Satin Chrome or White.



COLOURS PART NO COLOURS PART NO



ROUND ADJUSTABLE GOOSENECK GIMBLE LAN348

Round recessed gooseneck 90 x 360 degree adjustable gimble. Various down light kits available P.O.A. Available in White.



LAMP TEMP LUMENS COLOURS PART NO



ROUND 2-WAY TILT DOWN LIGHT LAN343SC, LAN343WH

Round recessed 2-way centre tilt down light. Various down light kits available P.O.A. Available in Satin Chrome or White.




COLOURS PART NO COLOURS PART NO



IP54 SEALED DOWN LIGHT LAN494SS, LAN494WH

Round fixed recessed sealed down light with tempered glass. Various down light kits available. Available in Stainless Steel or White.



COLOURS PART NO COLOURS PART NO



Down Lights



ADJUSTABLE QUICK RELEASE DOWN LIGHT LAN5013SS, LAN5013WH, LAN5013CH

Round recessed adjustable quick release down light. Various down light kits available P.O.A. Available in Satin Silver, White or Chrome.



COLOURS	PART NO	COLOURS	PART NO
SATIN SILVER	LAN5013SS	CHROME	LAN5013CH
WHITE	LAN5013WH	N/A	N/A




ROUND FIXED QUICK RELEASE DOWN LIGHT LAN5008-WHT, LAN5008-SCH

Round recessed fixed quick release down light. Various down light kits available P.O.A. Available in White or Satin Chrome.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	WHITE	LAN5008-WHT
N/A	N/A	SATIN CHROME	LAN5008-SCH



Down Lights



ROUND QUICK RELEASE DOWN LIGHT LANE5008SC, LANE5008WH

Round recessed fixed quick release down light. Available in Satin Chrome or White.

L N/A
W 80mm
H 90mm
⚡ 240V
⚡ 14W

💡 GU10
IP IP20
🌀 70mm
A N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	SATIN CHROME	LANE5008SC
N/A	N/A	WHITE	LANE5008WH



ROUND TWO-WAY TILT DOWN LIGHT LANE5009SC, LANE5009WH

Round recessed 2-way centre tilt quick release down light. Available in Satin Chrome or White.

L N/A
W 100mm
H 90mm
⚡ 240V
⚡ 14W

💡 GU10
IP IP20
🌀 70mm
A N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	SATIN CHROME	LANE5009SC
N/A	N/A	WHITE	LANE5009WH



SMALL ROUND SIDE ENTRY DOWN LIGHT LANCFL4S, LANCFL4W

Small round recessed side entry down light complete with mini spiral lamp. Available in Silver or White.

L 190mm
W 115mm
H 80mm
⚡ 240V
⚡ 20W

💡 E27
IP IP20
🌀 97mm
A N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	N/A	SILVER	LANCFL4S
4000K	N/A	WHITE	LANCFL4W



LARGE ROUND SIDE ENTRY DOWN LIGHT LANCFL6S, LANCFL6W

Large round recessed side entry down light complete with mini spiral lamp. Available in Silver or White.

L 210mm
W 145mm
H 90mm
⚡ 240V
⚡ 20W

💡 E27
IP IP20
🌀 120mm
A N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	N/A	SILVER	LANCFL6S
4000K	N/A	WHITE	LANCFL6W


Down Lights



E27 RECESSED DOWN LIGHT

LAN1113-SIL, LAN1113-WH

Round recessed E27 down light with powder coated trim.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	WHITE	LAN1113-WH
N/A	N/A	SILVER	LAN1113-SIL



ROUND PLC DOWN LIGHT RECESSED

LAN8020

Round recessed down light complete with electronic control gear, cross blade louvre & lamps. Available in White.



LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	N/A	WHITE	LAN8020



SQUARE PLC DOWN LIGHT RECESSED

LAN8021

Square recessed down light complete with electronic control gear, clear glass & lamps. Available in White.



LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	N/A	WHITE	LAN8021



ROUND PLC DOWN LIGHT RECESSED

LAN8014-3K, LAN8014-4K

Round recessed shop light with clear glass. Complete with lamp & electronic control gear. Available in 3000K Silver or 4000K White.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	N/A	SILVER	LAN8014-3K
4000K	N/A	WHITE	LAN8014-4K

Down Lights



SQUARE PLC DOWN LIGHT RECESSED LAN8031

Square recessed down light complete with electronic control gear, clear glass & lamps. Available in White.

L 160mm
W 160mm
H 90mm
⚡ 240V
⚡ 2x 18W

G24/PLC
IP IP20
150x150mm
A N/A

COLOURS	PART NO	COLOURS	PART NO
4000K	N/A	WHITE	LAN8031



ROUND PLC DOWN LIGHT RECESSED LAN10029-118, LAN10029-218, LAN10029-126, LAN10029-226

Round recessed faceted reflector down light complete with electronic control gear, IP44 clear glass & lamps. Remote and dimmable Ballast options available P.O.A.

L 428mm
W 220mm
H 115mm
⚡ 240V
⚡ 1x 18W
1x 26W
2x 18W
2x 26W

G4/PLC
IP IP44
205mm
A N/A

COLOURS	PART NO	COLOURS	PART NO
WHITE	LAN10029-118 1x 18W	WHITE	LAN10029-126 1x 26W
WHITE	LAN10029-218 2x 18W	WHITE	LAN10029-226 2x 26W



ROUND METAL HALIDE SHOP LIGHT LAN70

Round recessed shop light with clear glass. Complete with lamp & electronic gear control. Available in White.

L N/A
W 225mm
H 125mm
⚡ 240V
⚡ 70W

Rx 7MH
IP IP20
210mm
A N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	WHITE	LAN70



RECTANGULAR METAL HALIDE SHOP LIGHT LAN70C

Rectangular recessed shop light with clear glass. Complete with lamp & electronic gear control. Available in White.

L 230mm
W 140mm
H 135mm
⚡ 240V
⚡ 70W

Rx 7MH
IP IP20
125x215mm
A N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	WHITE	LAN70C

Down Lights



SQUARE METAL HALIDE RECESSED DOWN LIGHT
LAN8876-70W-3K-WHT, LAN8876-70W-4K-WHT

Square recessed down light with clear glass. Complete with lamp & electronic control gear. Available in White.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	N/A	WHITE	LAN8876-70W-3K-WHT
4000K	N/A	WHITE	LAN8876-70W-4K-WHT



ROUND METAL HALIDE SHOP LIGHT
LAN150

Round recessed shop light with clear glass. Complete with lamp and electronic gear control. Available in White.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	WHITE	LAN150



RECTANGULAR METAL HALIDE SHOP LIGHT LAN150C

Rectangular recessed shop light with clear glass. Complete with lamp & electronic gear control. Available in White.




LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	WHITE	LAN150C



ROUND STARLIGHT LAN883SC

Round recessed fixed starlight. Complete with 10 or 20W lamp. Available in Satin Chrome.



COLOURS	PART NO	COLOURS	PART NO
SATIN CHROME	LAN883SC 10W	SATIN CHROME	LAN883SC 20W

Down Lights



SQUARE STARLIGHT LAN884-20W-SCH

Square recessed fixed starlight complete with 20W lamp.
Available in Satin Chrome.



LAMP TEMP LUMENS COLOURS PART NO

N/A

N/A

SATIN CHROME

LAN884-20W-SCH





Oyster Lights



LED ALYSIA OYSTER 15W LANALYSIA330LED

Round LED Ceiling Mounted Oyster available in 3000K with an output of 900 Lumens. Made from opal PMMA and brushed aluminium. 30,000 hour lifespan.



LAMP TEMP LUMENS COLOURS PART NO

3000K

900lm

BRUSHED ALUMINIUM

LANALYSIA330LED



LED ASTRA OYSTER LANASTRA300-LED24W

Round LED Ceiling Mounted Oyster available in 3000K. Made from opal PMMA and aluminium. 30,000 hour lifespan.



LAMP TEMP LUMENS COLOURS PART NO

3000K

N/A

SILVER

LANASTRA 300-LED24W

Oyster & Ceiling Lights



LED CEILING MOUNTED OYSTER

LAN2400-350LED-20W-3K

Round LED Ceiling Mounted Oyster. Made from opal PMMA. Complete with lamp.

N/A	350mm	105mm	240V	20W
LED	IP20	N/A	N/A	

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	1200lm	N/A	LAN2400-350LED-20W-3K



ALABASTER OYSTER

LAN2151, LAN2152, LAN2153

Round surface mount alabaster swirl glass oyster. Circular fluorescent conversion available P.O.A. Satin Chrome Clip.

N/A	300mm 400mm 500mm	90mm	240V	1x 20W 2x 20W 3x 20W
E27 CFL	IP20	N/A	N/A	

COLOURS	PART NO	COLOURS	PART NO
SATIN CHROME	LAN2151 300mm 1x 20W	SATIN CHROME	LAN2153 500mm 3x 20W
SATIN CHROME	LAN2152 400mm 2x 20W	N/A	N/A



SLIMLINE OPAL FLUORESCENT OYSTER

LAN2400-22, LAN2400-32, LAN2400-40

Round surface mount acrylic opal diffused oyster.

N/A	300mm 350mm 500mm	90mm 100mm 130mm	240V	22W 32W 40W
T5 Circ	IP20	N/A	N/A	

COLOURS	PART NO	COLOURS	PART NO
OPAL	LAN2400-22 300mm 22W	OPAL	LAN2400-40 500mm 40W
OPAL	LAN2400-32 350mm 32W	N/A	N/A



Oyster & Ceiling Lights



SPIKE CLIP OYSTER LAN4300LED, LAN4400LED

Round LED Ceiling Mounted Oyster available in 3000K with an output of 1200 Lumens 12W and 2000 Lumens 20W. Mains Dimmable LED Driver. Available in Satin Chrome clip with Frosted Glass.

L N/A
 W 300mm / 400mm
 H 80mm / 90mm
 ⚡ 240V
 ⚡ 1x 12W / 1x 20W
💡 LED
 IP IP20
 🔄 N/A
 A N/A

COLOURS PART NO COLOURS PART NO

SATIN CHROME LAN4300LED 300mm 1x 12W
 SATIN CHROME LAN4400LED 400mm 1x 20W



SPIKE CLIP OYSTER LAN4300, LAN4400, LAN4500

Round surface mount matt frost glass spike clip glass oyster. Circular fluorescent conversion available P.O.A. Satin Chrome Clip.

L N/A
 W 300mm / 400mm / 500mm
 H 80mm / 90mm / 100mm
 ⚡ 240V
 ⚡ 1x 20W / 2x 20W / 3x 20W
💡 E27
 IP IP20
 🔄 N/A
 A N/A

COLOURS PART NO COLOURS PART NO

SATIN CHROME LAN4300 300mm 1x 20W
 SATIN CHROME LAN4500 500mm 3x 20W
 SATIN CHROME LAN4400 400mm 2x 20W
 N/A
 N/A



SQUARE SURFACE MOUNT SPIKE CLIP WALL LIGHT LAN7471, LAN7472

Square surface mount matt frost glass spike clip glass oyster. PLC conversion available P.O.A. Available in Satin Chrome.

D 165mm
 W 300mm / 400mm
 H 300mm / 400mm
 ⚡ 240V
 ⚡ 60W
💡 E27
 IP IP20
 🔄 N/A
 A N/A

COLOURS PART NO COLOURS PART NO

SATIN CHROME LAN7471 300mm
 SATIN CHROME LAN7472 400mm



SQUARE LED OYSTER 20W 3000K LAN2500-350

Square LED ceiling mounted oyster. Made from opal PMMA. Complete with lamp.

L 375mm
 W 375mm
 H 107mm
 ⚡ 240V
 ⚡ 20W
💡 LED
 IP IP20
 🔄 N/A
 A N/A

LAMP TEMP LUMENS COLOURS PART NO

3000K 1200lm
 N/A
 LAN2500-350

Oyster & Ceiling Lights



ECLIPSE LED 12W OYSTER

LAN-ECLIPSE12W-3K-D, LAN-ECLIPSE12W-4K-D

Ultra Slim Round LED Ceiling Mounted Oyster. Made from opal PMMA and polycarbonate. IP54 for indoor or outdoor covered areas. 40,000hr lifespan. Up to 70% energy cost savings. Emits no UV or IR light. Dimmable. Available in White.

L N/A
W 200mm
H 48mm
⚡ 240V
⚡ 12W

💡 LED
IP IP54
🌀 N/A
⌵ 120°

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	1000lm	WHITE	LAN-ECLIPSE12W-3K-D
4000K	1100lm	WHITE	LAN-ECLIPSE12W-4K-D



ECLIPSE LED 18W OYSTER

LAN-ECLIPSE18W-3K-D, LAN-ECLIPSE18W-4K-D

Ultra Slim Round LED Ceiling Mounted Oyster. Made from opal PMMA and polycarbonate. IP54 for indoor or outdoor covered areas. 40,000hr lifespan. Up to 70% energy cost savings. Emits no UV or IR light. Dimmable. Available in White.

L N/A
W 300mm
H 40mm
⚡ 240V
⚡ 18W

💡 LED
IP IP54
🌀 N/A
⌵ 120°

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	1530lm	WHITE	LAN-ECLIPSE18W-3K-D
4000K	1580lm	WHITE	LAN-ECLIPSE18W-4K-D



ECLIPSE LED 25W OYSTER

LAN-ECLIPSE25W-3K-D, LAN-ECLIPSE25W-4K-D

Ultra Slim Round LED Ceiling Mounted Oyster. Made from opal PMMA and polycarbonate. IP54 for indoor or outdoor covered areas. 40,000hr lifespan. Up to 70% energy cost savings. Emits no UV or IR light. Dimmable. Available in White.

L N/A
W 350mm
H 40mm
⚡ 240V
⚡ 25W

💡 LED
IP IP54
🌀 N/A
⌵ 120°

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	2000lm	WHITE	LAN-ECLIPSE25W-3K-D
4000K	2150lm	WHITE	LAN-ECLIPSE25W-4K-D



ECLIPSE LED 18W COLOUR CHANGEABLE OYSTER

LAN-ECLIPSE18WCC

Ultra Slim Round LED Ceiling Mounted Oyster. Made from opal PMMA and polycarbonate. IP54 for indoor or outdoor covered areas. Dimmable and colour changeable from Warm White to Cool White. Emits no UV or IR light. Available in White.

L N/A
W 300mm
H 40mm
⚡ 240V
⚡ 18W

💡 LED
IP IP54
🌀 N/A
⌵ 120°

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K - 5000K	1530 - 1580lm	WHITE	LAN-ECLIPSE18W-CC

Oyster & Ceiling Lights



ECLIPSE LED 25W COLOUR CHANGEABLE OYSTER LAN-ECLIPSE25WCC

Ultra Slim Round LED Ceiling Mounted Oyster. Made from opal PMMA and polycarbonate. IP54 for indoor or outdoor covered areas. Dimmable and colour changeable from Warm White to Cool. Emits no UV or IR light. White. Available in White.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K - 5000K	2000 - 2150lm	WHITE	LAN-ECLIPSE25W-CC



LUNAR LED 18W 5000K MLL05018BD, MLL05018WD

The Lunar oyster 18W lamp is designed to fit flush to a ceiling or wall utilising the custom built mounting system included. With a 40mm super slim profile, the Lunar still produces 1284 lumens in a Cool White light colour.



LAMP TEMP	LUMENS	COLOURS	PART NO
5000K	1284lm	BRUSHED NICKEL	MLL05018BD Dimmable
5000K	1284lm	WHITE	MLL05018WD Dimmable



LUNAR LED 18W 3000K MLL03018BD, MLL03018WD

The Lunar oyster 18W lamp is designed to fit flush to a ceiling or wall utilising the custom built mounting system included. With a 40mm super slim profile, the Lunar still produces 1160 lumens in a Warm White light colour.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	1160lm	BRUSHED NICKEL	MLL03018BD Dimmable
3000K	1160lm	WHITE	MLL03018WD Dimmable



LUNAR LED 28W 3000K MLL03028BD, MLL03028WD

The Lunar oyster 28W lamp is designed to fit flush to a ceiling or wall utilising the custom built mounting system included. With a 40mm super slim profile, the Lunar still produces 1845 lumens in a Warm White light colour.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	1845lm	BRUSHED NICKEL	MLL03028BD Dimmable
3000K	1845lm	WHITE	MLL03028WD Dimmable

Oyster & Ceiling Lights



LUNAR LED 28W 5000K MLL05028BD, MLL05028WD

The Lunar oyster 28W lamp is designed to fit flush to a ceiling or wall utilising the custom built mounting system included. With a 40mm super slim profile, the Lunar still produces 2050 lumens in a Cool White light colour.

L N/A
W 250mm
H 40mm
⚡ 240V
⚡ 28W

💡 LED
IP IP54
🌀 N/A
⤴ 160°

LAMP TEMP	LUMENS	COLOURS	PART NO
5000K	2050lm	BRUSHED NICKEL	MLL05028BD Dimmable
5000K	2050lm	WHITE	MLL05028BWD Dimmable



LUNAR LED 38W 3000K MLL03038BD, MLL03038WD

The Lunar oyster 38W lamp is designed to fit flush to a ceiling or wall utilising the custom built mounting system included. With a 40mm super slim profile, the Lunar still produces 2350 lumens in a Warm White light colour.

L N/A
W 300mm
H 40mm
⚡ 240V
⚡ 38W

💡 LED
IP IP54
🌀 N/A
⤴ 160°

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	2350lm	BRUSHED NICKEL	MLL03038BD Dimmable
3000K	2350lm	WHITE	MLL03038WD Dimmable



LUNAR LED 38W 5000K MLL05038BD, MLL05038WD

The Lunar oyster 38W lamp is designed to fit flush to a ceiling or wall utilising the custom built mounting system included. With a 40mm super slim profile, the Lunar still produces 2525 lumens in a Cool White light colour.

L N/A
W 300mm
H 40mm
⚡ 240V
⚡ 38W

💡 LED
IP IP54
🌀 N/A
⤴ 160°

LAMP TEMP	LUMENS	COLOURS	PART NO
5000K	2525lm	BRUSHED NICKEL	MLL05038BD Dimmable
5000K	2525lm	WHITE	MLL05038WD Dimmable



ROUND SURFACE MOUNTED OYSTER LAN4380

Round surface mount slim trim frost glass Oyster. Satin Chrome Trim.

L N/A
W 400mm
H N/A
⚡ 240V
⚡ 2x 20W

💡 E27
IP IP20
🌀 N/A
⤴ N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	SATIN CHROME	LAN4380

Oyster & Ceiling Lights



PRISAYA LED OYSTER LAN6930-12WLED

Round LED Ceiling Mounted Oyster available in 3000K with an output of 1200 Lumens. Mains Dimmable LED Driver. Available in Satin Chrome with Frosted Glass.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	1200lm	SATIN CHROME	LAN6930-12WLED



PRISAYA OYSTER LAN6930-E27, LAN6940-E27

Round Ceiling Mounted Oyster with E27 lamp holder. Available in Satin Chrome with Frosted Glass.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	SATIN CHROME	LAN6930-E27 300mm
N/A	N/A	SATIN CHROME	LAN6940-E27 400mm



PRISAYA LED OYSTER LAN6940-20WLED

Round LED Ceiling Mounted Oyster available in 3000K with an output of 2000 Lumens. Mains Dimmable LED Driver. Available in Satin Chrome with Frosted Glass.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	2000lm	SATIN CHROME	LAN6940-20WLED



PRISAYA OYSTER LAN6940-2XE27

Round Ceiling Mounted Oyster with 2x E27 lamp holder. Available in Satin Chrome with Frosted Glass.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	SATIN CHROME	LAN6940-2XE27

Oyster & Ceiling Lights



SURFACE MOUNTED LED LOW PROFILE OYSTER

LAN-SLICE150, LAN-SLICE170

Surface mounted, low-profile Oyster made from aluminium. The highly efficient lens diffuses light evenly, achieving a 90° beam angle. 30,000/40,000 hour lifespan. Available in White.

L N/A
W 150mm / 170mm
H 60mm / 68mm
⚡ 240V
⚡ 12W / 18W

💡 LED
IP IP40 / IP54
🔄 N/A
∠ 90°

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	700lm	WHITE	LAN-SLICE150 12W IP40
3000K	1584lm	WHITE	LAN-SLICE170 18W IP54



LED SURFACE MOUNTED 15W IP54 DOWN LIGHT

LANCOBSMWH15W3K, LANCOBSMWH15W4K

15W Surface Mounted Ceiling Light with COB LED chip and clear lens. Aluminium profile provides excellent thermal dissipation. Complete with isolated driver. IP54 rated. Dimmable. Suitable for commercial and residential applications like office, supermarket, shop, school, hotel, restaurant, workshop, warehouses etc. Available in White. Warm White or Neutral White.

L N/A
W 90mm
H 100mm
⚡ 240V
⚡ 15W

💡 LED
IP IP54
🔄 N/A
∠ 60°

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	970lm	WHITE	LANCOBSM15W3K
4000K	1000lm	WHITE	LANCOBSM15W4K



SQUARE FLUORESCENT

GE241022, GE241040

T5 Fluorescent Square Ceiling Light. Matt opal acrylic diffuser with steel back plate, aluminium trim and electronic ballast. Side screws for lamp replacement. Available in Silver.

L N/A
W 350mm / 400mm
H 67mm
⚡ 240V
⚡ 22W / 40W

💡 T5
IP IP20
🔄 N/A
∠ N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	SILVER	GE241022 350mm 22W
N/A	N/A	SILVER	GE241040 400mm 40W



SURFACE MOUNT PLC DOWN LIGHT

LANTUBUSPRO2-18, LANTUBUSPRO2-26

Surface mounted faceted reflector down light complete with integral electronic gear & lamps. Available in White.

L N/A
W 280mm
H 155mm
⚡ 240V
⚡ 2x 18W / 2x 26W

💡 G24/PLC
IP IP20
🔄 N/A
∠ N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	WHITE	LANTUBUS-PRO2-18
N/A	N/A	WHITE	LANTUBUS-PRO2-26

Oyster & Ceiling Lights



ELITE SURFACE MOUNTED CEILING LIGHT 19410, 19411

Round body exterior ceiling-mounted direct-light suitable for alfresco entertaining, BBQ areas etc. Constructed from Pure 6063 Grade Aluminium, and completed with a Natural Clear Anodised Finish. Available with a high-performance 6W GU10 replaceable lamp (dimnable*) or without.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	350lm	ALUMINIUM	19410 Warm White
5000K	380lm	ALUMINIUM	19411 White



ALPHA SURFACE MOUNTED CEILING LIGHT 19413, 19414

Square body exterior ceiling-mounted direct-light. Constructed from Pure 6063 Grade Aluminium and completed with a Natural Clear Anodised Finish. Ideal for coastal areas. Comes complete with a high-performance 6W GU10 replaceable lamp (dimnable*) or without. Available in Silver.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	350lm	SILVER	19413 Warm White
5000K	380lm	SILVER	19414 White



ROUND CEILING LIGHT LANMC2000BLK

Surface mounted ceiling light. Constructed in aluminium and powdercoated to ensure high corrosion & UV resistance. Waterproof silicone seal gasket and 4mm thick toughened glass diffuser. Complete with meanwell driver. Available in Black.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	N/A	BLACK	LANMC2000BLK



SURFACE MOUNTED CANOPY LIGHT SBN961LED

Surface mounted canopy light with prismatic diffuser and stainless steel construction. With integral control gear. Supplied with lamp. Available in White.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	16000lm	WHITE	SBN961LED

Oyster & Ceiling Lights



SURFACE MOUNTED CANOPY LIGHT SBN961250, SBN961400

Surface mounted canopy light with prismatic diffuser and stainless steel construction. With integral control gear. Available in White.

L 580mm W 580mm H 290mm ⚡ 240V ⚡ 250W / 400W
⚡ GES IP IP20 ⚡ N/A A N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	27000lm	WHITE	SBN961250 250W
N/A	48000lm	WHITE	SBN961400 400W



RECESSED LED CANOPY LIGHT SBN961150REC

150W recessed LED canopy light with aluminium alloy housing and meanwell driver. 3 year replacement warranty. Available in White.

L 400mm W 400mm H 160mm ⚡ 240V ⚡ 150W
⚡ LED IP IP65 ⚡ 350 x 350mm A N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
5000K	13000lm	WHITE	SBN961150REC



SURFACE MOUNTED LED CANOPY LIGHT SBN961150SM

150W surface mounted LED canopy light with aluminium alloy housing and meanwell driver. 3 year replacement warranty. Available in White.

L 327mm W 327mm H 160mm ⚡ 240V ⚡ 150W
⚡ LED IP IP65 ⚡ N/A A N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
5000K	13000lm	WHITE	SBN961150SM



SURFACE MOUNTED CANOPY LIGHT FA150HSJ

Surface mounted canopy light with prismatic diffuser and heavy duty die cast aluminium body. With integral control gear. Supplied with lamp. Available in Black, Silver or White.

L 320mm W 320mm H 230mm ⚡ 240V ⚡ 26W / 32W / 42W / 70W / 150W
⚡ PLC / ES IP IP55 ⚡ N/A A N/A

COLOURS	COLOURS	COLOURS	PART NO
BLACK	SILVER	WHITE	FA150HSJ

Oyster & Ceiling Lights



SURFACE MOUNT LED BATTEN

LANPLASTH40WLED4K

Our LED batten is suitable for a wide range of applications including garages, workshops and task areas where a high-output, natural white, surface mounted fitting is required. Made with extruded opal polycarbonate diffuser with UV protection and powdercoated steel housing. Available in White.



LAMP TEMP LUMENS COLOURS PART NO



SLIMLINE LED DIFFUSED INTERLINKABLE

LANCG8WLED4K, LANCG12WLED4K, LANCG18WLED4K, LANCG25WLED4K

Linkable tube LED with built-in driver. Achieves high lighting performance and good heat dissipation. Comes complete with 3 pins, 2pcs screws and clips. 1.2m flex and plug also available. Non-dimmable. Available in White.




PART NO PART NO PART NO PART NO



BLADE SLIMLINE LED SURFACE MOUNT

LANBLADE

A slimline surface mounted fitting that is both modern and practical for those areas needing that little extra light i.e the kitchen, the study etc. Allows for easy installation in no time at all. Non-dimmable. 2 year replacement warranty. In Warm White (3100 lumens) or Neutral White (3200 lumens). Available in White or Brushed Aluminium.



COLOURS PART NO COLOURS PART NO





Step Lights



SQUARE WALL LIGHT LANGS-033

Square recessed wall light with ribbed reflector complete with mounting box. Available in Aluminium.




LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	ALUMINIUM	LANGS-033



LED EXTERNAL WALL LIGHT LANLADDER100S

The cover frame and lamp body are made of die-casted aluminium alloy; the surface is treated by two processes of electro casting dusting. The lens is equipped with sandblasted, fully-toughened glass. Silica gel waterproof gaskets which are resistant to high temperatures are installed around the glass and under the cover. Supplied with canister.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	N/A	GREY	LANLADDER100S



LED EXTERNAL WALL LIGHT LANLADDER150S

The cover frame and lamp body are made of die-casted aluminium alloy; the surface is treated by two processes of electro casting dusting. The lens is equipped with sandblasted, fully-toughened glass. Silica gel waterproof gaskets which are resistant to high temperatures are installed around the glass and under the cover. Supplied with canister.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	N/A	GREY	LANLADDER150S



LED WALL LIGHT GL034ANW, GL034AWW

Made from marine grade stainless steel and aluminium, durable and suitable for both indoor and outdoor use. Ideal for being used either as a wall light to highlight steps and walk ways or a ground light to highlight walls and paths.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	N/A	STAINLESS STEEL	GL034ANW Neutral White
4000K	N/A	STAINLESS STEEL	GL034AWW Warm White

Step Lights



LED STEP LIGHT WL050WW, WL050NW

Square recessed LED wall light with ribbed reflector and 35° wide beam angle, which allows ample room between each fitting. Lights hall ways, stairs and lobbies directing light towards the floor. Available in Warm White, Neutral White or Blue. Made from Aluminium.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	29lm	ALUMINIUM	WL050WW Warm White
4000K	62lm	ALUMINIUM	WL050NW Neutral White



WALL BOX WL050WB

Wall box for use with WL050 wall light. Steel construction.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	STAINLESS STEEL	WL050WB



ROUND STEP LIGHT LANSTEPRD3W3K

The lamp body is made of pure aluminium and is shaped by CNC machines. The surface is varnished after brushing. Light washes the surface at an angle, providing the perfect amount of light for a stair or hallway. Requires 700mA Driver - Series Wired. Supplied with canister.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	N/A	BRUSHED ALUMINIUM	LANSTEPRD3W3K



SQUARE STEP LIGHT LANSTEPSQ3W3K

The lamp body is made of pure aluminium and is shaped by CNC machines. The surface is varnished after brushing. Light washes the surface at an angle, providing the perfect amount of light for a stair or hallway. Requires 700mA Driver - Series Wired. Supplied with canister.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	N/A	BRUSHED ALUMINIUM	LANSTEPSQ3W3K

Step Lights



SLIM ROUND LED STEP LIGHT LAN-SLIM3K-ROUND

Round recessed LED step light which emits light two ways, up and down or left and right depending on which direction you choose. Made from solid aluminium. Includes 500mm wire. Canister available on request. Remote 700mA constant current driver required.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	145lm	ALUMINIUM	LAN-SLIM3K-ROUND



SLIM SQUARE LED STEP LIGHT LAN-SLIM3K-SQUARE

Square recessed LED step light which emits light two ways, up and down or left and right depending on which direction you choose. Made from solid aluminium. Includes 500mm wire. Canister available on request. Remote 700mA constant current driver required.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	145lm	ALUMINIUM	LAN-SLIM3K-SQUARE



ROUND SURFACE MOUNTED STEP LIGHT 19978, 19979

A surface mounted round wall or step light for interior or exterior applications. Simple yet clean in design yet fully functional. Die cast aluminium body with silver colour polyester coated finish. Built-in LED driver. Non-dimmable.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	120lm	SILVER	19978 Warm White
6000K	180lm	SILVER	19979 White



SQUARE SURFACE MOUNTED STEP LIGHT 19980, 19981

A surface mounted square wall or step light for interior or exterior applications. Simple yet clean in design yet fully functional. Die cast aluminium body with silver colour polyester coated finish. Built-in LED driver. Non-dimmable.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	120lm	SILVER	19980 Warm White
6000K	180lm	SILVER	19981 White

Step Lights



ROUND STEP LIGHT LAN-DOMERND

Round step light which emits light asymmetrically, perfect for washing stairs. Made from solid aluminium. 500mm wire included. Canister available on request. Remote 700mA driver required.

N/A	80mm	24mm	700mA	3W
CREE LED	IP20	63mm	N/A	

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	145lm	ALUMINIUM	LAN-DOMERND



SQUARE STEP LIGHT LAN-DOMESQ

Square recessed LED step light which emits light asymmetrically, perfect for washing stairs. Made from solid aluminium. 500mm wire included. Canister available on request. Remote 700mA driver required.

80mm	80mm	24mm	700mA	3W
CREE LED	IP20	63mm	N/A	

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	145lm	ALUMINIUM	LAN-DOMESQ



EYELID STEP LIGHT

LAN2015B, LAN2015SS, LAN2015S

Round recessed eyelid step light. 12V Transformer required. Available in Black, Stainless Steel or Silver.

N/A	88mm	100mm	12V	35W
MR16	IP65	64mm	N/A	

COLOURS	PART NO	COLOURS	PART NO
STAINLESS STEEL	LAN2015SS	BLACK	LAN2015B
SILVER	LAN2015S	N/A	N/A



ROUND RECESSED STEP LIGHT

LAN2013B, LAN2013SS, LAN2013S

Round recessed step light. 12V Transformer required. Available in Black, Stainless Steel or Silver.

N/A	88mm	75mm	12V	35W
MR16	IP65	64mm	N/A	


COLOURS	PART NO	COLOURS	PART NO
STAINLESS STEEL	LAN2013SS	BLACK	LAN2013B
SILVER	LAN2013S	N/A	N/A

Step Lights



SQUARE STEP LIGHT LANGS-031

Square recessed step light with tempered frost glass complete with mounting box. Available in Aluminium.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	ALUMINIUM	LANGS-031



SQUARE STEP LIGHT LANGS-032

Square recessed step light with tempered frost glass complete with mounting box. Available in Aluminium.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	ALUMINIUM	LANGS-032





Wall Lights



SURFACE MOUNTED UP & DOWN WALL LIGHT LAN-FOCUSIP, LAN-FOCUSIPBLK

Rectangular-shaped surface mounted up/down LED wall light in Silver. The light beams can be adjusted by moving the internal fins. Can be used internally or externally. Complete with integral driver. Available in Silver or Black.

78mm	100mm	100mm	240V	2x 3W
CREE LED	IP65	N/A	N/A	

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	145lm	BLACK	LAN-FOCUSIPBLK
3000K	145lm	SILVER	LAN-FOCUSIP



FADE WALL LIGHT LED LAN-FADE3K

Cube-shaped surface mounted LED wall light made from solid aluminium with powder coated white RAL9003 finish. Light is emitted indirectly in a uniform up and down direction. Complete with integral driver.

100mm	100mm	100mm	240V	6W
CITIZEN LED	IP20	N/A	N/A	

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	475lm	WHITE	LAN-FADE3K



SURFACE MOUNTED UP & DOWN WALL LIGHT LAN-FOCUS

Rectangular-shaped surface mounted up/down LED wall light made from solid aluminium. The light beams can be adjusted by moving the internal fins. Can be used internally or externally. Complete with integral driver.

78mm	100mm	100mm	240V	2x 3W
CREE LED	IP65	N/A	N/A	

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	145lm	ALUMINIUM	LAN-FOCUS

Wall Lights



WAVE LED LANWAVEBB3K

The lamp body is made of extruded pure aluminium, then shaped via CNC. The surface is then varnished after brushing. The SMD LED light source is diffused with an efficient light transmission lens. Complete with gear.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	1200lm	BRUSHED ALUMINIUM	LANWAVEBB3K



WEDGE UP & DOWN WALL LIGHT LAN-WEDGE5K

Surface mounted LED up and down wall light. Made from solid aluminium. Complete with integral driver.



LAMP TEMP	LUMENS	COLOURS	PART NO
5000K	145lm	ALUMINIUM	LANWEDGE5K



DRIFT WALL LIGHT LANDRIFTBK6W3K, LANDRIFTSIL6W3K

2 x 3W LED slimline exterior wall light narrow light up and wide light down. Die cast aluminium body. 240V wiring, built in 350mA LED Driver. Non-dimmable. Available in Warm White. Silver or Black finish.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	320lm	BLACK	LANDRIFTBK6W3K
3000K	320lm	SILVER	LANDRIFTSIL6W3K



X-WAVE WALL LIGHT 19462, 19463

A contemporary alternative to traditional wall lights. Made from a high quality cast aluminium then surface treated before a polyester silver powder coat is applied. With amazing 25° upward illumination to a wide 45° downward light. Integral LED driver. IP54 rated. Non-dimmable.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	500lm	SILVER	19462 Warm White
5000K	580lm	SILVER	19463 White

Wall Lights



I-BOOK WALL LIGHT 19464, 19465

2 x 3W LED exterior wall light wide light up and narrow light down. Die cast aluminium body, custom silver powder coat. 25° up-beam and 5° downbeam. 240V wiring, built in 350mA LED Driver. Non-dimmable.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	320lm	SILVER	19464 Warm White
5000K	360lm	SILVER	19465 White



SURFACE MOUNTED SPIKE CLIP WALL LIGHT LAN4305

Surface mount matt frost glass spike clip wall light. Available in Satin Chrome.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	SATIN CHROME	LAN4305



SURFACE MOUNT SPIKE CLIP WALL LIGHT LAN7473

Surface mount matt frost glass spike clip wall light. Available in Satin Chrome.




LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	SATIN CHROME	LAN7473



ALABASTER WALL LIGHT LAN2154

Surface mount alabaster swirl glass wall light. Available in Satin Chrome.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	SATIN CHROME	LAN2154

Wall Lights



VISION MFV108, MFV114, MFV121

A beautiful addition to any bathroom the Vision range features a durable chrome plated finish, adjustable light head and the choice of 8W, 14W and 21W high light output T5 4000K Tri-phosphor tube.




COLOURS PART NO PART NO PART NO



ADJUSTABLE SPOT LIGHT LAN102102GRY

Adjustable LED outdoor spotlight. This spotlight provides 9W of high intensity light. Constructed from die-cast aluminium and with an IP65 rating, provides a resilient product suited to most outdoor applications. Optional Spike. Available in Warm White. In Dark Grey finish.



LAMP TEMP LUMENS COLOURS PART NO



SURFACE MOUNTED DIE CAST LAN8028B, LAN8028S

Surface mounted die-cast with aluminium reflector. LAN8028G-70W G12 MH version available fitting only or kit P.O.A. Available in Black or Silver.




LAMP TEMP LUMENS COLOURS PART NO



ADJUSTABLE WALL SPOTLIGHT LAN2030BK, LAN2030SS, LAN2030SIL

Surface mounted adjustable wall spotlight complete with lamp. 12V transformer required. Available in Black, Stainless Steel or Silver.



COLOURS PART NO COLOURS PART NO



Wall Lights



ADJUSTABLE WALL SPOTLIGHT LAN2030T/BLK, LAN2030T/SS, LAN2030T/SIL

Surface mounted adjustable wall spotlight complete with lamps & integral electronic control gear. Available in Black, Stainless Steel or Silver.



COLOURS	PART NO	COLOURS	PART NO
SILVER	LAN2030T/SIL	BLACK	LAN2030T/BK
STAINLESS STEEL	LAN2030T/SS	N/A	N/A



FIXED WALL DOWN LIGHT LAN2040T/BLK, LAN2040T/SS, LAN2040T/SIL

Surface mounted fixed wall down light complete with lamps & integral electronic control gear. Available in Black, Stainless Steel or Silver.



COLOURS	PART NO	COLOURS	PART NO
SILVER	LAN2040T/SIL	BLACK	LAN2040T/BLK
STAINLESS STEEL	LAN2040T/SS	N/A	N/A



UP & DOWN UNI-LIGHT SPOTLIGHT LAN2010/BLK, LAN2010/SS, LAN2010/SIL

Surface mounted up & down uni-light spotlight complete with lamps. 12V Transformer required. Available in Black, Silver or Stainless Steel.



COLOURS	PART NO	COLOURS	PART NO
SILVER	LAN2010/SIL	BLACK	LAN2010/BLK
N/A	N/A	STAINLESS STEEL	LAN2010/SS



UP & DOWN UNI-LIGHT SPOTLIGHT LAN2010T/BLK, LAN2010T/SS, LAN2010T/SIL

Surface mounted up & down uni-light spotlight complete with lamps & integral electronic control gear.




COLOURS	PART NO	COLOURS	PART NO
SILVER	LAN2010T/SIL	BLACK	LAN2010T/BLK
N/A	N/A	STAINLESS STEEL	LAN2010T/SS

Wall Lights



FIXED WALL DOWN LIGHT LAN2040BK, LAN2040SS, LAN2040SIL

Surface mounted fixed wall down light complete with lamps. 12V Transformer required. Available in Black, Stainless Steel or Silver.




COLOURS	PART NO	COLOURS	PART NO
SILVER	LAN2040SIL	BLACK	LAN2040BK
STAINLESS STEEL	LAN2040SS	N/A	N/A



ADJUSTABLE GU10 WALL SPOTLIGHT LAN20301BLK, LAN20301TI

Surface mounted adjustable wall spotlight. 5W Warm White non-dimmable Lamp included. Available in Black, Titanium Aluminium or Anodised Aluminium.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	N/A	BLACK	LAN20301BLK
3000K	N/A	TITANIUM ALUMINIUM	LAN20301TI



UP & DOWN GU10 WALL LIGHT LAN20101BLK, LAN20101TI

Surface mounted up & down wall spotlight. 2x 5W Warm White non-dimmable Lamps included. Available in Black, Titanium Aluminium or Anodised Aluminium.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	N/A	BLACK	LAN20101BLK
3000K	N/A	TITANIUM ALUMINIUM	LAN20101TI



FIXED GU10 WALL DOWN LIGHT LAN20401BLK, LAN20401TI

Surface mounted fixed wall down light. 5W Warm White non-dimmable Lamp included. Available in Black, Titanium Aluminium or Anodised Aluminium.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	N/A	BLACK	LAN20401BLK
3000K	N/A	TITANIUM ALUMINIUM	LAN20401TI

Wall Lights



UP AND DOWN LED WALL LIGHT RGB WL070RGBW

This 24W wall-mounted colour-change LED is practical and versatile. By throwing light upwards towards the ceiling and downwards towards the floor, it provides a much wider zone of illumination. Gives you the entire range of colours or choose pure white light for the times when practicality is more important than atmosphere. Complete with wall fittings. 5 year warranty.




LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	ALUMINIUM	WL070RGBW RGB



UP AND DOWN LED WALL LIGHT WL070A, WL170A, WL370A

A direct to mains LED wall light that delivers light both up and down a wall, pillar or post. Extremely durable, suitable for both indoor and outdoor applications and can deliver usable light in a choice of Warm White or Neutral White.



COLOURS	PART NO	COLOURS	PART NO
SILVER	WL070A	COPPER	WL370A
BLACK	WL170A	N/A	N/A



LED WALL LIGHT WL075AWW, WL075ANW, WL175ANW

A direct to mains LED wall light made from anodised aluminium and IP rated to 65, suitable for decorating walls, pillars or posts with floods of light. Complete with fixings. Available in Warm White or Neutral White.




COLOURS	PART NO	COLOURS	PART NO
SILVER	WL075AWW Warm White	BLACK	WL175ANW Neutral White
SILVER	WL075ANW Neutral White	N/A	N/A



LED WALL LIGHT RGB WL075CARGB

Bring walls to life with this stylish anodised aluminium wall unit. It washes a section of the wall in RGB colour. The beam angle is 56° for a broader reach. Whether you point the beam up or down will depend on the effect you want to create. Complete with wall fixings.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	27lm	ALUMINIUM	WL075CARGB RGB

Wall Lights



LED WALL LIGHT

WL060WW, WL060NW, WL160WW, W160NW

Using a halo effect combined with a downward LED, makes this product ideal for both entrance and hall ways. Suitable for both indoor or outdoor and finished to a very high standard using anodised aluminium; this wall light will compliment any lighting scheme. Available in Warm White or Neutral White.

L 103mm W 78mm H 130mm ⚡ 240V ⚡ 2.6W

LED IP IP65 N/A A 110°

COLOURS PART NO COLOURS PART NO

SILVER	WL060WW Warm White	BLACK	WL160WW Warm White
SILVER	WL060NW Neutral White	BLACK	WL160NW Neutral White



LED WALL LIGHT

WL140AFWW, WL140AFNW, WL240AFWW, WL240AFNW

Replace your existing wall light with the WL140A, equivalent to a 35W halogen and using an integral power supply, makes it simple and easy to do. Using an adjustable head and cowl design for low glare, means directing the light could not be easier. Suitable for both indoor and outdoor applications.

L 208mm W 78mm H N/A ⚡ 240V ⚡ 8W

LED IP IP65 N/A A 38°

COLOURS PART NO COLOURS PART NO

SILVER	WL240AFWW Warm White	BLACK	WL140AFWW Warm White
SILVER	WL240AFNW Neutral White	BLACK	WL140AFNW Neutral White



LED WALL LIGHT

WL220AMAINS

A straight to mains LED Wall light, making it simple and easy to install. Using an adjustable head that can also rotate, means directing the light could not be easier. Suitable for both indoor and outdoor applications. Available Flood or Spot lens. In Warm White or Neutral White.

L 164.5mm W 78.5mm H N/A ⚡ 240V ⚡ 3.6W

LED IP IP65 N/A A S 18°
F 38°

COLOURS PART NO COLOURS PART NO

SILVER	WL220AMAINSSWW Spot Warm White	SILVER	WL220AMAINSFWW Flood Warm White
SILVER	WL220AMAINSSNW Spot Neutral White	SILVER	WL220AMAINSNW Flood Neutral White



LED WALL LIGHT

WL220A, WL020ABLK, WL320A

Features three 1W high power LEDs giving an awesome lighting effect. Making this ideal for lighting walls, path ways or picking out key features in a room. Suitable for both indoor and outdoor applications. Available in Flood or Spot lens. In Warm White or Neutral White.

L 145mm W 78.5mm H N/A ⚡ 350mA ⚡ 3W

LED IP IP65 N/A A S 18°
F 38°

COLOURS PART NO COLOURS PART NO

SILVER	WL220A	COPPER	WL320A
BLACK	WL020ABLK	N/A	N/A

Wall Lights



LED WALL LIGHT RGB
WL220CARGB, WL021CARGB

Let there be light – and light of every colour – wherever you want. This stylish anodised aluminium outdoor wall unit creates theatrical effects for any location. With wall fixings included and a 90° tilt angle, you can point this RGB light show in any direction. Complete with wall fixings.

L 145mm
W 78.5mm
H N/A
⚡ 350mA
⚡ 3W

💡 LED
IP IP65
🔄 N/A
📐 18°

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	68lm	SILVER	WL220CARGB RGB
N/A	68lm	BLACK	WL0201CARGB RGB



LED ADJUSTABLE MINI WALL LIGHT
MF02IP, MS02IP

Mini wall lights are stylish and functional. Great for lighting pictures and focal items. Made from marine grade stainless and IP rated to 65 allows for installation both indoor and out. In Spot or Flood lens. Choose from 6 ambient LED colours. 3 wall mounting brackets also available.

L 35mm
W 30mm
H 38.5mm
⚡ 350mA
⚡ 1W

💡 LED
IP IP65
🔄 N/A
📐 S 12°
F 16°

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	STAINLESS STEEL	MF02IP Flood
N/A	N/A	STAINLESS STEEL	MS02IP Spot



LED WALL LIGHT
MC040WW, MC040NW

Stylish, functional and durable wall light. Using 4 LED's creates a smooth light output suitable for lighting down walls and over entrance ways. Complete with integral power supply and with wall fixings makes the MC040 easy to install in any environment. Available in Warm White and Neutral White.

L 142mm
W 80mm
H N/A
⚡ 240V
⚡ 5W

💡 LED
IP IP65
🔄 N/A
📐 110°

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	243lm	STAINLESS STEEL	MC040WW Warm White
4000K	312lm	STAINLESS STEEL	MC040NW Neutral White



LED DECORATIVE WALL LIGHT
MC050WW, MC050NW

The MC050 combines a remarkable light output with a striking light effect ideal for bringing to life any installation. Is straight to mains and IP-rated for both internal and external environments. Constructed in anodised aluminium. Available in Warm White and Neutral White.

L 142mm
W 80mm
H N/A
⚡ 240V
⚡ 6.5W

💡 LED
IP IP65
🔄 N/A
📐 110°

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	243lm	STAINLESS STEEL	MC050WW Warm White
4000K	312lm	STAINLESS STEEL	MC050NW Neutral White

Wall Lights



LED MINI CUBE WALL LIGHT MC010S

The MC010 creates stunning effects on walls in both residential and commercial environments. Using a spot lens keeps the light narrow and direct, sending light over long distances. Constructed in anodised aluminium. Available in 6 ambient LED colours.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	55lm	ALUMINIUM	MC01SWW Warm White
4000K	70lm	ALUMINIUM	MC01SNW Neutral White



LED MINI CUBE WALL LIGHT MC015SNW, MC015SWW, MC015SBL

The MC015 creates stunning effects on walls in both residential and commercial environments. Using a spot lens keeps the light narrow and direct, sending light over long distances. Complete with an integral power supply, wall fixings and pattress box makes installation quick and easy.




COLOURS	PART NO	COLOURS	PART NO
ALUMINIUM	MC015SWW Warm White	ALUMINIUM	MC015SBL Blue
ALUMINIUM	MC015SNW Neutral White	N/A	N/A



LED MINI CUBE WALL LIGHT MC020S, MC020SNW

Stylish, functional and finished to the highest standards in aluminium, the MC020 creates stunning effects on walls in both residential and commercial environments. Using a spot lens keeps the light narrow and direct, sending light over long distances. Available in 6 ambient LED colours.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	110lm	ALUMINIUM	MC020S Warm White
4000K	140lm	ALUMINIUM	MC020SNW Neutral White



LED MINI CUBE WALL LIGHT MC025S, MC025SNW

The MC025 creates stunning effects on walls in both residential and commercial environments. Using a spot lens keeps the light narrow and direct, sending light over long distances. Complete with an integral power supply, wall fixings and pattress box makes installation quick and easy.



LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	140lm	ALUMINIUM	MC025SNW Neutral White
N/A	N/A	ALUMINIUM	MC025SBL Blue


Wall Lights



LED DECORATIVE MINI LIGHT

ML02WW, ML02NW

Contemporary, chic, yet rugged, the ML02 decorative mini-light adds style to floors, bars, walls and stairs. Made from marine grade stainless steel and IP rated to 68 ensures you can use this product indoors or out. Choose from 6 ambient LED colours.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	24lm	STAINLESS STEEL	ML02WW Warm White
4000K	35lm	STAINLESS STEEL	ML02NW Neutral White



LED MINI HALO WALL LIGHT

ML03WW, ML03NW

Add impact to any area with the ML03 wall light. An elegant 'halo' effect is created around the unit in a choice of 6 ambient LED colours. Finished to a high standard using anodised aluminium, this trendy mini-light will look great in superior establishments and homes.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	28lm	ALUMINIUM	ML03WW Warm White
4000K	40lm	ALUMINIUM	ML03NW Neutral White




LED ROTATABLE OCTAGONAL WALL LIGHT

OCTOLEDWW, OCTOLEDNW

This eight sided wall light featuring a quality anodised aluminium finish, with four LED's on opposing sides, creates a light effect that is both modern and elegant. By simply rotating the product on the wall you can select any angle of light as required. Complete with a wall fixing bracket.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	55lm	ALUMINIUM	OCTOLEDWW Warm White
4000K	65lm	ALUMINIUM	OCTOLEDNW Neutral White



LED FAN EFFECT WALL LIGHT

WL041IP

The WL041 IP really is something different. Over a hundred tiny fins produce large blades of light across walls and ceilings in dramatic fashion. IP rated to 65, made from anodised aluminium and complete with an integral power. Parallel wired. Available in Neutral White, Amber or Blue.



LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	N/A	ALUMINIUM	WL041IPNW Neutral White

Wall Lights



SURFACE MOUNTED EXTERIOR WALL LIGHT CLWL21STSES, CLWL21STS118

Surface mounted exterior light with opal polycarbonate diffuser. Lamp supplied with PLC option. Constructed in 316 Marine-grade Stainless Steel. 240V. IP44 rated.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	STAINLESS STEEL	CLWL21STSES GLS ES
N/A	N/A	STAINLESS STEEL	CLWL21STS118 18W PLC



SURFACE MOUNTED EXTERIOR WALL LIGHT CLWL22STSES, CLWL22STS118

Surface mounted exterior light with opal polycarbonate diffuser. Lamp supplied with PLC option. Constructed in 316 Marine-grade Stainless Steel. 240V. IP44 rated.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	STAINLESS STEEL	CLWL22STSES GLS ES
N/A	N/A	STAINLESS STEEL	CLWL22STS118 18W PLC



ALPHA 1 WALL MOUNTED LIGHT 19400, 19401

Square body exterior wall light facing down. Constructed from Pure 6063 Grade Aluminium and completed with a Natural Clear Anodised Finish. Ideal for coastal areas. Comes complete with a high-performance 6W GU10 replaceable lamp (dimmable*) or without. Available in Silver.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	350lm	SILVER	19400 Warm White
5000K	380lm	SILVER	19401 White



ALPHA 2 WALL MOUNTED LIGHT 19402, 19403

Square body exterior wall light facing up and down. Constructed from Pure 6063 Grade Aluminium and completed with a Natural Clear Anodised Finish. Ideal for coastal areas. Comes complete with 2x 6W GU10 LED replaceable lamps (dimmable*) or without. Available in Silver.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	700lm	SILVER	19402 Warm White
5000K	760lm	SILVER	19403 White

Wall Lights



ELITE 1 WALL MOUNTED LIGHT 19404, 19405

Round body exterior wall light facing down. 6063 Grade Aluminium with a Natural Clear Anodised Finish. Available with a high-performance 6W GU10 replaceable lamp (dimmable*) or without. Available in Silver.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	350lm	SILVER	19404 Warm White
5000K	380lm	SILVER	19405 White



ELITE 2 WALL MOUNTED LIGHT 19406, 19407

Round body exterior wall light facing up and down. Constructed from Pure 6063 Grade Aluminium and completed with a Natural Clear Anodised Finish. The ELITE-1 is available with a high-performance 6W GU10 replaceable lamp (dimmable*) or without. Available in Silver.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	350lm	SILVER	19406 Warm White
5000K	380lm	SILVER	19407 White



ROUND UP & DOWN WALL LIGHT LANMR3010STS

Surface mounted wall light. Constructed in 316 Stainless Steel. Waterproof silicone seal gasket and 8mm thick toughened flat trim glass diffuser. Complete with dimmable driver. Available in Stainless Steel.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	N/A	STAINLESS STEEL	LANMR3010STS



ROUND UP & DOWN WALL LIGHT LANMR3010BLK

Surface mounted wall light. Constructed in aluminium and powdercoated to ensure high corrosion & UV resistance. Waterproof silicone seal gasket and 8mm thick toughened flat trim glass diffuser. Complete with meanwell driver. Available in Black.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	N/A	BLACK	LANMR3010BLK

Wall Lights



ROUND UP & DOWN WALL LIGHT LANMR4010BLK

Surface mounted wall light. Constructed in aluminium and powdercoated to ensure high corrosion & UV resistance. Waterproof silicone seal gasket and 8mm thick toughened flat trim glass diffuser. Complete with meanwell driver. Available in Black.



LAMP TEMP LUMENS COLOURS PART NO



ROUND UP & DOWN WALL LIGHT LANMR6010STS

Surface mounted wall light. Constructed in 316 Stainless Steel. Waterproof silicone seal gasket and 8mm thick toughened flat trim glass diffuser. Complete with meanwell driver. Available in Stainless Steel.



LAMP TEMP LUMENS COLOURS PART NO



ROUND UP & DOWN WALL LIGHT LANUDR15302

Surface mounted wall light. Constructed in aluminium and powdercoated to ensure high corrosion & UV resistance. Waterproof silicone seal gasket and 8mm thick toughened flat trim glass diffuser. Complete with meanwell driver. Available in Black.




LAMP TEMP LUMENS COLOURS PART NO



SQUARE UP & DOWN WALL LIGHT LANMS3010BLK

Surface mounted wall light. Constructed in aluminium and powdercoated to ensure high corrosion & UV resistance. Waterproof silicone seal gasket and 8mm thick toughened flat trim glass diffuser. Complete with meanwell driver. Available in Black.



LAMP TEMP LUMENS COLOURS PART NO



Wall Lights



SQUARE UP & DOWN WALL LIGHT LANMS3010STS

Surface mounted wall light. Constructed in 316 Stainless Steel. Waterproof silicone seal gasket and 8mm thick toughened flat trim glass diffuser. Complete with dimmable driver. Available in Stainless Steel.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	N/A	STAINLESS STEEL	LANMS3010STS



SQUARE UP & DOWN WALL LIGHT LANMS6010BLK

Surface mounted wall light. Constructed in aluminium and powdercoated to ensure high corrosion & UV resistance. Waterproof silicone seal gasket and 8mm thick toughened flat trim glass diffuser. Complete with meanwell driver. Available in Grey.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	N/A	GREY	LANMS6010BLK



ECHO SM UP AND DOWN LED WALL LIGHT ECHOBLK9W3K, ECHOSIL9W3K,

A modern, exterior surface mounted LED wall light. Die-cast aluminium body and powdercoated to ensure high corrosion & UV resistance. The ECHO is ideally suited to provide accent lighting and illuminating vertical surfaces. Complete with integral driver. Available in Black and Silver. In Warm White.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	600lm	BLACK	ECHOBLK9W3K
3000K	600lm	SILVER	ECHOSIL9W3K

Wall Lights



MINI RECTANGLE WALL LIGHT LAN201102STS

A modern outdoor 9W LED wall light. Super sleek design with an open to allow the high power LED to shine from top to bottom, creating a beautiful lighting effect. 202 Stainless Steel body with clear PC diffuser. Available in Warm White.




LAMP TEMP LUMENS COLOURS PART NO



RECTANGLE WALL LIGHT LAN201103STS

A modern outdoor 12W LED wall light. Super sleek design with an open to allow the high power LED to shine from top to bottom, creating a beautiful lighting effect. 202 Stainless Steel body with clear PC diffuser. Available in Warm White.



LAMP TEMP LUMENS COLOURS PART NO



UP AND DOWN LED WALL LIGHT LAN101105GRY

A direct to mains 6W LED outdoor wall light made from die-cast aluminium and IP rated to 65, suitable for decorating walls, pillars or posts with floods of light. Available in Warm White. In Dark Grey finish.




LAMP TEMP LUMENS COLOURS PART NO



UP AND DOWN LED WALL LIGHT LAN101104GRY

A direct to mains 12W LED outdoor wall light made from die-cast aluminium and IP rated to 65, suitable for decorating walls, pillars or posts with floods of light. Available in Warm White. In Dark Grey finish.



LAMP TEMP LUMENS COLOURS PART NO



Wall Lights



SURFACE MOUNTED GRILL BULKHEAD CL542141


Surface mounted exterior wall/ceiling light with aluminium dies cast body and opal polycarbonate diffuser. Ceramic lamp holder with ES model. Lamp supplied with PLC model only. Emergency options available.

L 270mm
W 270mm
D 147mm
⚡ 240V
⚡ GLS 13W 18W 26W

ES / PLC
IP IP65
⌚ N/A
A N/A

COLOURS COLOURS COLOURS PART NO

BLACK
SILVER
WHITE
CL542141



SURFACE MOUNTED EYELID BULKHEAD CL542142

Surface mounted exterior wall/ceiling light with aluminium dies cast body and opal polycarbonate diffuser. Ceramic lamp holder with ES model. Lamp supplied with PLC model only. Emergency options available.

L 270mm
W 270mm
D 147mm
⚡ 240V
⚡ GLS 13W 18W 26W

ES / PLC
IP IP65
⌚ N/A
A N/A

COLOURS COLOURS COLOURS PART NO

BLACK
SILVER
WHITE
CL542142



SURFACE MOUNTED OPEN FACE BULKHEAD CL542144

Surface mounted exterior wall/ceiling light with aluminium dies cast body and opal polycarbonate diffuser. Ceramic lamp holder with ES model. Lamp supplied with PLC model only. Emergency options available.

L 270mm
W 270mm
D 90mm
⚡ 240V
⚡ GLS 13W 18W 26W

ES / PLC
IP IP65
⌚ N/A
A N/A

COLOURS COLOURS COLOURS PART NO

BLACK
SILVER
WHITE
CL542144



HORIZON OVAL PLAIN BUNKER LANHORIZONOV12W3K, LANHORIZONOV12W4K

All polycarbonate oval bulkhead suitable for wall and ceiling applications. With plain trim design with frosted diffuser. IP66 weatherproof with IK10 Impact Rating. Available in Black or Grey. In Warm White or Neutral White.

L 325mm
W 230mm
H 95mm
⚡ 240V
⚡ 12W

LED
IP IP66
⌚ N/A
A N/A

LAMP TEMP LUMENS COLOURS PART NO

3000K
N/A
BLACK GREY
LANHORIZON-OV12W3K

4000K
N/A
BLACK GREY
LANHORIZON-OV12W4K

Wall Lights



HORIZON ROUND PLAIN BUNKER

LANHORIZONRD12W3K, LANHORIZONRD12W4K

All polycarbonate round bulkhead suitable for wall and ceiling applications. With plain trim design with frosted diffuser. IP66 weatherproof with IK10 Impact Rating. Available in Black or Grey. In Warm White or Neutral White.

L N/A
W 300mm
H 90mm
⚡ 240V
⚡ 12W

💡 LED
IP IP66
🌀 N/A
⚡ N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	N/A	BLACK GREY	LANHORIZONRD-12W3K
4000K	N/A	BLACK GREY	LANHORIZONRD-12W4K



ROUND EXTERIOR BUNKER

LAN304102GRY, LAN304102SIL

Round plastic outdoor 13W LED bulkhead with opal PC diffuser and built in driver. IP65 rated. Impact resistant rating of IK10. Available in Neutral White. In Dark Grey or Silver finish.

L N/A
W 245mm
H 75mm
⚡ 240V
⚡ 13W

💡 LED
IP IP65
🌀 N/A
⚡ N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	970lm	DARK GREY	LAN304102GRY
4000K	970lm	SILVER	LAN304102SIL



265MM LED PLAIN BUNKER

LAN2124BLK23WLED4K, LAN2124SIL23WLED4K

265mm round cast aluminium LED plain bunker with opal PC diffuser. Surface mount onto wall or ceiling. IP65 rated. Available in Black or Silver.

L N/A
W 265mm
H 100mm
⚡ 240V
⚡ 23W

💡 LED
IP IP65
🌀 N/A
⚡ N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	N/A	BLACK	LAN2124BLK-23WLED4K
4000K	N/A	SILVER	LAN2124SIL-23WLED4K



365MM LED PLAIN BUNKER

LAN2134BLK23WLED4K, LAN2134SIL23WLED4K

365mm round cast aluminium LED plain bunker with opal PC diffuser. Surface mount onto wall or ceiling. IP65 rated. Available in Black or Silver.

L N/A
W 365mm
H 140mm
⚡ 240V
⚡ 23W

💡 LED
IP IP65
🌀 N/A
⚡ N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	N/A	BLACK	LAN2134BLK-23WLED4K
4000K	N/A	SILVER	LAN2134SIL-23WLED4K

Wall Lights



265MM PLAIN BUNKER

LAN2124B, LAN2124S

265mm round cast aluminium plain bunker with opal PC diffuser.
Available in Black or Silver.

L N/A
W 265mm
H 115mm
⚡ 240V
⚡ 18W / 26W

PLC
IP IP54
⌛ N/A
A N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	BLACK	LAN2124B
N/A	N/A	SILVER	LAN2124S



365MM PLAIN BUNKER

LAN2134B, LAN2134S

365mm round cast aluminium plain bunker with opal PC diffuser.
Available in Black or Silver.

L N/A
W 365mm
H 140mm
⚡ 240V
⚡ 2x 18W / 2x 26W

PLC
IP IP54
⌛ N/A
A N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	BLACK	LAN2134B
N/A	N/A	SILVER	LAN2134S



265MM GRILL GUARD BUNKER LAN2122B, LAN2122S

265mm round cast aluminium grill guard bunker with opal PC diffuser.
Available in Black or Silver.

L N/A
W 265mm
H 115mm
⚡ 240V
⚡ 18W / 26W

PLC
IP IP54
⌛ N/A
A N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	BLACK	LAN2122B
N/A	N/A	SILVER	LAN2122S



365MM GRILL GUARD BUNKER LAN2132B, LAN2132S

365mm round cast aluminium grill guard bunker with opal PC diffuser.
Available in Black or Silver.

L N/A
W 365mm
H 170mm
⚡ 240V
⚡ 2x 18W / 2x 26W

PLC
IP IP54
⌛ N/A
A N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	BLACK	LAN2132B
N/A	N/A	SILVER	LAN2132S

Wall Lights



SMALL ROUND OPEN FACE BUNKER

LAN127400, LAN127401

Small round polycarbonate open face bunker with opal diffuser. Available in Black or White.




LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	BLACK	LAN127401
N/A	N/A	WHITE	LAN127400



OVAL EXTERIOR BULKHEAD

LAN304104GRY, LAN304104SIL

Outdoor 9W LED plastic outdoor bulkhead with opal PC diffuser and built in driver. Impact resistant rating of IK10. Available in Neutral White. In Dark Grey or Silver finish.



LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	550lm	DARK GREY	LAN304104GRY
4000K	550lm	SILVER	LAN304104SIL



OVAL EXTERIOR BULKHEAD

LAN304105GRY, LAN304105SIL

Outdoor 18W LED plastic outdoor bulkhead with opal PC diffuser and built in driver. Impact resistant rating of IK10. Available in Neutral White. In Dark Grey or Silver finish.



LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	1100lm	DARK GREY	LAN304105GRY
4000K	1100lm	SILVER	LAN304105SIL



SMALL OVAL GUARD BUNKER

LAN33361B, LAN33361S

Small oval cast aluminium bunker with guard. Available in Black or Silver.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	BLACK	LAN33361B
N/A	N/A	SILVER	LAN33361S

Wall Lights



SURFACE MOUNTED BRICKLIGHT CLBD601

Surface mounted louvered wall/bricklight. Made from Aluminium with tempered frost glass. Ceramic lampholder in ES model. Lamp supplied with PLC model only. Available in Black or Silver.



COLOURS PART NO PART NO PART NO

BLACK	CLBD601BLKES GLS ES	CLBD601BLK111 11W PL	CLBD601BLK118 18W PLC
SILVER	CLBD601SILEES GLS ES	CLBD601SIL111 11W PL	CLBD601SIL118 18W PLC



SURFACE MOUNTED BRICKLIGHT CLBD602

Surface mounted plain wall/bricklight. Made from Aluminium with tempered frost glass. Ceramic lampholder in ES model. Lamp supplied with PLC model only. Available in Black or Silver.



COLOURS PART NO PART NO PART NO

BLACK	CLBD602BLKES GLS ES	CLBD602BLK111 11W PL	CLBD602BLK118 18W PLC
SILVER	CLBD602SILEES GLS ES	CLBD602SIL111 11W PL	CLBD602SIL118 18W PLC



RECESSED BRICKLIGHT CL3324

Recessed bricklight louvered. Made from Aluminium with tempered frost glass. Complete with mounting box. Ceramic lampholder in ES model. Lamp supplied with PLC model only. Available in Black or Silver.




LAMP TEMP LUMENS COLOURS PART NO

N/A	N/A	BLACK SILVER	CL3324
-----	-----	--------------	--------



RECESSED BRICKLIGHT CL3325

Recessed open face bricklight. Made from Aluminium with tempered frost glass. Complete with mounting box. Ceramic lampholder in ES model. Lamp supplied with PLC model only. Available in Black or Silver.



LAMP TEMP LUMENS COLOURS PART NO

N/A	N/A	BLACK SILVER	CL3325
-----	-----	--------------	--------



LED Strip & Extrusion



LED ROPE LANSLEDROPE

LED Rope Light has a maximum connection length of 100m cut to length at 1500mm intervals. Produces 3.8W per meter and is IP54 rated, suitable for indoor or outdoor use. An LED rope light is a perfect addition to any dull landscape. Lamp colour available in Blue, Cool or Warm. Note: LED connector set required per length.



LAMP TEMP LUMENS COLOURS PART NO



LED STRIP LIGHTING LANS5050W-N, LANS5050WW-N

LED Strip Lighting supplied in 5m rolls with cut out every 100mm. Produces 7.2W per meter and has a 120° viewing angle. With an IP20 rating, it is suitable for indoor use such as under kitchen island benches or cabinets. Powered by 12V DC and available in Warm White or White. With adhesive backing. Note: Do not use in a sealed, hot area.



LAMP TEMP LUMENS COLOURS PART NO



LED STRIP LIGHTING LANS5050W-PP, LANS5050WW-P

Weatherproof LED Strip Lighting supplied in 5m rolls with cut out every 100mm. Produces 7.2W per meter and has a 120° viewing angle. With an IP68 rating, this LED strip light is versatile for either indoor or outdoor applications. Powered by 12V DC and available in Warm White or White. Note: Do not use in a sealed, hot area.



LAMP TEMP LUMENS COLOURS PART NO



RGB LED STRIP LIGHTING LANS5050RGB-N, LANS5050RGB-IP65

LED Colour Change Strip Lighting supplied in 5m rolls with cut out every 100mm. Produces 7.2W per meter and has a 120° viewing angle. Powered by 12V DC. Indoor (IP20) or Weatherproof (IP65) options available. Note: Do not use in a sealed, hot area.



LAMP TEMP LUMENS COLOURS PART NO



LED Strip & Extrusion




LED STRIP LIGHTING LANS5151W-N, LANS5151WW-N

LED Strip Lighting supplied in 5m rolls with cut out every 100mm. Produces 14.4W per meter and has a 120° viewing angle. It is IP20 rated, suitable for indoor use such as under kitchen island benches or cabinets. Powered by 12V DC and available in White or Warm White. With Bronze adhesive backing.
 Note: Do not use in a sealed, hot area.

- 5000mm
- 12mm
- 3.4mm
- 12V DC
- 14.4W per Mtr
- LED
- IP20
- N/A
- 120°

LAMP TEMP LUMENS COLOURS PART NO

N/A	N/A	BRONZE BACKING	LANS5151W-N White
N/A	N/A	BRONZE BACKING	LANS5151WW-N Warm White



LED STRIP LIGHTING LANS5151W-IP65, LANS5151WW-IP65

Weatherproof LED Strip Lighting supplied in 5m rolls with cut out every 100mm. Produces 14.4W per meter and has a 120° viewing angle. With an IP rating of 65, it's a great option for any situation. Powered by 12V DC and available in White or Warm White. Bronze backing finish. Do not use in a sealed, hot area.

- 5000mm
- 12mm
- 3.4mm
- 12V DC
- 14.4W per Mtr
- LED
- IP65
- N/A
- 120°

LAMP TEMP LUMENS COLOURS PART NO

N/A	N/A	BRONZE BACKING	LANS5151W-IP65 White
N/A	N/A	BRONZE BACKING	LANS5151WW-IP65 Warm White



LED Strip & Extrusion



ALUMINIUM EXTRUSION LANEXT003R

Aluminium extrusion recessed complete with PMMA Opal Diffuser. Each section comes with end caps and mounting clips.
Note: LED strip not included.




LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	ALUMINIUM	LANEXT003R



ALUMINIUM EXTRUSION LANEXT011

Aluminium extrusion surface mounted complete with PMMA Opal Diffuser. Each section comes with end caps and mounting clips.
Note: LED strip not included.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	ALUMINIUM	LANEXT011



ALUMINIUM EXTRUSION LANEXT002

Aluminium extrusion surface mounted complete with PMMA Opal Diffuser. Each section comes with end caps and mounting clips.
Note: LED strip not included.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	ALUMINIUM	LANEXT002



ALUMINIUM EXTRUSION LANEXT017R

Aluminium extrusion recessed complete with PMMA Opal Diffuser. Each section comes with end caps and mounting clips.
Note: LED strip not included.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	ALUMINIUM	LANEXT017R

LED Strip & Extrusion



ALUMINIUM CORNER EXTRUSION LANEXT1616C

Aluminium corner extrusion surface mounted has been designed to fit in at any corner LED lighting application. The light is directed by the shape of the profile at 45 degree angle. Complete with a curved PMMA Opal Diffuser. Each section comes with end caps and mounting clips. Note: LED strip not included.

2500mm	16mm	16mm	N/A	N/A
N/A	N/A	N/A	N/A	

LAMP TEMP LUMENS COLOURS PART NO

N/A	N/A	ALUMINIUM	LANEXT1616C
-----	-----	-----------	-------------




ALUMINIUM CORNER EXTRUSION LANEXT1616SQ

Aluminium corner extrusion surface mounted has been designed to fit in at any corner LED lighting application. The light is directed by the shape of the profile at 45 degree angle. Complete with a square PMMA Opal Diffuser. Each section comes with end caps and mounting clips. Note: LED strip not included.

2500mm	16mm	16mm	N/A	N/A
N/A	N/A	N/A	N/A	

LAMP TEMP LUMENS COLOURS PART NO

N/A	N/A	ALUMINIUM	LANEXT1616SQ
-----	-----	-----------	--------------




Trapeze & Pendants



ELBOW JOINT TRAPEZE CABLE LANWL-P01

Turnbuckle set of 4 with elbow joint to suit 4mm trapeze cable.




LAMP TEMP LUMENS COLOURS PART NO



TRAPEZE STAND OFF SET LANWL-03B-50, LANWL-03B-100

Trapeze stand off set to suit 4mm trapeze cable.




LAMP TEMP LUMENS COLOURS PART NO



TRAPEZE HEAD LANWL-004

360° rotational 12V Trapeze Head to suit 4mm trapeze cable.



LAMP TEMP LUMENS COLOURS PART NO



TRAPEZE CABLE LANWL-1/4C

4mm clear coated trapeze cable.



LAMP TEMP LUMENS COLOURS PART NO



Trapeze & Pendants



LED PENDANT LAN-CYL3K

Architectural LED pendant made from solid aluminium. Includes 1.5m suspension cable. Complete with integral driver. Available in Aluminium.

L 1000mm
W 60mm
H 150mm
⚡ 240V
⚡ 6.6W

Bridge LUX LED
IP IP20
⌚ N/A
A N/A

LAMP TEMP LUMENS COLOURS PART NO

3000K
525lm
ALUMINIUM
LAN-CYL3K



LED PENDANT LANCOPDWH10W3K, LANCOPDBK10W3K

10W Pendant Light with COB LED chip. Aluminium profile provides excellent thermal dissipation. Complete with isolated driver. IP20 rated. Dimmable. Suitable for commercial and residential applications like office, supermarket, shop, school, hotel, restaurant, workshop, warehouse etc.

L N/A
W 80mm
H 160mm
⚡ 240V
⚡ 10W

LED
IP IP20
⌚ N/A
A N/A

LAMP TEMP LUMENS COLOURS PART NO

3000K
850lm
WHITE
LANCOPDWH 10W3K

3000K
850lm
BLACK
LANCOPDBK 10W3K



PANDORA LED PENDANT

19599, 19605, 19603, 19598, 19604, 19602

A contemporary luminaire, ideal as a breakfast bar light. Aluminium shade with polished chrome highlights, clear wire suspension, surface mounted canopy with integral power supply. Non-dimmable. In Warm White or Cool White.


L N/A
W 115mm
H 105mm
⚡ 240V
⚡ 7x 1W

LED
IP N/A
⌚ N/A
A 80°

LAMP TEMP PART NO PART NO PART NO

3200K
19599 Aluminium
19605 Black
19603 White

4500K
19598 Aluminium
19604 Black
19602 White



JUPITER LED PENDANT

35002

JUPITER crystal LED pendant complete with polished chrome backplate and utilising K9 crystal. 5 x 6W GU10 LED Lamps (complimentary).

L N/A
W 460mm
H 1500mm
⚡ 240V
⚡ 5x 6W

LED
IP N/A
⌚ N/A
A N/A

LAMP TEMP LUMENS COLOURS PART NO

5000K
N/A
CHROME
35002

Trapeze & Pendants



BOOMERANG 40 LED PENDANT 35020

BOOMERANG Crystal LED Pendant complete with polished chrome backplate and utilising K9 crystal. 4 x 6W GU10 LED Lamps (complimentary).

N/A	400mm	600mm	240V	4x 6W
LED	N/A	N/A	N/A	

LAMP TEMP	LUMENS	COLOURS	PART NO
5000K	N/A	CHROME	35020



BOOMERANG 50 LED PENDANT 35021

BOOMERANG Crystal LED Pendant complete with polished chrome backplate and utilising K9 crystal. 6 x 6W GU10 LED Lamps (complimentary).

N/A	500mm	1000mm	240V	6x 6W
LED	N/A	N/A	N/A	

LAMP TEMP	LUMENS	COLOURS	PART NO
5000K	N/A	CHROME	35021



VENUS 40 LED PENDANT

35040, 35041

VENUS Crystal LED Pendant complete with polished chrome backplate and utilising K9 crystal. 5 x 3W / 8 x 3W G9 LED Lamps (complimentary).

N/A	400mm 600mm	1200mm 1400mm	240V	5x 3W 8x 3W
LED	N/A	N/A	N/A	

LAMP TEMP	LUMENS	COLOURS	PART NO
5000K	N/A	CHROME	35040 400mm 5x 3W
5000K	N/A	CHROME	35041 600mm 8x 3W



SUSPENDED DECORATIVE HIGH BAY

LANTJH6-42W, LANTJH6-70W

Die-cast aluminium suspended decorative high bay. Available Accessories- Blue/Green/Red/Yellow glass, Aluminium reflector, Acrylic reflector. Available in Aluminium.

N/A	390mm	490mm	240V	42W 70W
PLT/ G12 MH	IP20	N/A	N/A	

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	ALUMINIUM	LANTJH6-42W 42W Gx 240-4 PLT/E
N/A	N/A	ALUMINIUM	LANTJH6-70W 70W G12 MH

Trapeze & Pendants



HIGH BAY LED 200W 4K LANHB200W4K

High power 200W LED High Bay light. IP65 4K. It can be widely used in large, energy-intensive areas. Uses a high brightness Bridgelux LED chip which is an effective solution to reduce energy consumption. Aluminium heat sink and lamp shade. Complete with Meanwell Driver. 3 year warranty.



LAMP TEMP LUMENS COLOURS PART NO

4000K

18000lm

ALUMINIUM

LANHB200W4K



HIGH BAY LED 200W 4K LANHBPCREF

LED High Bay IP65 4K. It can be widely used in large, energy-intensive areas. 80° beam angle PC Reflector. Uses a high brightness Bridgelux LED chip which is an effective solution to reduce energy consumption. Complete with Meanwell Driver. 3 year warranty.



LAMP TEMP LUMENS COLOURS PART NO

4000K

19203lm

PRISMATIC

LANHBPCREF



Track Lights



LED TRACK LIGHT

LANTRACK10W3KWHT, LANTRACK10W3KBLK

COB LED Track Light made from aluminium alloy and tempered glass. One Circuit. Dimmable. Available in Black and White. 1M Track (including end caps) and joiners also available.

L 102mm
W 97.5mm
H 145mm
⚡ 240V
⚡ 10W

💡 LED
IP IP20
🔄 N/A
📐 45°

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	700lm	BLACK	LANTRACK10W3K-WHT
3000K	700lm	WHITE	LANTRACK10W3K-BLK



CIRCUIT TRACK

LANTRACK-1M, LANTRACK-1MBLK

One circuit track 1 meter with power plug and end cap. Available in Black or White.

L 1000mm
W N/A
H N/A
⚡ N/A
⚡ N/A

💡 N/A
IP N/A
🔄 N/A
📐 N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	BLACK	LANTRACK-1MBLK
N/A	N/A	WHITE	LANTRACK-1M



LED TRACK LIGHT

LAN8611-311-3K-B, LAN8611-311-3K-WH

COB LED Track Light made from aluminium alloy and tempered glass. Non-dimmable. Available in Black and White.

L N/A
W 139mm
H 193mm
⚡ 240V
⚡ 35W

💡 LED
IP IP54
🔄 N/A
📐 50°

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	2200lm	BLACK	LAN8611-311-3K-B
3000K	2200lm	WHITE	LAN8611-311-3K-WH



LED TRACK LIGHT

LAN8611-311-4K-B, LAN8611-311-4K-WH

COB LED Track Light made from aluminium alloy and tempered glass. Non-dimmable. Available in Black and White.

L N/A
W 139mm
H 193mm
⚡ 240V
⚡ 35W

💡 LED
IP IP54
🔄 N/A
📐 50°

LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	2200lm	BLACK	LAN8611-311-4K-B
4000K	2200lm	WHITE	LAN8611-311-4K-WH

Track Lights



CIRCUIT TRACK LAN8414-01LEB, LAN8414-01LEWH

Three circuit track 1 meter with power plug and end cap. Available in Black or White.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	BLACK	LAN8414-01LEB
N/A	N/A	WHITE	LAN8414-01LEWH



CIRCUIT TRACK LAN8414-02LEB, LAN8414-02LEWH

Three circuit track 2 meter with power plug and end cap. Available in Black or White.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	BLACK	LAN8414-02LEB
N/A	N/A	WHITE	LAN8414-02LEWH



CONNECTOR

LAN8416-02B, LAN8416-02WH

Three connector.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	BLACK	LAN8416-02B
N/A	N/A	WHITE	LAN8416-02WH



L-TYPE CONNECTOR

LAN8416-03B, LAN8416-03WH

L-type connector.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	BLACK	LAN8416-03B
N/A	N/A	WHITE	LAN8416-03WH



LED Panel Lights



ROUND PANEL LIGHT LANPL180-10W

Round panel light complete with power supply. Lamp temperatures of 3000K/4000K/5000K in 550/575/600 lumens. Available in Silver trim.




COLOURS	PART NO	COLOURS	PART NO
SILVER	LANPL180-10W-SIL-3K	SILVER	LANPL180-10W-SIL-5K
SILVER	LANPL180-10W-SIL-4K	N/A	N/A



ROUND PANEL LIGHT LANPL300-20W

Round panel light complete with power supply. Lamp temperatures of 3000K/4000K/5000K in 1200/1300/1400 lumens. Available in Silver trim.



COLOURS	PART NO	COLOURS	PART NO
SILVER	LANPL300-20W-SIL-3K	SILVER	LANPL300-20W-SIL-5K
SILVER	LANPL300-20W-SIL-4K	N/A	N/A

LED Panel Lights



SMALL SQUARE PANEL LIGHT

LANPL20X20-3K, LANPL20X20-4K

Square panel light complete with power supply. Available in Silver trim.

L 200mm W 200mm H 19mm ⚡ 240V ⚡ 10W
💡 LED IP IP20 🌀 N/A ⚡ N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	650lm	SILVER	LANPL20X20-3K
4000K	750lm	SILVER	LANPL20X20-4K



SQUARE PANEL LIGHT

LANPL30X30-18W

Square panel light complete with power supply. Suspended or Surface Mount kit available on request. Lamp temperatures of 3000K/4000K/5000K in 1200/1250/1300 lumens. Available in Silver trim.

L 295mm W 295mm H 10mm ⚡ 240V ⚡ 18W
💡 LED IP IP20 🌀 N/A ⚡ N/A

COLOURS	PART NO	COLOURS	PART NO
SILVER	LANPL30X30-18W-SIL-3K	SILVER	LANPL30X30-18W-SIL-5K
SILVER	LANPL30X30-18W-SIL-4K	N/A	N/A



SQUARE PANEL LIGHT LANPL30X30-36W

Square panel light complete with power supply. Suspended or Surface Mount kit available on request. Lamp temperatures of 3000K/4000K/5000K in 2400/2550/2700 lumens. Available in Silver trim.

L 295mm W 295mm H 10mm ⚡ 240V ⚡ 36W
💡 LED IP IP20 🌀 N/A ⚡ N/A

COLOURS	PART NO	COLOURS	PART NO
SILVER	LANPL30X30-36W-SIL-3K	SILVER	LANPL30X30-36W-SIL-5K
SILVER	LANPL30X30-36W-SIL-4K	N/A	N/A



RECTANGULAR PANEL LIGHT LANPL30X60-36W

Rectangular panel light complete with power supply. Suspended or Surface Mount kit available on request. Lamp temperatures of 3000K/4000K/5000K in 2400/2550/2700 lumens. Available in Silver trim.

L 295mm W 595mm H 10mm ⚡ 240V ⚡ 36W
💡 LED IP IP20 🌀 N/A ⚡ N/A

COLOURS	PART NO	COLOURS	PART NO
SILVER	LANPL30X60-36W-SIL-3K	SILVER	LANPL30X60-36W-SIL-5K
SILVER	LANPL30X60-36W-SIL-4K	N/A	N/A

LED Panel Lights



SQUARE PANEL LIGHT LANPL60X60-36W

Square panel light complete with power supply. Suspended or Surface Mount kit available on request. Lamp temperatures of 3000K/4000K/5000K in 2400/2550/2700 lumens. Available in Silver trim.



COLOURS	PART NO	COLOURS	PART NO
SILVER	LANPL60X60-36W-SIL-3K	SILVER	LANPL60X60-36W-SIL-5K
SILVER	LANPL60X60-36W-SIL-4K	N/A	N/A



SQUARE PANEL LIGHT LANPL60X60-56W

Square panel light complete with power supply. Suspended or Surface Mount kit available on request. Lamp temperatures of 3000K/4000K/5000K in 3700/3900/4100 lumens. Available in Silver trim.




COLOURS	PART NO	COLOURS	PART NO
SILVER	LANPL60X60-56W-SIL-3K	SILVER	LANPL60X60-56W-SIL-5K
SILVER	LANPL60X60-56W-SIL-4K	N/A	N/A



SQUARE PANEL LIGHT LANPL60X60-45W

Square panel light complete with power supply. Suspended or Surface Mount kit available on request. Lamp temperatures of 3000K/4000K/5000K in 3200/3350/3500 lumens. Available in Silver trim.



COLOURS	PART NO	COLOURS	PART NO
SILVER	LANPL60X60-45W-SIL-3K	SILVER	LANPL60X60-45W-SIL-5K
SILVER	LANPL60X60-45W-SIL-4K	N/A	N/A



RECTANGULAR PANEL LIGHT 36W LANPL120X30-36W

Rectangular panel light complete with power supply. Suspended or Surface Mount kit available on request. Lamp temperature of 4000K with an output of 3350 lumens. Available in Silver trim.



LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	3350lm	SILVER	LANPL120X30-36W-SIL-4K

LED Panel Lights



RECTANGULAR PANEL LIGHT 45W LANPL120X30-45W

Rectangular panel light complete with power supply. Suspended or Surface Mount kit available on request. Lamp temperatures of 3000K/4000K/5000K in 3200/3350/3500 lumens. Available in Silver trim.



COLOURS PART NO COLOURS PART NO

SILVER	LANPL120X30-45W-SIL-3K	SILVER	LANPL120X30-45W-SIL-5K
SILVER	LANPL120X30-45W-SIL-4K	N/A	N/A



RECTANGULAR PANEL LIGHT 56W LANPL120X30-56W

Rectangular panel light complete with power supply. Suspended or Surface Mount kit available on request. Lamp temperatures of 3000K/4000K/5000K in 3700/3900/4100 lumens. Available in Silver trim.



COLOURS PART NO COLOURS PART NO

SILVER	LANPL120X30-56W-SIL-3K	SILVER	LANPL120X30-56W-SIL-5K
SILVER	LANPL120X30-56W-SIL-4K	N/A	N/A



RECTANGULAR PANEL LIGHT 72W LANPL120X30-72W

Rectangular panel light complete with power supply. Suspended or Surface Mount kit available on request. Lamp temperatures of 3000K/4000K/5000K in 4300/4450/4600 lumens. Available in Silver trim.



COLOURS PART NO COLOURS PART NO

SILVER	LANPL120X30-72W-SIL-3K	SILVER	LANPL120X30-72W-SIL-5K
SILVER	LANPL120X30-72W-SIL-4K	N/A	N/A



RECTANGULAR PANEL LIGHT 72W LANPL120X60-72W

Rectangular panel light complete with power supply. Suspended or Surface Mount kit available on request. Lamp temperatures of 3000K/4000K/5000K in 4300/4450/4600 lumens. Available in Silver trim.



PART NO PART NO PART NO PART NO

SILVER	LANPL120X60-72W-SIL-3K	SILVER	LANPL120X60-72W-SIL-5K
SILVER	LANPL120X60-72W-SIL-4K	N/A	N/A



Slotter Down Lights



LED SINGLE SLOTTOR

LAN001LED-16W LAN001LED-26W

Square recessed 2-way tilt single slotter. Complete with lamp & control gear.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	SILVER	LAN001LED-16W
N/A	N/A	SILVER	LAN001LED-26W



METAL HALIDE SINGLE SLOTTOR

LAN001K-135, LAN001K-170

Square recessed 2-way tilt single slotter. Complete with lamp & control gear.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	SILVER	LAN001K-135 35W
N/A	N/A	SILVER	LAN001K-170 70W

Slotter Down Lights



LED DOUBLE SLOTTER

LAN002LED-16W, LAN002LED-26W

Square recessed 2-way tilt double slotter. Complete with lamp & control gear.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	SILVER	LAN002LED-16W
N/A	N/A	SILVER	LAN002LED-26W



METAL HALIDE DOUBLE SLOTTER

LAN002K-235, LAN002K-270

Square recessed 2-way tilt double slotter. Complete with lamp & control gear.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	SILVER	LAN0002K-235 2x 35W
N/A	N/A	SILVER	LAN0002K-270 2x 70W



LED TRIPLE SLOTTER

LAN003LED-16W, LAN003LED-26W

Square recessed 2-way tilt triple slotter. Complete with lamp & control gear.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	SILVER	LAN003LED-16W
N/A	N/A	SILVER	LAN003LED-26W



METAL HALIDE TRIPLE SLOTTER

LAN003K-335, LAN003K-370

Square recessed 2-way tilt triple slotter. Complete with lamp & control gear.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	SILVER	LAN0003K-335 3x 35W
N/A	N/A	SILVER	LAN0003K-370 3x 70W

Slotter Down Lights



SQUARE TWO-WAY SINGLE SLOTTOR DOWN LIGHT LAN001CT

Square recessed two-way tilt Single Slotter Down Light. Available in Grey.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	GREY	LAN001CT



RECTANGULAR TWO-WAY TWIN SLOTTOR DOWN LIGHT LAN002CT

Rectangular recessed two-way tilt Twin Slotter Down Light. Available in Grey.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	GREY	LAN002CT



RECTANGULAR TWO-WAY TRIPLE SLOTTOR DOWN LIGHT LAN003CT

Rectangular recessed two-way tilt Triple Slotter Down Light. Available in Grey.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	GREY	LAN003CT



SLOTTOR DOWN LIGHT GU10 LANE3111

Square recessed slotter down light. Available in Silver.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	SILVER	LANE3111



Ceiling Fans



LIFESTYLE DLS134B, DLS134M, DLS134W

Ceiling Fan without light, offering a three speed wall control. With sealed, solid plywood blades. Available in Brushed Aluminum, Matt Black or White.

L N/A
W 1300mm
H 315mm
⚡ 240V
⚡ N/A

🏠 N/A
IP N/A
🔄 N/A
A N/A

COLOURS	PART NO	COLOURS	PART NO
BRUSHED ALUMINIUM	DLS134B	WHITE	DLS134W
MATT BLACK	DLS134M	N/A	N/A



LIFESTYLE E27 DLS1344B, DLS1344M, DLS1344W

Ceiling Fan with E27 Twin Light Kit, offering a three speed wall control with light switch. With sealed, solid plywood blades. Available in Brushed Aluminum, Matt Black or White.

L N/A
W 1300mm
H 365mm
⚡ 240V
⚡ N/A

💡 2x E27
IP N/A
🔄 N/A
A N/A

COLOURS	PART NO	COLOURS	PART NO
BRUSHED ALUMINIUM	DLS1344B	WHITE	DLS1344W
MATT BLACK	DLS1344M	N/A	N/A



RAZOR 28W LED 3000K MRF1343W, MRF1343B

Ceiling Fan with LED light, offering a three speed wall control. Comes complete with a 28W Warm LED light for energy efficiency. With sealed, solid plywood blades. Available in Brushed Aluminum or White.

L N/A
W 1300mm
H N/A
⚡ 240V
⚡ 28W

💡 LED
IP N/A
🔄 N/A
A N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	1845lm	BRUSHED ALUMINIUM	MRF1343B Warm White
3000K	1845lm	WHITE	MRF1343W Warm White

Ceiling Fans



RAZOR 28W LED 5000K MRF1345B, MRF1345W

Ceiling Fan with LED light, offering a three speed wall control. Comes complete with a 28W Cool LED light for energy efficiency. With sealed, solid plywood blades. Available in Brushed Aluminum or White.

N/A	1300mm	N/A	240V	28W
LED	N/A	N/A	N/A	

LAMP TEMP	LUMENS	COLOURS	PART NO
5000K	2050lm	BRUSHED ALUMINIUM	MRF1345B Cool White
5000K	2050lm	WHITE	MRF1345W Cool White



PRECISION 304 MPF3042SS, MPF3043SS, MPF3044SS

Ceiling Fan without light, offering a three speed wall control with light switch. Rust proof treatment applied. Available in Stainless Steel and in 48" 52" 56". Light Kit available (Product Code: PLKBN).

N/A	1200mm 1300mm 1400mm	300mm 390mm (with light)	240V	N/A
N/A	N/A	N/A	N/A	

COLOURS	PART NO	PART NO	PART NO
STAINLESS STEEL	MPF3042SS 1200mm	MPF3043SS 1300mm	MPF3044SS 1400mm



PRECISION 316 MPF3162SS, MPF3163SS, MPF3164SS

Ceiling Fan without light, offering a three speed wall control with light switch. Made entirely from Marine grade 316 Stainless Steel, perfect for salt water environments. Available in Stainless Steel and in 48" 52" 56". Light Kit available (Product Code: PLKSS).

N/A	1200mm 1300mm 1400mm	300mm 390mm (with light)	240V	N/A
N/A	N/A	N/A	N/A	

COLOURS	PART NO	PART NO	PART NO
STAINLESS STEEL	MPF3162SS 1200mm	MPF3163SS 1300mm	MPF3164SS 1400mm



PREMIER REMOTE KIT MPREM

Premier Remote Kit featuring 3 speed fan setting, on/off fan and light function and the convenience of a 10 metre RF operational range.

N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	N/A	MPREM

Exhaust Fans & Bathroom Heaters



LINEAR MBHL1000S, MBHL1000W

High Extraction three in one bathroom heater and exhaust fan available in 2520 Lumens. Fitted with advanced LED technology. Remote Control adaptable. Available in Silver or White.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	2520lm	SILVER	MBHL1000S
3000K	2520lm	WHITE	MBHL1000W



PROFILE PLUS 2 MBHP2LS, MBHP2LW

High Extraction three in one bathroom heater and exhaust fan available in 1890 Lumens. Fitted with advanced LED technology. Remote Control adaptable. Available in Silver or White.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	1890lm	SILVER	MBHP2LS
N/A	1890lm	WHITE	MBHP2LW



PROFILE PLUS 4 MBHP4LS, MBHP4LW

High Extraction three in one bathroom heater and exhaust fan available in 2680 Lumens. Fitted with advanced LED technology. Remote Control adaptable. Available in Silver or White.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	2680lm	SILVER	MBHP4LS
N/A	2680lm	WHITE	MBHP4LW



CONTOUR 1 MBHC1LS, MBHC1LW

The Contour 1 comes complete with 1x 275W infrared heat lamp. Available in Silver or White.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	N/A	SILVER	MBHC1LS
3000K	N/A	WHITE	MBHC1LW

Exhaust Fans & Bathroom Heaters



CONTOUR 2 MBHC2LS, MBHC2LW

High Extraction three in one bathroom heater and exhaust fan. Fitted with advanced LED technology. Remote Control adaptable. Includes 2 x 275W infrared heat lamps. Available in Silver or White.

L 440mm
W 285mm
H 200mm
⚡ 240V
🔌 2x 275W
1x 13W

💡 E27
IP N/A
🌀 390 x 220mm
A N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	N/A	SILVER	MBHC2LS
3000K	N/A	WHITE	MBHC2LW



CONTOUR 4 MBHC4LS, MBHC4LW

High Extraction three in one bathroom heater and exhaust fan. Fitted with advanced LED technology. Remote Control adaptable. Includes 4 x 275W infrared heat lamps. Available in Silver or White.

L 400mm
W 360mm
H 200mm
⚡ 240V
🔌 4x 275W
1x 13W

💡 E27
IP N/A
🌀 300 x 300mm
A N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	N/A	SILVER	MBHC4LS
3000K	N/A	WHITE	MBHC4LW



LCD REMOTE MBHREM

Suited to three in one Heater Range.

L N/A
W N/A
H N/A
⚡ N/A
🔌 N/A

💡 N/A
IP N/A
🌀 N/A
A N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	N/A	MBHREM

Exhaust Fans & Bathroom Heaters



GYRO LIGHT MXFLG25S, MXFLG25W

Circular High Extraction Exhaust Fan features 240 cubic meters of extraction per hour with LED 5W Down Light. Fitted with advanced LED technology. Available in Silver or White.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	N/A	SILVER	MXFLG25S
3000K	N/A	WHITE	MXFLG25W



GYRO MXFG25S, MXFG25W

Circular High Extraction Exhaust Fan features 240 cubic meters of extraction per hour. Available in Silver or White.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	SILVER	MXFG25S
N/A	N/A	WHITE	MXFG25W



TETRA MXFT25S, MXFT25W

Square High Extraction Exhaust Fan with side ducting. Available in Silver or White.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	SILVER	MXFT25S
N/A	N/A	WHITE	MXFT25W



TETRA LIGHT MXFLT25S, MXFLT25W

Square High Extraction Exhaust Fan with side ducting. Available in Silver or White.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	SILVER	MXFLT25S
N/A	N/A	WHITE	MXFLT25W



Exterior Lights



COLOUR CHANGE LED LIGHT UL010RGBW

This marine grade Stainless Steel light is as versatile as the colours it produces. The mounting plate lets you screw it to any solid surface, while the 360° pan-and-tilt housing directs a 40° beam of constantly changing colour in any direction. Complete with wall fixings. Series Wired. 5 year warranty.




LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	63lm	STAINLESS STEEL	UL010RGBW RGB



UNIVERSAL LED LIGHT UL010WW, UL010NW

Illuminate your garden or pond from any angle- this swivel mounted Universal light throws a beam in any direction. Made from marine grade Stainless Steel.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	95lm	STAINLESS STEEL	UL010WW Warm White
4000K	119lm	STAINLESS STEEL	UL010NW Neutral White



COLOUR CHANGE LED LIGHT UL030RGBW

No feature of your building or your grounds is beyond the reach of this supremely versatile colour-change wall light. The combination of a simple mounting plate and a 360° swivel head means that you can place it virtually anywhere – from a low-level wall to the top of a tower – and point the light in any direction. Complete with wall fixings. Series Wired.




LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	STAINLESS STEEL	UL030RGBW RGB



UNIVERSAL LED LIGHT UL030WW, UL030NW

This versatile swivel-mounted Universal light offers endless possibilities. With a 360° stainless-steel bracket, 18° beam angle, IP68 water-resistance rating, and bright 7W LED light, it throws light into even the darkest and wettest environments. Made from marine grade Stainless Steel. Available in 3 ambient colours including blue.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	254lm	STAINLESS STEEL	UL030WW Warm White
4000K	336lm	STAINLESS STEEL	UL030NW Neutral White

Exterior Lights



POST TOP SPHERE LAN1010-200, LAN1010-250, LAN1010-300, LAN1010-400

Post-top acrylic sphere to suit 60mm OD post. 200mm/250mm/300mm/400mm. Available in Opal or Smoke.




LAMP TEMP	LUMENS	PART NO	PART NO
N/A	N/A	LAN1010-200 200mm	LAN1010-300 300mm
N/A	N/A	LAN1010-250 250mm	LAN1010-400 400mm




ADJUSTABLE SPIKE LIGHT LANSPIKEAA12V

Adjustable outdoor spike light. Made from a solid 6063 grade aluminium and clear anodised for a spectacular finish that's suitable for the harshest of environments including coastal areas. Available in Anodised Aluminium. Please Note: Requires driver. Lamp not included. LED option available on request.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	ALUMINIUM	LANSPIKEAA12V



Exterior Lights



SPIKE GARDEN LIGHT 6W SPIKELEDBLK6W4K, SPIKELEDSIL6W4K

LED Spike Light with a high lumen output. low temperature and long lifespan. Easy to install into various lawns, pathway and general landscape lighting. Note: 12V DC driver required. Available in Black or Silver.

L 97mm
W 72mm
H 243mm
⚡ 12V
⚡ 6W

💡 LED
IP IP65
🔄 N/A
📐 60°

LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	320lm	BLACK	SPIKELEDBLK6W4K
4000K	320lm	SILVER	SPIKELEDSIL6W4K



SPIKE SPOT LIGHT
LAN2060BLK, LAN2060STS, LAN2060TI

Inground adjustable spike spot light. Available in Black, Titanium Aluminium or Stainless Steel. Please note: Requires 12V transformer. 5W Warm White LED Lamp included (non-dimmable).

L 105mm
W 60mm
H N/A
⚡ 12V
⚡ 5W

💡 MR16
IP IP65
🔄 N/A
📐 N/A

COLOURS	PART NO	COLOURS	PART NO
STAINLESS STEEL	LAN2060STS	BLACK	LAN2060BLK
TITANIUM ALUMINIUM	LAN2060TI	N/A	N/A



LED SPIKE LIGHT 1W SL030FWW, SL030FNW

A small, stylish, 1W high-power LED, marine-grade Stainless Steel spike light. Choose light colour from a range of two whites and four colours (amber, blue, green, red), all offering long life, low running costs and easy installation.

L 417mm
W 42mm
H N/A
⚡ 350mA
⚡ 1W

💡 LED
IP IP65
🔄 N/A
📐 22°

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	55lm	STAINLESS STEEL	SL030FWW Warm White
4000K	74lm	STAINLESS STEEL	SL030FNW Neutral White

Exterior Lights



LED SPIKE LIGHT 7W SL040AFWW, SL040AFNW

This 7W garden spike light throws a powerful beam of light into your garden. The black anodised casing includes a shield to prevent dazzle while the head tilts through 90° for precise direction of the beam. In Flood or Spot lens. Available in Warm White or Neutral White.

L 466mm
W 57mm
H N/A
⚡ 700mA
⚡ 7W

💡 LED
IP IP65
🔄 N/A
A S 18°
F 38°

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	292lm	BLACK	SL030FWW Warm White
4000K	421lm	BLACK	SL030FNW Neutral White



LED WALL WASHING LIGHT BAR LEDLINE40045, LEDLINE400110, LEDLINE40025X6

The wall-washing light bar throws a swathe of light across the area that you want to highlight. Choose from a broad 110°, 45° mid-level or 25x6° tiltable asymmetric beam angle. 16W power output and an external IP rating, this is the ultimate LED lighting unit. Available in Warm White or Neutral White.

L 400mm
W 34mm
H 64mm
⚡ 700mA
⚡ 16W

💡 LED
IP IP65
🔄 N/A
A 45°
110°
25x6°

COLOURS	PART NO	COLOURS	PART NO
BLACK	LEDLINE40045 45°	BLACK	LEDLINE40025X6 25x6°
BLACK	LEDLINE400110 110°	N/A	N/A



LED WALL WASHING LIGHT BAR RGB UL345CARGB, UL346CARGB, UL347CARGB

The wall-washing RGB light bar throws a swathe of light across the area that you want to highlight. Choose from a broad 110°, 45° mid-level or 25x6° tiltable asymmetric beam angle. 12.6W power output and an external IP rating, this is the ultimate LED lighting unit. 5 year warranty.

L 400mm
W 34mm
H 57mm
64mm
⚡ 350mA
⚡ 12W

💡 LED
IP IP65
🔄 N/A
A 45°
110°
25x6°

COLOURS	PART NO	COLOURS	PART NO
BLACK	UL347CARGB 45° 64mm	BLACK	UL346CARGB 25x6° 64mm
BLACK	UL345CARGB 110° 57mm	N/A	N/A



LED AREA LIGHT 80W CLFA80LDBLK4

80W LED Parking light. Heavy duty die cast aluminium housing. 8500 lumen output. 4000K. IP65 rated. Pole sold seperately. Available in Black.

L 304mm
W 232mm
H 128mm
⚡ 240V
⚡ 80W

💡 LED
IP IP65
🔄 N/A
A 90*100°

LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	8500lm	BLACK	CLFA80LDBLK4

Exterior Lights



LED AREA LIGHT 160W CLFA160LDBLK4

160W LED Parking light. Heavy duty die cast aluminium housing. 16800 lumen output. 4000K. IP65 rated. Pole sold separately. Available in Black.

L 304mm
W 392mm
H 128mm
⚡ 240V
⚡ 160W

💡 LED
IP IP65
🔄 N/A
⌒ 90°*100°

LAMP TEMP LUMENS COLOURS PART NO

4000K
16800lm
BLACK
CLFA160LDBLK4



LED AREA LIGHT 60W / 100W CLSB60W, CLSB100W

60W / 100W LED Area (Shoebox) light. Can be widely used for industrial and residential areas, sidewalks, parking lots etc. Die cast aluminium housing and inbuilt high efficiency LED Driver. High luminous efficiency and long life lumileds LED. Available in 3000K/4000K/5000K/5700K. Available in Dark Charcoal. 5 year warranty.

L 601mm
W 282mm
H 85mm
⚡ 240V
⚡ 60W / 100W

💡 LED
IP IP65
🔄 N/A
⌒ 158° or 86°*140°

LAMP TEMP LUMENS COLOURS PART NO

5000K
9200lm
DARK CHARCOAL
CLSB60W 60W

5000K
13000lm
DARK CHARCOAL
CLSB100W 100W



LED AREA LIGHT 150W / 200W CLSB150W, CLSB200W

150W / 200W LED Area (Shoebox) light. Can be widely used for industrial and residential areas, sidewalks, parking lots etc. Die cast aluminium housing and inbuilt high efficiency LED Driver. High luminous efficiency and long life lumileds LED. Available in 3000K/4000K/5000K/5700K. Available in Dark Charcoal. 5 year warranty.

L 601mm
W 282mm
H 85mm
⚡ 240V
⚡ 150W / 200W

💡 LED
IP IP65
🔄 N/A
⌒ 158° or 86°*140°

LAMP TEMP LUMENS COLOURS PART NO

5000K
17300lm
DARK CHARCOAL
CLSB150W 150W

5000K
22100lm
DARK CHARCOAL
CLSB200W 200W



LED AREA LIGHT 300W CLSB300W

300W LED Area (Shoebox) light. Can be widely used for industrial and residential areas, sidewalks, parking lots etc. Die cast aluminium housing and inbuilt high efficiency LED Driver. High luminous efficiency and long life lumileds LED. Available in 3000K/4000K/5000K/5700K. Available in Dark Charcoal. 5 year warranty.

L 641mm
W 403mm
H 85mm
⚡ 240V
⚡ 300W

💡 LED
IP IP65
🔄 N/A
⌒ 158° or 86°*140°

LAMP TEMP LUMENS COLOURS PART NO

5000K
33600lm
DARK CHARCOAL
CLSB300W 300W





Bollards



LED BOLLARD LAN-SLANT3K

Sleek LED bollard made from solid aluminium. Surface mounted. 500mm wire with Integral Driver. Available in Aluminium.

N/A	80mm	600mm	240V	6W
CITIZEN LED	IP54	N/A	N/A	

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	475lm	ALUMINIUM	LAN-SLANT3K



DOME TOP BOLLARD LANMBL1582

Dome top bollard. Constructed in aluminium and powdercoated to ensure high corrosion & UV resistance. Complete with meanwell driver. Available in Black.

N/A	150mm	1000mm	240V	1x 15W
CREE LED	IP65	N/A	60°	

LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	N/A	BLACK	LANMBL1582



FLAT TOP BOLLARD LANMBL1580

Flat top bollard. Constructed in aluminium and powdercoated to ensure high corrosion & UV resistance. Complete with meanwell driver. Available in Black.

N/A	150mm	1000mm	240V	1x 15W
CREE LED	IP65	N/A	60°	

LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	N/A	BLACK	LANMBL1580

Bollards



FLAT TOP LED BOLLARD CL1099BBLK204, CL1099BSIL204

24W LED flat top bollard with silver cone shaped reflector and clear lens. Inbuilt LED Driver enclosed in IP Rated Box. Available in Black or Silver.

L N/A
W 195mm
H 1000mm
⚡ 240V
⚡ 24W

💡 LED
IP IP65
🌀 N/A
A N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	1680lm	BLACK	CL1099BBLK204
4000K	1680lm	SILVER	CL1099BSIL204



SURFACE MOUNT DOME TOP BOLLARD CL3338

Surface mount bollard with aluminium body. Opal polycarbonate diffuser. Lamp supplied with PLC option only. Available in Black or Silver.

L N/A
W 120mm
H 1100mm
⚡ 240V
⚡ GLS 18W 26W

💡 ES/PLC
IP IP44
🌀 N/A
A N/A

COLOURS	PART NO	PART NO	PART NO
BLACK	CL3338BLKES GLS ES	CL3338BLK118 18W PLC	CL3338BLK126 26W PLC
SILVER	CL3338SILES GLS ES	CL3338SIL118 18W PLC	CL3338SIL126 26W PLC



POST TOP BOLLARD LAN3333B, LAN3333G

Three tier aluminium bollard post top to suit 76mm OD post. Available in Black or Green.

L N/A
W 200mm
H 160mm
⚡ 240V
⚡ 18W

💡 E27 CFL
IP IP44
🌀 70mm
A N/A

COLOURS	PART NO	COLOURS	PART NO
BLACK	LAN3333B	GREEN	LAN3333G



Inground Up-Lights



MICRO INGROUND UPLIGHT 15°
LANMICRO-CV3015, LANMICRO-CV5515

Perfect marker light for in-ground, underwater or exterior applications. 8mm tempered glass lens can support 2,000kg drive over. Very low temperature on fascia means the luminaire is also safe for interiors and is ideal for use in bathrooms, kitchens and so forth. 50,000 hour lifespan and 3 year warranty.

L N/A
W 67mm
H 66mm
⚡ 12V
⚡ 2W

💡 CREE LED
IP IP68
↻ 52mm
A 15°

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	70lm	STAINLESS STEEL	LANMICRO-CV3015
5500K	85lm	STAINLESS STEEL	LANMICRO-CV5515



MICRO INGROUND UPLIGHT 40°
LANMICRO-CV3040, LANMICRO-CV5540

Perfect marker light for in-ground, underwater or exterior applications. 8mm tempered glass lens can support 2,000kg drive over. Very low temperature on fascia means the luminaire is also safe for interiors and is ideal for use in bathrooms, kitchens and so forth. 50,000 hour lifespan and 3 year warranty.

L N/A
W 67mm
H 66mm
⚡ 12V
⚡ 2W

💡 CREE LED
IP IP68
↻ 52mm
A 40°


LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	70lm	STAINLESS STEEL	LANMICRO-CV3040
5500K	85lm	STAINLESS STEEL	LANMICRO-CV5540

Inground Up-Lights



MINI INGROUND UPLIGHT 15°
LANMINI-CV3015, LANMINI-CV5015

Perfect marker light for in-ground, underwater or exterior applications. 8mm tempered glass lens can support 2,000kg drive over. Very low temperature on fascia means the luminaire is also safe for interiors and is ideal for use in bathrooms, kitchens, etc. 50,000 hour lifespan and 3 year warranty.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	250lm	STAINLESS STEEL	LANMINI-CV3015
5500K	280lm	STAINLESS STEEL	LANMINI-CV5015



MINI INGROUND UPLIGHT 40°
LANMINI-CV3040, LANMINI-5040

Perfect marker light for in-ground, underwater or exterior applications. 8mm tempered glass lens can support 2,000kg drive over. Very low temperature on fascia means the luminaire is also safe for interiors and is ideal for use in bathrooms, kitchens, etc. 50,000 hour lifespan and 3 year warranty.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	250lm	STAINLESS STEEL	LANMINI-CV3040
5500K	280lm	STAINLESS STEEL	LANMINI-CV5040



LED GROUND LIGHT 10W
GL007A-NW, GL007A-WW

Contains 1x 10W LED unit that can be adjusted to 20°, bringing greater flexibility and achieving equivalent light output to a 35W halogen. Well suited for drive over situations, permanent use outdoors and being part of a retrofit or new installation. Available in both a Flood or Spot lens and 3 ambient LED colours including Blue.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	310lm	STAINLESS STEEL	GL007A-NW Neutral White
4000K	375lm	STAINLESS STEEL	GL007A-WW Warm White



LED GROUND LIGHT 8W
GL007FROSTEDWW, GL007FROSTEDNW

Strong, powerful and practical, the GL007 FROSTED provides excellent light for marking any path, lobby or drive way, whilst drive over glass and direct to mains installation gives you peace of mind. The powerful 8W Luxeon led inside means it is perfect for large scale effects, giving you a professional look. 316 Stainless Steel cover ring. Available in 2 ambient LED colours.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	96lm	STAINLESS STEEL	GL007FROSTEDWW Warm White
4000K	101lm	STAINLESS STEEL	GL007FROSTEDNW Neutral White

Inground Up-Lights



RGBW LED GROUND LIGHT GL007RGBW

For bold outdoor colour effects, this 12W ground light is unbeatable. The LED tilts up to 20° so you can throw light back against trees, walls or other architectural or ornamental features. No one need ever suffer direct glare. For complete versatility, the white LED gives you the option to switch to a functional white light. Installation tube included. 3 year warranty.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	208lm	STAINLESS STEEL	GL007RGBW RGB



LED TWIN GROUND LIGHT 16W GL008AWW, GL008ANW

Contains 2x 8W LED units that can adjust to 20° bringing greater flexibility. Contains toughened glass and 316 Stainless Steel cover ring. Is well suited for drive over situations. Available in both a Flood or Spot lens and 2 ambient colours.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	600lm	STAINLESS STEEL	GL008AWW Warm White
4000K	750lm	STAINLESS STEEL	GL008ANW Neutral White



RGBW LED GROUND LIGHT GL008RGBW

This is the powerful 24W colour-change ground light that goes where the traffic's heaviest and the features you want to illuminate are highest. With twin LED units independently tiltable to 20°, you can direct the light towards the features that count. The addition of the white LED means you can flood the scene with functional white light for evenings when practicality is more important than atmosphere. Installation tube included. 3 year warranty.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	416lm	STAINLESS STEEL	GL008RGBW RGB



LED GROUND LIGHT 22W GL009AWW, GL009ANW

Real power without the hassle of ongoing maintenance. With just 3 adjustable, 7W Luxeon LED unit inside means it's perfect for large scale effects. Also the adjustability of the light angle means it's great for lighting trees, buildings, statues and driveways. Stainless Steel cover ring and aluminium body. And with a built in power supply, means straight to mains simplicity too. Available in both a Flood or Spot lens.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	891lm	STAINLESS STEEL	GL009AWW Warm White
4000K	1266lm	STAINLESS STEEL	GL009ANW Neutral White

Inground Up-Lights



MINI LED GROUND LIGHT GL016WW, GL016NW

Powerful and stylish, the 1W LED powered light features marine grade Stainless Steel and is submersible in water down to 9m. This mid-sized, stainless steel 1W ground light is ideal for lighting paths, decking and water features. Series Wired. Available in 6 ambient LED colours. Note: Canister available.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	52lm	STAINLESS STEEL	GL016WW Warm White
4000K	55lm	STAINLESS STEEL	GL016NW Neutral White



MINI LED GROUND LIGHT GL016RGBW

Marine grade stainless steel is what gives this ground light its ability to shine even when the ground puddles over. A 5mm toughened glass cover lets you walk all over it, and the RGBW LEDs give you the option to create as much colour as you like. With the white LED, you can go further and bathe your grounds in pure white light, which is practical as well as attractive. Installation tube available. 5 year warranty.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	63lm	STAINLESS STEEL	GL016RGBW RGB



MINI LED GROUND LIGHT GL018CWW, GL018CNW

This mini path marker/ground light is ideal for both domestic and public applications. Its low profile discreet design makes this unit a must for decking areas, lobbies and walkways. Low in power consumption and cost effective. Constructed in 316 Stainless Steel. Requires 24V DC Driver. Available in 6 ambient LED colours.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	3lm	STAINLESS STEEL	GL018CWW Warm White
4000K	3lm	STAINLESS STEEL	GL018CNW Neutral White



MINI LED GROUND LIGHT GL019FWW, GL019FNW

Discreet yet powerful, this 1W LED powered ground light is perfect for dance floors, decking areas, entrance halls and pathways. Either indoors or outdoors, the IP68 marine grade Stainless Steel unit is available in 6 ambient LED colours. Series Wired. Note: Canister available.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	44lm	STAINLESS STEEL	GL019FWW Warm White
4000K	55lm	STAINLESS STEEL	GL019FNW Neutral White

Inground Up-Lights



LED SPOT GROUND LIGHT

GL019SWW, GL019SNW

Discreet yet powerful, this 1W LED powered ground light is perfect for decking areas, entrance halls and pathways. Indoors or out, the IP68 marine grade stainless steel unit will give a flawless performance for many years of maintenance free operation. Series Wired. Available in 6 ambient LED colours. Note: Canister available.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	52lm	STAINLESS STEEL	GL019SWW Warm White
4000K	55lm	STAINLESS STEEL	GL019SNW Neutral White



SQUARE MINI LED GROUND LIGHT 1W

GL019SQNW, GL019SQWW

Discreet yet powerful, this 1W LED powered ground light is perfect for dance floors, decking areas, entrance halls and pathways. Available in Flood or Spot and in 3 ambient LED colours. The IP68 marine grade Stainless Steel unit can be used either indoors or outdoors. Series Wired. Note: Canister available.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	44lm	STAINLESS STEEL	GL019SQWW Warm White
4000K	55lm	STAINLESS STEEL	GL019SQNW Neutral White



LED SLOTTED GROUND LIGHT

GL021WW, GL021NW

This exclusive, robust yet attractive, mid-sized, LED slot light is ideal for path, lobby and deck lighting. The light exits via 30° slots giving precise light output where you want it, and eliminates glare where you don't. Inexpensive to run and maintenance free. Available in Neutral White, Warm White and Blue Light. Note: Canister available.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	8lm	STAINLESS STEEL	GL021WW Warm White
4000K	10lm	STAINLESS STEEL	GL021NW Neutral White



LED SQUARE SLOTTED GROUND LIGHT

GL022WW, GL022NW

This exclusive, robust yet attractive, mid-sized, LED slot light is ideal for path, lobby and deck lighting. The light exits via 30° slots giving precise light output where you want it, and eliminates glare where you don't. Inexpensive to run and maintenance free. Available in Neutral White, Warm White and Blue Light. Note: Canister available.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	8lm	STAINLESS STEEL	GL022WW Warm White
4000K	10lm	STAINLESS STEEL	GL022NW Neutral White

Inground Up-Lights



LED GROUND LIGHT 3W GL040WW, GL040NW

Equivalent to a 20W halogen, this marine grade Stainless Steel ground light is ideal for lighting walls, trees and walkways. Available in Flood or Spot, 3 ambient LED colours and submersible up to 9M, the GL040 with its low profile will compliment any surroundings and bring to life your outdoor lighting scheme. Series Wired. Note: Canister available.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	160lm	STAINLESS STEEL	GL040WW Warm White
4000K	200lm	STAINLESS STEEL	GL040NW Neutral White



INGROUND UPLIGHT RGB GL040CARGB

For imaginative lighting effects involving shrubs or low-level architectural features, this 3W walk-over ground light is ideal. Made from marine grade stainless steel and IP67 rated, this ground light takes on a life of its own in the most inhospitable corners of your garden. Place a network of them across your premises, and you'll see the familiar in a completely different light after dark. Series Wired. Installation tube available. 5 year warranty.




LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	68lm	STAINLESS STEEL	GL040CARGB RGB



LED SQUARE GROUND LIGHT 3W GL041WW, GL041NW

Equivalent to a 20W halogen, this marine grade Stainless Steel ground light is ideal for lighting walls, trees and walkways. Available in Flood or Spot, Warm White or Neutral White and submersible up to 9M, the GL041 with its low profile and square facia will compliment any surroundings. Constructed in 316 Stainless Steel. Note: Canister available.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	160lm	STAINLESS STEEL	GL041WW Warm White
4000K	200lm	STAINLESS STEEL	GL041NW Neutral White



LED GROUND LIGHT 3W GL050WW, GL050NW

The GL050 uses a frosted effect for a softer tone of light and is perfect as a marker light positioned along walls, paths, in lobbies or flower beds for a professional look. Available in 3 ambient LED colours. Note: Canister available.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	46lm	STAINLESS STEEL	GL050WW Warm White
4000K	50lm	STAINLESS STEEL	GL050NW Neutral White

Inground Up-Lights




LED GROUND LIGHT 3W GL050RGBW

This is the ground light that gives you the most subtle colour changes for indoor and outdoor use. Mount an array of them on the ground or on the walls. The inclusion of RGBW, a frosted glass cover, and a wide 100° beam angle gives this walk-over ground light the ability to flood the scene with soft light. Constructed in marine grade Stainless Steel. Series Wired. 5 year warranty.




LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	13lm	STAINLESS STEEL	GL050RGBW RGB




LED SQUARE GROUND LIGHT 3W GL051WW, GL051NW

The GL051 uses a frosted effect for a softer tone of light and is perfect as a marker light positioned along walls, paths, in lobbies or flower beds for a professional look. Available in 3 ambient LED colours. Note: Canister available.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	46lm	STAINLESS STEEL	GL051WW Warm White
4000K	50lm	STAINLESS STEEL	GL051NW Neutral White



LED GROUND LIGHT 7W GL090WW, GL090NW

Equivalent to a 35W halogen, this marine grade stainless steel ground light is ideal when looking for that extra level of light. Available in Flood or Spot lens, 3 ambient LED colours and submersible up to 9m, the GL090 is the perfect ground light for any outdoor installation including those difficult water features.




LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	304lm	STAINLESS STEEL	GL090WW Warm White
4000K	310lm	STAINLESS STEEL	GL090NW Neutral White



LED GROUND LIGHT 12W GL090RGBW

With four colour-change LEDs (including white), this powerful 12W ground light gives you just about every colour you can imagine, including the softest pastels and the purest bright white. Since the LED is made from marine-grade stainless steel with an IP67 rating, you could instead light up your bathroom or the area around your swimming pool. Installation tube available.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	STAINLESS STEEL	GL090RGBW RGB

Inground Up-Lights



LED MINI DECORATIVE LIGHT 1W ML01

A modern day and elegant LED decorative mini-light, designed to add style to floors, bars, walls and ceilings. Walkover and IP68 rated, allows for installation anywhere, and the clever and stylish design of the light output means no glare even when looking directly at it, making this product perfect for stair facings. Available in 5 ambient LED colours.




LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	4lm	STAINLESS STEEL	ML01



TUBE LANTUBE-33, LANTUBE-50, LANTUBE-68

Aluminium installation tubes. Ideal for securing products in to concrete, soil or sand. Cut hole included for cable entry and available in 3 sizes.



COLOURS	PART NO	COLOURS	PART NO
ALUMINIUM	LANTUBE-33 37mm	ALUMINIUM	LANTUBE-68 72mm
ALUMINIUM	LANTUBE-50 56mm	N/A	N/A





Flood Lights



20W LED FLOOD LIGHT LANFLASH20WSIL3K, LANFLASH20WSIL4K, LANFLASH20WBK3K, LANFLASH20WBK4K

LED 20W Flood Light with an IP rating of 66 for exterior use. Available with an output of 3000K (1800 lumens) & 4000K (1950 lumens). Available in Black or Silver.

L 179mm
W 138mm
H 50mm
⚡ 240V
⚡ 20W

💡 LED
🛡️ IP66
🔄 N/A
📐 90°

COLOURS	PART NO	COLOURS	PART NO
SILVER	LANFLASH20WSIL3K	SILVER	LANFLASH20WSIL4K
BLACK	LANFLASH20WBK3K	BLACK	LANFLASH20WBK4K



20W LED FLOOD LIGHT 19584, 19585, 19586, 19587

LED 20W Flood Light with an IP rating of 65 for exterior use. Available with an output of 3000K or 5000K. Constructed from die-cast aluminium alloy and toughened tempered glass. Adjustable bracket. Available in Silver or White.

L 232mm
W 210mm
H 37mm
⚡ 240V
⚡ 20W

💡 LED
🛡️ IP65
🔄 N/A
📐 140°

COLOURS	PART NO	COLOURS	PART NO
SILVER	19584 3000K	SILVER	19585 5000K
WHITE	19586 3000K	WHITE	19587 5000K

Flood Lights



30W LED FLOOD LIGHT LAN175TG-30W3K,
LAN175TG-30W4K

LED Flood Light 30W with an IP rating of 65. Available in Black/Silver.

L 290mm
W 250mm
H 80mm
⚡ 240V
⚡ 30W

💡 LED
IP IP65
🌀 N/A
⚡ N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	N/A	BLACK SILVER	LAN175TG-30W3K
4000K	N/A	BLACK SILVER	LAN175TG-30W4K



50W LED FLOOD LIGHT LAN175TG-50W3K,
LAN175TG-50W4K

LED Flood Light 50W with an IP rating of 65. Available in Black/Silver.

L 350mm
W 320mm
H 110mm
⚡ 240V
⚡ 50W

💡 LED
IP IP65
🌀 N/A
⚡ N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	N/A	BLACK SILVER	LAN175TG-50W3K
4000K	N/A	BLACK SILVER	LAN175TG-50W4K



100W LED FLOOD LIGHT LAN175TG-100W3K,
LAN175TG-100W4K

LED Flood Light 100W with an IP rating of 65. Available in Black/Silver.

L 420mm
W 380mm
H 130mm
⚡ 240V
⚡ 100W

💡 LED
IP IP65
🌀 N/A
⚡ N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	N/A	BLACK SILVER	LAN175TG-100W3K
4000K	N/A	BLACK SILVER	LAN175TG-100W4K



21W LED DIMMABLE FLOOD LIGHT FL200FWW,
FL200FNW

This Universal fitting throws the light in any direction, while the anodised aluminium body and waterproof mains connector keep the weather out. Complete with wall fittings. Available in Warm White or Neutral White.

L 197mm
W 65mm
H 117mm
⚡ 240V
⚡ 21W

💡 LED
IP IP65
🌀 N/A
⚡ 50°

LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	1292lm	BLACK	FL200FWW Warm White
4000K	1415lm	BLACK	FL200FNW Neutral White

Spot Lights



SENTRY SINGLE SPOT LIGHT 4000K SENTRYBLK13W4K, SENTRYSIL13W4K

Our Sentry Spotlight provides an efficient and cost-effective solution for outdoor lighting. Provides a constant wash of Neutral White LED light. Ideal for a BBQ area, backyard area, under eaves, front garage etc. IP65 rated. 3 Year Replacement warranty. Available in Black and Silver.



LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	N/A	BLACK	SENTRYBLK13W4K
4000K	N/A	SILVER	SENTRYSIL13W4K



SENTRY TWIN SPOT LIGHT 4000K SENTRYBLK26W4K, SENTRYSIL26W4K

Our Sentry Spotlight provides an efficient and cost-effective solution for outdoor lighting. Provides a constant wash of Neutral White LED light. Ideal for a BBQ area, backyard area, under eaves, front garage etc. IP65 rated. 3 Year Replacement warranty. Available in Black and Silver.



LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	N/A	BLACK	SENTRYBLK26W4K
4000K	N/A	SILVER	SENTRYSIL26W4K



SENTRY TWIN SPOT LIGHT WITH SENSOR 4000K SENTRYBLK26W4KS, SENTRYSIL26W4KS, SENTRYWHT26W4KS

Our Sentry Spotlight with Sensor provides an efficient and cost-effective solution for outdoor lighting. Provides a constant wash of Neutral White LED light. Ideal for a BBQ area, backyard area, under eaves, front garage etc. IP65 rated. 3 Year Replacement warranty. Available in Black, Silver and White.



COLOURS	PART NO	COLOURS	PART NO
BLACK	SENTRYBLK26W4KS	SILVER	SENTRYSIL26W4KS
WHITE	SENTRYWHT26W4KS	N/A	N/A



Fluorescent Lights



SLIMLINE INTER-CONNECTABLE FLUORESCENT

LANCG1501-8, LANCG1501-14,
LANCG1501-21, LANCG1501-28, LANCG1501-35

Linkable slimline fluorescent complete with lamp & electronic ballast.
Available in White.

320mm 574mm 872mm 1175mm 1470mm	25mm	42mm	240V	8W 14W 21W 28W 35W
T5	IP20	N/A	N/A	

PART NO	PART NO	PART NO	PART NO
LANCG1501-8 320mm 8W	LANCG1501-21 872mm 21W	LANCG1501-35 1470mm 35W	N/A
LANCG1501-14 574mm 14W	LANCG1501-28 1175mm 28W	N/A	N/A



SLIMLINE INTER-CONNECTABLE FLUORESCENT

LANCG1611A-8, LANCG1611A-14,
LANCG1611A-21, LANCG1611A-28, LANCG1611A-35

Linkable slimline fluorescent complete with switch, lamp & electronic ballast.
Available in White.

325mm 605mm 904mm 1205mm 1487mm	22mm	42.5mm	240V	8W 14W 21W 28W 35W
T5	IP20	N/A	N/A	

PART NO	PART NO	PART NO	PART NO
LANCG1611A-8 325mm 8W	LANCG1611A-21 904mm 21W	LANCG1611A-35 1487mm 35W	N/A
LANCG1611A-14 605mm 14W	LANCG1611A-28 1205mm 28W	N/A	N/A



SURFACE MOUNT LED BATTEN

LANPLASTH40WLED4K

Our LED batten is suitable for a wide range of applications including garages, workshops and task areas where a high-output, natural white, surface mounted fitting is required. Made with extruded opal polycarbonate diffuser with UV protection and powdercoated steel housing. Available in White.

1200mm	208mm	70mm	240V	40W
LED	IP44	N/A	N/A	

LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	3300lm	WHITE	LANPLASTH40W LED4K



TORNADO SURFACE MOUNT

LANTORNADO-114, LANTORNADO-128

Weather and Vandal resistant surface mount with stainless steel clips and lamps. Emergency option available. Available in Silver.

600mm 1200mm	100mm	101mm	240V	1x 14W 1x 28W
T5	IP65	N/A	N/A	

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	SILVER	LANTORNADO-114 600mm 1x 14W
N/A	N/A	SILVER	LANTORNADO-128 1200mm 1x 28W

Fluorescent Lights



TORNADO SURFACE MOUNT

LANTORNADO-214, LANTORNADO-228

Weather and vandal resistant surface mount with stainless steel clips and lamps. Emergency option available. Available in Silver.

L 600mm / 1200mm
W 100mm
H 101mm
⚡ 240V
⚡ 2x 14W / 2x 28W

T5
IP IP65
⌚ N/A
A N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	SILVER	LANTORNADO-214 600mm 2x 14W
N/A	N/A	SILVER	LANTORNADO-228 1200mm 2x 28W



ULB LOUVRED LANMOD128, LANMOD228

ULB louvred suspension or surface mount complete with lamps offering 5000 Lumens. Available in Silver.

L 1206mm
W 118mm
H 58mm
⚡ 240V
⚡ 1x 28W / 2x 28W

T5
IP IP20
⌚ N/A
A N/A

COLOURS	PART NO	COLOURS	PART NO
SILVER	LANMOD128 1x 28W	SILVER	LANMOD228 2x 28W



INDIRECT T-BAR LANINDIRECT-236

Indirect recessed T-Bar complete with lamps. Available in White.

L 620mm
W 620mm
H 100mm
⚡ 240V
⚡ 2x 36W

PLC
IP IP20
⌚ N/A
A N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	WHITE	LANINDIRECT-236



T-BAR TROFFER LANRELAX-214

ULB Louvred recessed T-Bar Troffer complete with lamps. Plaster recess Kit available P.O.A. Available in White,

L 595mm
W 296mm
H 58mm
⚡ 240V
⚡ 2x 14W

T5
IP IP20
⌚ N/A
A N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	WHITE	LANRELAX-214

Fluorescent Lights



TROFFER LANCLASSIC228

Surface Mount ULB louvre troffer complete with lamps. Available in White.

L 1200mm
W 300mm
H 70mm
⚡ 240V
⚡ 2x 28W

T5
IP IP20
⌛ N/A
A N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	WHITE	LANCLASSIC228



K12 DIFFUSED T-BAR TROFFER LANT-128, LANT-228

K12 Diffused recessed T-Bar troffer complete with lamps. Available in White.

L 1200mm
W 300mm
H 80mm
⚡ 240V
⚡ 28W 2x 28W

T5
IP IP20
⌛ N/A
A N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	WHITE	LANT-128
N/A	N/A	WHITE	LANT-228



T-BAR TROFFER

LANRELAX-128, LANRELAX-228

ULB Louvred recessed T-Bar Troffer complete with lamps. Available in 28W or 2x 28W. Plaster recess Kit available P.O.A. Available in White.

L 1200mm
W 295mm
H 58mm
⚡ 240V
⚡ 1x 28W 2x 28W

T5
IP IP20
⌛ N/A
A N/A

COLOURS	PART NO	COLOURS	PART NO
WHITE	LANRELAX-128 1x 28W	WHITE	LANRELAX-228 2x 28W



LED WEATHERPROOF BATTEN

TORNLED20WIP654K, TORNLED40WIP654K

- Vandal Resistant
- LED Weather proof batten
- Opal diffuser to minimise glare
- Moulded polycarbonate body
- Stainless Steel clips
- Stainless Steel mounting brackets
- 4000K
- Tridonic Driver

L 600mm 1200mm
W 130mm
H 100mm
⚡ 240V
⚡ 20W 40W

LED
IP IP65
⌛ N/A
A N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
4000K	N/A	OPAL	TORNLED20WIP654K 600mm 20W
4000K	N/A	OPAL	TORNLED40WIP654K 1200mm 40W



LED Drivers & Accessories



HOUSED LED DRIVER 8W LAN350MA8W

350mA polycarb housed LED driver.

Note: Wired in series




LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	N/A	LAN350MA8W



HOUSED LED DRIVER 18W LAN350MA18W

350mA polycarb housed LED driver.

Note: Wired in series




LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	N/A	LAN350MA18W



LED DRIVER LANDC12V-9W

Constant voltage polycarb housed LED driver.




LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	N/A	LANDC12V-9W



LED DRIVER LCBI014-0700-IP20, LCBI015-0350-IP20

Dimmable via leading edge and trailing edge phase dimmers.



LAMP TEMP	LUMENS	PART NO	PART NO
N/A	N/A	LCBI014-0700-IP20 14W 700mA	LCBI015-0350-IP20 15W 350mA

LED Drivers & Accessories



LED DRIVER 18W / 40W

LANLEX18W12VIP67, LANLEX40W12VIP67

Constant voltage LED driver. IP67 dust and waterproof.

162mm 232mm	37mm	25mm	12V	18W 40W
N/A	IP67	N/A	N/A	

LAMP TEMP	LUMENS	PART NO	PART NO
N/A	N/A	LANLEX18W12VIP67 18W	LANLEX40W12VIP67 40W



LED DRIVER 15W

LCI015-0350-IP20, LCI015-0700-IP20

Constant current LED control gear.

165mm	43mm	30mm	350mA 700mA	15W
N/A	IP20	N/A	N/A	

LAMP TEMP	LUMENS	PART NO	PART NO
N/A	N/A	LCI015-0350-IP20 350mA	LCI015-0700-IP20 700mA



LED DRIVER 30W LCI030-0700-IP20

Constant current LED control gear.

165mm	43mm	30mm	700mA	30W
N/A	IP20	N/A	N/A	

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	N/A	LCI030-0700-IP20



LED DRIVER 35W LCU035-12-IP20, LCU035-24-IP20

Constant voltage LED control gear Indoor.

185mm	43mm	30mm	12V 24V	35W
N/A	IP20	N/A	N/A	

LAMP TEMP	LUMENS	PART NO	PART NO
N/A	N/A	LCU035-12-IP20 12V	LCU035-24-IP20 24V

LED Drivers & Accessories



LED DRIVER 60W LCU060-12-IP20, LCU060-24-IP20

Constant voltage LED control gear Indoor.




LAMP TEMP LUMENS PART NO PART NO



LED DRIVER 100W LCU0100-12-IP20, LCU0100-24-IP20

Constant voltage LED control gear Indoor.



LAMP TEMP LUMENS PART NO PART NO



LED DRIVER 150W LCU0150-12-IP20, LCU0150-24-IP20

Constant voltage LED control gear Indoor.




LAMP TEMP LUMENS PART NO PART NO



LED DRIVER 15W LCI015-0350-IP67, LCI015-0700-IP67

Independent LED control gear for LED modules.



LAMP TEMP LUMENS PART NO PART NO



LED Drivers & Accessories



LED DRIVER 30W LCI030-0700-IP67

Independent LED control gear for LED modules.

L 141mm
W 40mm
H 31mm
⚡ 700mA
⚡ 30W

💡 N/A
IP IP67
🌀 N/A
A N/A

LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	N/A	LCI030-0700-IP67



LED DRIVER 15W LCU015-12-IP67, LCU015-24-IP67

Constant voltage LED control gear Outdoor.

L 107.6mm
W 52mm
H 32mm
⚡ 12V/24V
⚡ 15W

💡 N/A
IP IP67
🌀 N/A
A N/A

LAMP TEMP	LUMENS	PART NO	PART NO
N/A	N/A	LCU015-12-IP67 12V	LCU015-24-IP67 24V



LED DRIVER 35W LCU035-12-IP67, LCU035-24-IP67

Constant voltage LED control gear Outdoor.

L 150.6mm
W 52mm
H 32mm
⚡ 12V/24V
⚡ 35W

💡 N/A
IP IP67
🌀 N/A
A N/A

LAMP TEMP	LUMENS	PART NO	PART NO
N/A	N/A	LCU035-12-IP67 12V	LCU035-24-IP67 24V



LED DRIVER 60W LCU060-12-IP67, LCU060-24-IP67

Constant voltage LED control gear Outdoor.

L 221.6mm
W 52mm
H 32mm
⚡ 12V/24V
⚡ 60W

💡 N/A
IP IP67
🌀 N/A
A N/A

LAMP TEMP	LUMENS	PART NO	PART NO
N/A	N/A	LCU060-12-IP67 12V	LCU060-24-IP67 24V

LED Drivers & Accessories



LED DRIVER 100W LCU0100-12-IP67, LCU0100-24-IP67

Constant voltage LED control gear Outdoor.



LAMP TEMP	LUMENS	PART NO	PART NO
N/A	N/A	LCU0100-12-IP67 12V	LCU0100-24-IP67 24V



LED DRIVER 15W 20200

15W 12V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, garden lights, inground uplighters and much more. Parallel wired.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	N/A	20200



LED DRIVER 30W 20201

30W 12V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, garden lights, inground uplighters and much more. Parallel wired.




LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	N/A	20201



LED DRIVER 60W 20202

60W 12V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, garden lights, inground uplighters and much more. Parallel wired.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	N/A	20202

LED Drivers & Accessories



LED DRIVER 100W 20203

100W 12V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, garden lights, inground uplighters and much more. Parallel wired.



LAMP TEMP LUMENS COLOURS PART NO



LED DRIVER 150W 20204

150W 12V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, garden lights, inground uplighters and much more. Parallel wired.



LAMP TEMP LUMENS COLOURS PART NO



LED DRIVER 200W 20199

200W 12V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, garden lights, inground uplighters and much more. Parallel wired.




LAMP TEMP LUMENS COLOURS PART NO



LED TUBE LANLEDTUBE20W5K

SMD LED Tube with a high efficiency diffuser, glare-free offering precise light distribution. The Aluminium heat sink helps to dissipate heat and extend product lifespan.



LAMP TEMP LUMENS COLOURS PART NO



LED Drivers & Accessories



FLAT EARTH FLEX & PLUG LANFP1.2

2 pin, flat earth flex & plug.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	N/A	LANFP1.2



ROUND EARTH FLEX & PLUG LANFPREM1

3 pin, round earth flex & plug.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	N/A	LANFPREM1



REDUCER RING TO SUIT DOWN LIGHT LAN0007-WH

200mm reducer ring to suit 90mm cut out down light.

Note: Reducer ring only no gimble supplied. Available in White.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	WHITE	LAN0007-WH



PREMIER REMOTE KIT MPREM

Premier Remote Kit featuring 3 speed fan setting, on/off fan and light function and the convenience of a 10 metre RF operational range.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	N/A	MPREM

LED Drivers & Accessories



LCD REMOTE MBHREM

Suited to three in one Heater Range.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	N/A	MBHREM

Lamps & Components



ELECTRONIC TRANSFORMER LAN60VAFP

60VA electronic transformer complete with flex & plug.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	N/A	LAN60VAFP



GU10 LAMP HOLDER ADAPTOR KIT LAN5111

GU10 lamp holder adaptor kit.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	N/A	LAN5111



G4 HALOGEN BI-PIN LAMP LANPIN10

G4 Halogen Bi-Pin Lamp.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	N/A	LANPIN10



LAMP HOLDER LEAD LAN0012, LAN0013, LAN0014

Low voltage lamp holder lead.



LAMP TEMP	PART NO	PART NO	PART NO
N/A	LAN0012 1000mm	LAN0013 2000mm	LAN0014 300mm

Lamps & Components



HALOGEN LAMP IRC35W60DEG

Osram energy saving Infra Red Coated 60 degree MR16 low voltage lamp.



LAMP TEMP LUMENS COLOURS PART NO



HALOGEN LAMP IRC35W60DEG-RAD

Radium energy saving Infra Red Coated 60 degree MR16 low voltage lamp.




LAMP TEMP LUMENS COLOURS PART NO



ENERGY SAVING MINI SPIRAL LANTP4540-13W

Energy saving mini spiral compact fluorescent.



LAMP TEMP LUMENS COLOURS PART NO



TRISTAR TRISTARR4S

Tristar 45 degree beam LED with heat sink. Available in Silver.



LAMP TEMP LUMENS COLOURS PART NO



Lamps & Components



TRISTAR TRISTAR-MR16-3K, TRISTAR-MR16-4K

Tristar non-dimmable 60 degree beam LED with heat sink. Available in Silver.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	N/A	SILVER	TRISTAR-MR16-3K
4000K	N/A	SILVER	TRISTAR-MR16-4K



TRISTAR COLOUR CHANGE TRISTARRGB

Tristar colour change 60 degree beam lamp. Accessories- TRISTARREMOTE colour change remote. Available in Silver.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	SILVER	TRISTARRGB



LED GU10 6W DIMMABLE LAMP LANLEDGU106W-3K, LANLEDGU106W-5K

LED GU10 6W Philips 3535 LED chip 240V Dimmable.



LAMP TEMP	LUMENS	COLOURS	PART NO
3000K	420lm	N/A	LANLED-GU106W-3K
5000K	460lm	N/A	LANLED-GU106W-5K



TRISTAR REMOTE TRISTARREMOTE

Tristar colour change infra red remote to suit TRISTARRGB lamp. Note: Instructions available upon request. Available in Black.



LAMP TEMP	LUMENS	COLOURS	PART NO
N/A	N/A	BLACK	TRISTARREMOTE

Terms and Conditions

1. Any change which affects the trading address, legal entity, structure of management or control of the applicant will be notified to Lanark Trading Co. Pty. Ltd. (thereafter referred to as "The Company") in writing within seven (7) days of change becoming effective.
2. Payment of the account is to be made by the end of the following month. Net 30 days from date of statement.
3. Credit facilities may be withdrawn on overdue accounts and or accounts exceeding credit facilities.
4.
 - i. It is expressly agreed and declared that the title to the goods/product shall not pass to the [buyer] until payment in full of the purchase price. The [Buyer] shall in the meantime take custody of the goods/product and retain them as fiduciary agent and bailee of the [seller].
 - ii. The [Buyer] may resell but only as a fiduciary agent of the [Seller]. Any right to bind the [seller] to any third party by contract or otherwise is however expressly negated. Any such resale is to be at arms length and on market terms and pending resale or utilisation in any manufacturing or construction process, is to be kept separate on its own, properly stored, protected and insured.
 - iii. The [Buyer] will receive all proceeds whether tangible or intangible, direct or indirect of any dealing with such goods/product in trust for [seller] and will keep such proceeds in a separate account until the liability to the [seller] shall have been discharged.
 - iv. The [Seller] is to have power to appropriate payments to such goods and accounts, as it thinks fit notwithstanding any appropriation by the [buyer] to the contrary.
 - v. In the event that the [Buyer] uses the goods/product in some manufacturing or construction process of its own or some third party, then the [Buyer] shall hold such part of the proceeds or construction process as relates to the goods/product in trust for the [Seller]. Such part shall be deemed to equal in dollar terms the amount owing by the [Buyer] to the [Seller] at the time of the receipt of such proceeds.
5. No claims for loss or damage in transit or for shortage in quantity will be entertained unless notice is given in writing within seven (7) days from date of delivery.
6. Goods returned will not be accepted unless a written request for credit has been approved by the Company. Goods returned shall be at the customer's expense.
7. The Company will not accept liability for any loss or damage to property of any nature in respect of any failure to deliver, or delay in delivery due to any case of whatever nature not within the control of the Company.
8. Enforcement expenses may become payable under credit facility in the event of a breach. The credit applicant must pay any reasonable expenses incurred in enforcing the agreement in the event of default.
9. The Company reserves the right to use the services of credit reporting service and mercantile agent.
10.
 - i. All Company luminaires are warranted for 1 year from the date of installation, provided they are free from defects in workmanship and materials provided, the equipment is used on proper voltage supply and has not been subjected to misuse. The Company will make necessary replacements of faulty component parts during this time without charge upon return to our premises. We will not be responsible for charges incurred by other parties for the rectification of our lighting equipment either during the installation period of the maintenance period unless such charges have been previously submitted and approved in writing by the Company. We reserve the right to use our own maintenance facilities for such rectification.
 - ii. This warranty does not cover any lamps, tubes, transformers, starters, control gear or other components of light fitting components that are subject to manufacturer warranty.
 - iii. Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.
11. Measurements provided are accurate at the time of publication but may vary within the manufacturing process. Users are advised to confirm exact specification prior to installation. The Company reserves the right to improve, modify or update any designs without prior notice.

Warranty Terms

1. No warranties except those implied and which cannot be excluded by law are given by Lanark Trading Company PTY LTD in respect of Goods or services supplied.
2. Lanark Trading Company PTY LTD in its absolute discretion provides a 12 month warranty from the date of purchase or supply to the first on-user.
3. Any breach of condition or warranty is limited to the repair or replacement of the Goods, the supply of equivalent goods, as determined by Lanark Trading Company PTY LTD.
4. The above warranty is in addition to the warranties and conditions implied by Part V Division 2 of the Trade Practices Act 1974 or by applicable State Acts and Territorial Ordinances to the extent that such implied warranties and condition incapable of being excluded here from. All other warranties and conditions are hereby expressly excluded.
5. All Company luminaries are warranted for 1 year from the date of installation, provided they are free from defects in workmanship and materials provided, the equipment is used on proper voltage supply and has not been subjected to misuse. The Company will make necessary replacement of faulty component parts during this time without charge upon return to our premises. Lanark Trading Company PTY LTD will not be liable for any electrical costs incurred if Lanark product/s are deemed faulty after installation. Goods need to be returned to the place of purchase, whereby Lanark Trading and Customer (not end user) will follow standard procedure to remedy situation.
6. Any luminaries installed in conjunction with PE Cells or Occupancy Sensor will void the standard warranty. The warranty will be reduced to 6 months from date of sale.
7. Faulty Goods – All goods claimed as being faulty and returned within 12 months of date of invoice shall be either repaired or replaced at the sole discretion of Lanark Trading. The faulty goods will need to be sent back with an approved Goods Return Authority return number.
8. Lanark Trading Company PTY LTD shall not be liable in any way whatsoever for any advice, assistance or representation given or omitted to be given in respect of products and services other than those directly provided by Lanark.
9. In no circumstance whatsoever will Lanark Trading Company PTY LTD be liable for loss of profits, contracts, goodwill, business, and anticipated savings and rectification costs for third party claims.

LANARK

TRADING CO. PTY LTD

7 Pitino Court
Osborne Park 6017

Ph: 08 9446 8922

Fx: 08 9446 8498

E: lanark@lanarktrading.com.au

W: www.lanarktrading.com.au

