



Olson

MODERN SIDE DUCTED EXHAUST FAN

- Low profile ultra modern design
- Premium ball bearing motor for smooth long life
- Easy to install and clean
- Energy saving back draft stopper included
- Plug and lead included

DIGITAL INFORMATION

Scan here using a QR Code reader application on your smart phone or visit www.ventair.com.au for the digital version of this information!



Olson



MODERN SIDE DUCTED EXHAUST FAN

Modern round grille with side ducted exhaust fan.
Energy saving draft stopper and easy install plug & lead included.



MOTOR	200mm	250mm
Airflow(m³H):	180/146m ³ H*	240/189m ³ H*
Motor Power (watts):	25 watts	30 watts
Noise Level (dB(A)):	36dB(A)	41dB(A)
Ball Bearing:	Yes	Yes
Draft Stopper:	Yes	Yes


INSTALLATION	200mm	250mm
Cut Out Size:	Ø240mm	Ø295mm
Grille Size:	Ø270mm	Ø323mm
Recommended Min Install Depth:	180mm	200mm
Power Input:	220-240V~50Hz	220-240V~50Hz
IP Rating:	IPX2	IPX2
Installation:	Plug and Lead	Plug and Lead

SHIPPING	200mm	250mm
Packaging Size:	310 x 200 x 300mm	355 x 360 x 245mm
Gross Weight:	2.6kg	3kg
Carton Size:	420 x 325 x 620mm	510 x 360 x 245mm
Carton Weight:	12kg	13kg
Carton Qty:	4	4
Pallet Qty:	120 pieces	120 pieces

Model	Outer Carton	EAN13 Barcode
200mm White VXRD8PW	19339310000973	9 339310 000976 >
200mm Silver VXRD8SS	19339310000980	9 339310 000983 >
250mm White VRXFW	19339310000041	9 339310 000044 >
250mm Silver VRXFS	19339310000058	9 339310 000051 >

*Airflow volume listed may show both ISO and non ISO supplied data.
 • ISO (International Organization for Standardization): An International standard tested under strict guidelines providing accurate data and commonly used in the professional specifying market.
 • Non ISO: Generic factory supplied data, not tested to strict international standards or guidelines and may vary according to individual manufacturers.

DIMENSIONS



	A	A	B	C	D
200	Ø270mm	158mm	Ø240mm	100mm	
250	Ø323mm	174mm	Ø295mm	100mm	

INCLUDES

- 1 x Exhaust Unit
- 1 x Cutout Template

AVAILABLE EXTRAS

- VAD100** 3m Alum Ducting
- VTROTIMER** 1-25min Run-on-Timer
- VTMSENSOR** 1-20min Motion Sensor
- V100GS** 100mm Gravity Shutter external grille
- V100FG** 100mm fixed external grille

*Ventair is leading the Industry by ensuring all airflow data is gathered in accordance with International industry standard ISO 5801.



THE AIR MOVEMENT SPECIALISTS

- +61 3 9775 0556
- +61 3 9775 0775
- sales@ventair.com.au

22 Silkwood Rise, Carrum Downs Vic 3201
www.ventair.com.au

WHOLLY AUSTRALIAN OWNED COMPANY